

# CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

## CPU Mega List

Below is a list of all single socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

AD

### Single CPU Systems *Last Updated: 13th of April 2021*

Columns

Show  entries

CPU Name <input type="text" value="Search..."/>	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		Min... - Max...	Min... - Max...	Min... - Max...		
<a href="#">AMD EPYC 7763</a>	64	87,686	2,639	280	SP3	Server
<a href="#">AMD EPYC 7713</a>	64	86,512	2,752	225	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	64	85,520	2,655	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 3990X</a>	64	80,972	2,555	280	sTRX4	Desktop
<a href="#">AMD EPYC 7643</a>	48	77,101	2,713	225	SP3	Server
<a href="#">AMD EPYC 7702</a>	64	71,929	2,099	200	SP3	Server
<a href="#">AMD EPYC 7702P</a>	64	68,213	2,210	200	SP3	Server
<a href="#">AMD EPYC 7742</a>	64	67,185	2,376	225	SP3	Server
<a href="#">AMD Ryzen Threadripper 3970X</a>	32	64,217	2,712	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	32	63,442	2,665	280	sTRX4	Desktop
<a href="#">AMD EPYC 7R32</a>	48	58,556	1,737	NA	Unknown	Server
<a href="#">AMD EPYC 7542</a>	32	56,310	2,216	225	SP3	Server
<a href="#">AMD Ryzen Threadripper 3960X</a>	24	54,890	2,682	280	sTRX4	Desktop
<a href="#">AMD EPYC 7502</a>	32	53,591	2,116	180	SP3	Server
<a href="#">AMD EPYC 7502P</a>	32	46,180	1,777	180	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD EPYC 7402</a>	24	45,684	2,090	180	SP3	Server
<a href="#">AMD EPYC 7452</a>	32	45,056	2,177	155	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 3955WX</a>	16	40,804	2,733	280	sTRX4	Desktop
<a href="#">Intel Xeon W-3275M @ 2.50GHz</a>	28	39,478	2,695	205	FCLGA3647	Server
<a href="#">AMD Ryzen 9 5900X</a>	12	39,421	3,493	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3950X</a>	16	39,251	2,746	105	AM4	Desktop
<a href="#">AMD EPYC 7402P</a>	24	39,118	1,742	180	SP3	Server
<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	24	38,521	2,270	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	37,575	2,011	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	20	34,987	2,444	205	FCLGA3647	Server
<a href="#">AMD EPYC 7302</a>	16	34,259	2,080	155	SP3	Server
<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	18	34,052	2,662	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	33,970	2,315	165	LGA3647	Server
<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	12	33,891	2,720	280	sTRX4	Desktop
<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	33,503	2,157	205	FCLGA3647	Server
<a href="#">AMD EPYC 7302P</a>	16	33,210	1,894	155	SP3	Server
<a href="#">AMD Ryzen 9 3900XT</a>	12	33,005	2,801	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3900X</a>	12	32,907	2,733	105	AM4	Desktop
<a href="#">AMD Ryzen Threadripper 2990WX</a>	32	32,497	2,331	250	sTR4	Desktop
<a href="#">Intel Core i9-9980XE @ 3.00GHz</a>	18	32,402	2,588	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9990XE @ 4.00GHz</a>	14	31,941	3,104	255	LGA2066	Desktop
<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	18	31,881	2,756	165	FCLGA2066	Server
<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	28	31,814	2,126	255	FCLGA3647	Desktop
<a href="#">AMD Ryzen 9 PRO 3900</a>	12	31,800	2,637	65	AM4	Desktop
<a href="#">AMD EPYC 7282</a>	16	31,510	2,006	120	SP3	Server
<a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	31,500	1,863	210	LGA 3647	Server
<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	20	31,285	2,326	150	FCLGA3647	Server
<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	16	30,973	2,644	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen 9 3900</a>	12	30,926	2,653	65	AM4	Desktop
<a href="#">AMD Ryzen Threadripper 2950X</a>	16	30,697	2,455	180	sTR4	Desktop
<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	16	30,485	2,389	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3245 @ 3.20GHz</a>	16	30,473	2,564	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3265 @ 2.70GHz</a>	24	30,105	2,572	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	30,103	2,167	205	FCLGA3647	Server
<a href="#">Intel Core i9-7980XE @ 2.60GHz</a>	18	29,464	2,469	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	18	29,356	2,381	200	FCLGA3647	Server
<a href="#">AMD Ryzen Threadripper 2970WX</a>	24	29,165	2,324	250	sTR4	Desktop
<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	14	29,142	2,733	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen 7 5800X</a>	8	28,633	3,505	105	AM4	Desktop
<a href="#">AMD EPYC 7371</a>	16	28,356	2,419	NA	SP3	Server
<a href="#">Intel Core i9-9940X @ 3.30GHz</a>	14	28,288	2,607	165	FCLGA2066	Desktop
<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	14	27,745	2,859	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	22	27,617	1,691	140	FCLGA3647	Server
<a href="#">Intel Core i9-11900K @ 3.50GHz</a>	8	27,582	3,657	125	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	24	27,470	2,013	165	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	27,377	2,123	165	FCLGA3647	Server
<a href="#">AMD Ryzen 7 5800</a>	8	27,340	3,447	65	AM4	Desktop
<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	16	27,305	2,556	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>	20	27,131	2,295	150	FCLGA3647	Server
<a href="#">Intel Xeon W-2195 @ 2.30GHz</a>	18	27,069	2,429	140	FCLGA2066	Server
<a href="#">AMD Ryzen Threadripper 1950X</a>	16	26,977	2,279	180	sTR4	Desktop
<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	14	26,953	2,509	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>	16	26,677	2,325	150	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>	24	26,659	1,903	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	26,485	1,984	150	FCLGA3647	Server
<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	12	26,480	2,754	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen Threadripper 2990X</a>	32	26,469	2,285	250	TR4	Desktop
<a href="#">AMD EPYC 7272</a>	12	26,454	2,019	120	SP3	Server
<a href="#">AMD EPYC 7401P</a>	24	26,392	1,795	155	SP3	Server
<a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>	18	26,298	2,249	200	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>	16	26,288	2,196	150	FCLGA3647	Server
<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	12	26,039	2,872	165	FCLGA2066	Server
<a href="#">Intel Core i9-11900KF @ 3.50GHz</a>	8	25,973	3,631	125	FCLGA1200	Desktop
<a href="#">AMD EPYC 7551P</a>	32	25,933	1,611	180	SP3	Server
<a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>	18	25,740	2,396	125	FCLGA3647	Server
<a href="#">AMD Ryzen Threadripper 2920X</a>	12	25,607	2,509	180	sTR4	Desktop
<a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>	16	25,570	2,217	150	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	25,456	2,084	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>	26	25,396	1,455	NA	FCLGA3647	Server
<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	12	25,371	2,571	180	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	20	25,326	2,250	125	FCLGA3647	Server
<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	8	25,253	3,491	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-9920X @ 3.50GHz</a>	12	25,197	2,624	165	FCLGA2066	Desktop
<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	8	25,190	3,477	125	FCLGA1200	Desktop
<a href="#">AMD EPYC 7501</a>	32	24,925	1,925	155	SP3	Server
<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	8	24,835	3,561	65	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a>	20	24,800	2,050	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	16	24,786	2,248	205	FCLGA3647	Server
<a href="#">Intel Core i9-11900 @ 2.50GHz</a>	8	24,608	3,662	65	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	12	24,446	2,450	165	FCLGA3647	Server
<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	24,272	1,903	145	FCLGA2011-3	Server
<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	20	24,133	2,056	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>	20	24,115	2,224	125	FCLGA3647	Server
<a href="#">Intel Core i9-10900K @ 3.70GHz</a>	10	24,010	3,168	125	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 3800XT</a>	8	23,951	2,858	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5900HX</a>	8	23,941	3,273	45	FP6	Laptop
<a href="#">Intel Core i9-10900KF @ 3.70GHz</a>	10	23,787	3,132	125	FCLGA1200	Desktop
<a href="#">Intel Xeon W-1290P @ 3.70GHz</a>	10	23,716	3,249	125	FCLGA1200	Server
<a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>	20	23,639	1,928	200	FCLGA2011-3	Server
<a href="#">AMD EPYC 7351</a>	16	23,566	1,821	155	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i9-10850K @ 3.60GHz</a>	10	23,393	3,105	125	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 3800X</a>	8	23,339	2,742	105	AM4	Desktop
<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	14	23,300	2,559	NA	FCLGA-2066	Server
<a href="#">Intel Xeon W-2175 @ 2.50GHz</a>	14	23,207	2,446	140	FCLGA2066	Server
<a href="#">Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	23,179	2,048	165	FCLGA3647	Server
<a href="#">AMD Ryzen 9 5900HS</a>	8	23,151	3,282	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5980HS</a>	8	23,078	3,365	35	FP6	Laptop
<a href="#">AMD Ryzen Threadripper 1920X</a>	12	23,033	2,292	180	sTR4	Desktop
<a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>	12	23,014	2,510	165	FCLGA3647	Server
<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	10	22,852	2,722	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	20	22,849	2,261	125	FCLGA3647	Server
<a href="#">AMD Ryzen 7 3700X</a>	8	22,807	2,689	65	AM4	Desktop
<a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>	18	22,733	1,840	140	FCLGA3647	Server
<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	10	22,680	2,763	165	FCLGA2066	Desktop, Server
<a href="#">AMD EPYC 7F32</a>	8	22,303	2,447	180	SP3	Server
<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22	22,291	2,155	140	FCLGA3647	Server
<a href="#">AMD Ryzen 5 5600X</a>	6	22,194	3,381	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 3700</a>	8	22,164	2,660	65	AM4	Desktop
<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	10	22,117	3,144	125	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	16	22,117	2,245	125	FCLGA3647	Server
<a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	22,091	2,066	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 5800HS</a>	8	22,083	3,159	35	FP6	Laptop
<a href="#">AMD Ryzen 7 5800H</a>	8	21,870	3,115	45	FP6	Laptop
<a href="#">Intel Xeon W-1290 @ 3.20GHz</a>	10	21,859	3,094	80	FCLGA1200	Server
<a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>	12	21,835	2,191	150	FCLGA3647	Server
<a href="#">AMD EPYC 7551</a>	32	21,806	1,813	180	SP3	Server
<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	16	21,803	1,698	125	FCLGA3647	Server
<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	10	21,632	2,588	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-7900X @ 3.30GHz</a>	10	21,450	2,607	140	FCLGA2066	Desktop
<a href="#">AMD EPYC 7281</a>	16	21,230	1,613	155	SP3	Server
<a href="#">Intel Core i9-10900 @ 2.80GHz</a>	10	21,059	3,077	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	21,031	1,787	145	FCLGA2011-3	Server
<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	10	20,994	3,075	65	FCLGA1200	Desktop
<a href="#">AMD EPYC 7262</a>	8	20,952	1,935	155	SP3	Server
<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	10	20,949	2,638	140	FCLGA2066	Server
<a href="#">AMD Ryzen 7 PRO 4700G</a>	8	20,848	2,700	65	AM4	Desktop
<a href="#">AMD EPYC 7451</a>	24	20,738	2,078	180	SP3	Server
<a href="#">AMD Ryzen 7 PRO 4750G</a>	8	20,728	2,692	65	AM4	Desktop
<a href="#">AMD Ryzen 7 4700GE</a>	8	20,671	2,737	35	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5850U</a>	8	20,659	3,237	15	FP6	Laptop
<a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	20,556	1,849	145	FCLGA2011-3	Server
<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	10	20,524	2,431	165	FCLGA2066	Desktop
<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	20,397	1,994	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2696 v3 @ 2.30GHz</a>	18	20,305	1,778	NA	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2697R v4 @ 2.30GHz</a>	18	20,222	1,936	145	FCLGA2011-3	Server
<a href="#">Intel Xeon W-2150B @ 3.00GHz</a>	10	20,172	2,651	NA	FCLGA2066	Server
<a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	20,096	1,922	120	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 PRO 4750GE</a>	8	19,876	2,728	35	AM4	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>	12	19,810	2,104	125	FCLGA3647	Server
<a href="#">AMD Ryzen 9 4900HS</a>	8	19,786	2,652	35	FP6	Laptop
<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	8	19,756	3,380	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600K @ 3.90GHz</a>	6	19,690	3,365	125	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	19,634	1,825	120	FCLGA2011-3	Server
<a href="#">AMD EPYC 7351P</a>	16	19,589	1,876	155	SP3	Server
<a href="#">Intel Core i9-9900KS @ 4.00GHz</a>	8	19,566	3,049	127	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	19,552	1,971	135	LGA2011-v3	Server
<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	14	19,552	2,177	140	FCLGA3647	Server
<a href="#">Intel Core i7-10700K @ 3.80GHz</a>	8	19,514	3,088	125	FCLGA1200	Desktop
<a href="#">Intel Xeon W-2245 @ 3.90GHz</a>	8	19,462	2,765	155	FCLGA2066	Server
<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	16	19,365	2,499	205	FCLGA-3647	Server
<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	10	19,358	2,610	140	FCLGA2066	Desktop
<a href="#">AMD Ryzen 7 5800U</a>	8	19,276	2,960	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4800H</a>	8	19,237	2,661	45	FP6	Laptop
<a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>	12	19,223	2,019	125	FCLGA3647	Server
<a href="#">Intel Core i7-10700KF @ 3.80GHz</a>	8	19,196	3,055	125	FCLGA1200	Desktop
<a href="#">AMD Ryzen 9 4900H</a>	8	19,073	2,731	45	FP6	Laptop
<a href="#">AMD Ryzen 7 4800HS</a>	8	19,027	2,630	45	FP6	Laptop
<a href="#">Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	18,996	2,184	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>	16	18,978	1,730	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	18,962	2,047	135	FCLGA2011-3	Server
<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	8	18,864	2,975	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	8	18,857	2,994	95	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 3600XT</a>	6	18,849	2,800	95	AM4	Desktop
<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	8	18,656	2,523	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	16	18,634	1,859	125	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>	16	18,561	1,667	100	FCLGA3647	Server
<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	10	18,409	2,974	35	FCLGA1200	Server
<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	8	18,397	2,638	165	FCLGA2066	Desktop
<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	16	18,385	1,728	100	FCBGA2518	Server
<a href="#">AMD Ryzen 5 3600X</a>	6	18,325	2,677	95	AM4	Desktop
<a href="#">Intel Core i5-11500 @ 2.70GHz</a>	6	18,263	3,229	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 Extreme Edition</a>	8	18,244	2,676	NA	FP6	Laptop
<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	8	18,163	2,629	140	FCLGA2066	Server
<a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	18,156	1,927	120	FCLGA2011-3	Server
<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	8	18,079	3,104	95	FCLGA1200	Server
<a href="#">Intel Core i5-11600KF @ 3.90GHz</a>	6	18,078	3,159	125	FCLGA1200	Desktop
<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	16	18,070	1,425	110	FCBGA2518	Server
<a href="#">AMD Ryzen 5 PRO 3600</a>	6	18,037	2,611	65	AM4	Desktop
<a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	18,017	1,673	120	FCLGA2011-3	Server
<a href="#">Intel Core i9-10900TE @ 1.80GHz</a>	10	17,888	2,684	35	FCLGA1200	Mobile/Embedded
<a href="#">AMD Ryzen 5 3600</a>	6	17,864	2,584	65	AM4	Desktop
<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	8	17,830	3,071	80	FCLGA1200	Server
<a href="#">Intel Core i5-11400F @ 2.60GHz</a>	6	17,826	3,072	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	17,797	1,930	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	14	17,795	1,833	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	17,791	2,130	160	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon E-2278G @ 3.40GHz</a>	8	17,609	2,991	80	FCLGA1151-2	Server
<a href="#">AMD Ryzen 7 2700X</a>	8	17,597	2,438	105	AM4	Desktop
<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	14	17,540	1,827	105	FCLGA3647	Server
<a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	17,533	1,909	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen Embedded V2718</a>	8	17,506	2,608	15	FP6	Mobile/Embedded
<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	8	17,398	2,939	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	8	17,378	2,906	95	FCLGA1151-2	Server
<a href="#">AMD Ryzen 7 4800U</a>	8	17,343	2,607	15	FP6	Laptop
<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	8	17,318	2,531	140	FCLGA2066	Desktop
<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	8	17,210	2,754	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	17,209	1,433	135	FCLGA2011-3	Server
<a href="#">Intel Xeon W-3223 @ 3.50GHz</a>	8	17,139	2,432	160	FCLGA3647	Server
<a href="#">Intel Xeon W-10885M @ 2.40GHz</a>	8	17,137	2,986	45	FCBGA1440	Laptop, Server
<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	8	17,110	2,893	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	10	17,040	2,342	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	8	17,002	2,929	65	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>	14	16,990	1,887	105	FCLGA3647	Server
<a href="#">AMD Ryzen 7 PRO 2700X</a>	8	16,846	2,362	105	AM4	Desktop
<a href="#">AMD Ryzen Threadripper 1900X</a>	8	16,759	2,329	180	sTR4	Desktop
<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	16,745	1,613	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	16,706	2,380	165	FCLGA2011-3	Server
<a href="#">AMD EPYC 7232P</a>	8	16,658	1,354	120	SP3	Server
<a href="#">Intel Core i9-10980HK @ 2.40GHz</a>	8	16,590	2,927	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 PRO 4650G</a>	6	16,546	2,672	65	AM4	Desktop
<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	8	16,513	2,251	130	FCLGA3647	Server
<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	10	16,480	2,570	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 PRO 4400G</a>	6	16,456	2,656	NA	Unknown	Desktop
<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	8	16,414	2,477	NA	FCLGA2066	Server
<a href="#">AMD Ryzen 5 4600GE</a>	6	16,377	2,676	35	AM4	Desktop
<a href="#">Intel Core i7-10700TE @ 2.00GHz</a>	8	16,332	2,772	35	FCLGA1200	Laptop
<a href="#">AMD Ryzen 7 1800X</a>	8	16,284	2,178	95	AM4	Desktop
<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	16,256	1,880	135	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 4650GE</a>	6	16,183	2,652	35	AM4	Desktop
<a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>	12	16,140	1,712	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>	12	16,107	1,502	120	LGA2011-v3	Server
<a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>	10	16,058	2,021	85	FCLGA3647	Server
<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	8	16,055	2,882	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	16,032	1,778	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 7 5700U</a>	8	16,010	2,441	15	FP6	Laptop
<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	8	15,971	2,832	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 4600G</a>	6	15,884	2,655	65	AM4	Desktop
<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	14	15,816	1,531	105	Unknown	Server
<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	8	15,755	2,801	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 7 PRO 1700X</a>	8	15,735	2,208	95	AM4	Desktop
<a href="#">AMD Ryzen 7 2700</a>	8	15,711	2,208	65	AM4	Desktop
<a href="#">Intel Core i7-10870H @ 2.20GHz</a>	8	15,653	2,760	45	FCBGA1440	Laptop
<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	12	15,591	1,832	105	FCLGA3647	Server
<a href="#">AMD Ryzen 7 PRO 4750U</a>	8	15,583	2,574	15	FP6	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

CPU Benchmarks

<a href="#">AMD Ryzen 7 1700X</a>	8	15,541	2,073	95	AM4	Desktop
<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	15,442	1,765	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>	16	15,397	1,461	135	FCLGA2011-3	Server
<a href="#">Intel Core i9-10880H @ 2.30GHz</a>	8	15,390	2,777	45	FCBGA1440	Laptop
<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	12	15,248	1,790	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	12	15,187	1,781	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	10	15,121	1,884	100	FCLGA3647	Server
<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	12	15,105	1,751	85	FCBGA2518	Server
<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	8	15,080	2,681	45	FCBGA1440	Laptop
<a href="#">AMD EPYC 7301</a>	16	14,991	1,363	155	SP3	Server
<a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	14,917	1,037	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 PRO 2700</a>	8	14,878	2,237	65	AM4	Desktop
<a href="#">Apple M1 8 Core 3200 MHz</a>	8	14,872	3,630	15.1	Unknown	Desktop, Laptop
<a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	14,822	1,706	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	10	14,820	2,040	135	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 4600H</a>	6	14,817	2,482	45	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 4400GE</a>	6	14,795	2,664	35	Unknown	Laptop
<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	12	14,785	1,678	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	14,761	1,895	160	LGA2011-v3	Server
<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	6	14,733	2,927	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	14,720	1,564	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 7 1700</a>	8	14,668	1,987	65	AM4	Desktop
<a href="#">AMD Ryzen 7 2700E</a>	8	14,657	2,410	45	AM4	Desktop
<a href="#">Intel Core i7-9700KF @ 3.60GHz</a>	8	14,643	2,948	95	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 7 PRO 1700</a>	8	14,613	2,042	65	AM4	Desktop
<a href="#">Intel Core i5-10600KF @ 4.10GHz</a>	6	14,611	2,956	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	6	14,595	2,935	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-9700K @ 3.60GHz</a>	8	14,548	2,909	95	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 4600HS</a>	6	14,508	2,460	35	FP6	Laptop
<a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>	10	14,507	1,842	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>	8	14,463	2,386	140	FCLGA2011-3	Server
<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	8	14,439	2,060	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	14,407	1,727	120	LGA2011-v3	Server
<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	8	14,405	1,967	105	Unknown	Server
<a href="#">Intel Xeon E-2286G @ 4.00GHz</a>	6	14,368	2,865	95	FCLGA1151-2	Server
<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	6	14,351	2,665	130	FCLGA2066	Server
<a href="#">Intel Xeon E-2236 @ 3.40GHz</a>	6	14,348	2,878	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	14,342	1,713	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	14,306	1,707	130	FCLGA2011	Server
<a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>	6	14,273	2,247	115	FCLGA3647	Server
<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14	14,256	1,558	120	FCLGA2011-3	Server
<a href="#">AMD EPYC 3251</a>	8	14,225	1,825	50	SP4r2	Server
<a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	14,191	1,652	NA	LGA2011	Server
<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	6	14,175	2,878	80	FCLGA1200	Server
<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	14,168	1,590	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	14,148	2,236	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 2600X</a>	6	14,086	2,413	95	AM4	Desktop
<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	6	14,038	2,592	140	FCLGA2066	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i9-9900T @ 2.10GHz</a>	8	13,993	2,484	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	13,981	1,667	120	LGA2011-v3	Server
<a href="#">Intel Xeon E-2186G @ 3.80GHz</a>	6	13,976	2,824	95	FCLGA1151-2	Server
<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	8	13,956	2,564	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	6	13,906	2,785	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	6	13,905	2,868	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	8	13,894	2,383	140	FCLGA2011-3	Desktop
<a href="#">AMD Ryzen 5 5500U</a>	6	13,885	2,510	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4700U</a>	8	13,801	2,576	15	FP6	Laptop
<a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	13,801	1,708	110	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 4600U</a>	6	13,729	2,405	15	FP6	Laptop
<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	6	13,727	2,785	80	FCLGA1151-2	Server
<a href="#">Intel Core i7-9700F @ 3.00GHz</a>	8	13,650	2,825	65	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 PRO 2600</a>	6	13,575	2,259	65	AM4	Desktop
<a href="#">Intel Xeon E-2276G @ 3.80GHz</a>	6	13,553	2,914	80	FCLGA1151-2	Server
<a href="#">Intel Core i7-11375H @ 3.30GHz</a>	4	13,548	3,213	35	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	8	13,519	2,228	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E-2136 @ 3.30GHz</a>	6	13,506	2,713	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	13,487	1,711	105	LGA2011-v3	Server
<a href="#">Intel Core i7-9700 @ 3.00GHz</a>	8	13,486	2,803	65	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 3500X</a>	6	13,410	2,537	65	AM4	Desktop
<a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	13,382	1,535	115	LGA 2011	Server
<a href="#">Intel Xeon E-2146G @ 3.50GHz</a>	6	13,379	2,699	80	FCLGA1151-2	Server
<a href="#">Intel Core i5-10500 @ 3.10GHz</a>	6	13,268	2,771	65	FCLGA1200	Desktop
<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	6	13,252	2,836	45	FCBGA1440	Laptop, Server
<a href="#">AMD Ryzen 5 2600</a>	6	13,218	2,258	65	AM4	Desktop
<a href="#">Intel Core i7-10700T @ 2.00GHz</a>	8	13,183	2,722	35	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	13,124	1,778	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	13,109	1,782	130	FCLGA2011	Server
<a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>	8	13,107	1,812	65	FCBGA2518	Server
<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	6	13,078	2,677	65	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 1600X</a>	6	13,060	2,193	95	AM4	Desktop
<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	8	13,055	2,099	140	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 4650U</a>	6	13,006	2,473	15	FP6	Laptop
<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	12,969	2,030	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	12,944	1,726	120	LGA2011-v3	Server
<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	4	12,898	3,253	35	FCBGA1449	Laptop
<a href="#">AMD Ryzen 5 3500</a>	6	12,866	2,529	65	AM4	Desktop
<a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>	10	12,800	1,658	85	FCLGA3647	Server
<a href="#">AMD Ryzen 3 3300X</a>	4	12,752	2,688	65	AM4	Desktop
<a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	12,739	2,053	135	LGA2011-v3	Server
<a href="#">Intel Core i7-7800X @ 3.50GHz</a>	6	12,721	2,423	140	FCLGA2066	Desktop
<a href="#">AMD EPYC 3201</a>	8	12,677	2,027	30	SP4r2	Server
<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	8	12,662	1,988	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-10750H @ 2.60GHz</a>	6	12,593	2,741	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	6	12,542	2,581	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-10850H @ 2.70GHz</a>	6	12,521	2,826	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	12,500	1,787	115	FCLGA2011	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	6	12,482	2,596	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	8	12,416	2,073	130	LGA 2011	Server
<a href="#">Intel Core i5-10500H @ 2.50GHz</a>	6	12,387	2,632	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 5400U</a>	4	12,367	NA	15	FP6	Laptop
<a href="#">AMD Ryzen 5 1600</a>	6	12,367	2,082	65	AM4	Desktop
<a href="#">Intel Xeon W-2133 @ 3.60GHz</a>	6	12,325	2,300	140	FCLGA2066	Server
<a href="#">Intel Core i7-8700B @ 3.20GHz</a>	6	12,288	2,709	65	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2276M @ 2.80GHz</a>	6	12,252	2,714	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	12,205	2,022	130	LGA 2011	Server
<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	12,198	2,027	150	FCLGA2011	Server
<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	8	12,177	1,756	65	FCBGA2518	Server
<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12	12,119	1,571	115	LGA 2011	Server
<a href="#">Intel Core i5-10600T @ 2.40GHz</a>	6	12,097	2,506	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 PRO 4500U</a>	6	12,049	2,486	15	FP6	Laptop
<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	12,041	1,879	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a>	8	12,024	2,428	35	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>	16	11,960	1,209	NA	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	11,922	1,592	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	11,919	1,959	110	LGA 2011	Server
<a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	11,918	1,541	65	FCLGA2011-3	Server
<a href="#">AMD Ryzen 3 4300GE</a>	4	11,878	2,585	35	AM4	Desktop
<a href="#">Intel Core i7-9700E @ 2.60GHz</a>	8	11,869	2,628	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>	10	11,796	1,654	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	11,777	2,040	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 3 3100</a>	4	11,739	2,440	65	AM4	Desktop
<a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	11,711	1,356	65	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	11,660	1,787	85	FCLGA2011-3	Server
<a href="#">Intel Core i7-9750HF @ 2.60GHz</a>	6	11,648	2,564	45	FCBGA1440	Laptop
<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	16	11,645	1,319	45	FCBGA1667	Server
<a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>	8	11,617	1,887	140	LGA2011-v3	Server
<a href="#">Intel Core i7-9850H @ 2.60GHz</a>	6	11,612	2,587	45	Unknown	Laptop
<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	14	11,547	1,435	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	11,523	1,366	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	11,507	1,788	135	FCLGA2011-3	Server
<a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>	4	11,441	2,994	15	BGA1526	Laptop
<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	8	11,438	1,735	80	FCBGA2518	Server
<a href="#">AMD Ryzen 3 PRO 4350GE</a>	4	11,420	2,578	35	AM4	Desktop
<a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	11,328	1,556	115	FCLGA2011	Server
<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	6	11,316	2,506	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 PRO 4200G</a>	4	11,315	2,564	65	FP6	Desktop
<a href="#">Apple A12X Bionic</a>	8	11,309	2,717	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W-2225 @ 4.10GHz</a>	4	11,292	2,703	105	FCLGA2066	Server
<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	6	11,289	2,416	140	FCLGA2011-3	Desktop
<a href="#">AMD Ryzen 5 4500U</a>	6	11,278	2,474	15	FP6	Laptop
<a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	11,261	2,252	135	FCLGA2011-3	Server
<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	8	11,219	1,820	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	11,206	1,867	90	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	6	11,204	2,361	140	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	6	11,138	2,861	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	6	11,088	2,432	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	11,079	1,433	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	6	11,069	2,476	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	11,065	1,636	90	FCLGA2011-3	Server
<a href="#">AMD Ryzen 3 PRO 4200GE</a>	4	11,006	2,545	35	Unknown	Laptop
<a href="#">Intel Core i7-1160G7 @ 1.20GHz</a>	4	10,997	2,837	NA	FCBGA1598	Laptop
<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	6	10,922	2,658	80	FCLGA1151-2	Server
<a href="#">Intel Core i9-8950HK @ 2.90GHz</a>	6	10,902	2,479	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	4	10,892	2,667	15	FCBGA1598	Server
<a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	10,871	1,623	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	10,864	1,743	55	FCLGA2011-3	Server
<a href="#">Intel Core i5-9600KF @ 3.70GHz</a>	6	10,862	2,802	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600K @ 3.70GHz</a>	6	10,840	2,786	95	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 3 PRO 4350G</a>	4	10,839	2,562	65	AM4	Desktop
<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	12	10,838	1,384	105	FCLGA2011-3	Server
<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	4	10,795	2,970	28	FCBGA1449	Laptop
<a href="#">Intel Core i5-10500T @ 2.30GHz</a>	6	10,773	2,372	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-8700T @ 2.40GHz</a>	6	10,763	2,385	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	10,681	NA	105	FCLGA2011-3	Server
<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	8	10,645	2,318	35	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	6	10,589	2,720	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700T @ 2.00GHz</a>	8	10,561	2,513	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-6800K @ 3.40GHz</a>	6	10,549	2,259	140	LGA2011-v3	Desktop
<a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>	4	10,548	2,583	15	BGA 1449	Laptop
<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	10,523	2,087	135	LGA2011-v3	Server
<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	4	10,482	2,894	15	BGA1526	Laptop
<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	10,482	1,510	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	8	10,464	1,872	75	LGA2011-v3	Server
<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	4	10,460	2,568	28	FCBGA1344	Laptop
<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	6	10,426	2,423	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 PRO 1600</a>	6	10,401	1,685	65	AM4	Desktop
<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	12	10,372	1,514	105	FCLGA2011-3	Server
<a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	8	10,348	1,445	70	FCLGA3647	Server
<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	6	10,336	2,113	140	LGA2011-v3	Server
<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	4	10,327	2,563	28	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	6	10,299	2,104	130	LGA 2011	Server
<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	10,280	1,301	95	LGA 2011	Server
<a href="#">Intel Core i5-9500F @ 3.00GHz</a>	6	10,269	2,689	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	6	10,221	2,054	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	6	10,188	2,349	45	FCBGA1440	Laptop
<a href="#">Intel Xeon W-2125 @ 4.00GHz</a>	4	10,187	2,651	120	FCLGA2066	Server
<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>	8	10,160	1,634	85	FCLGA3647	Server
<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	6	10,151	2,622	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	4	10,111	2,755	15	BGA1526	Laptop
<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	6	10,110	2,145	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 3 PRO 4450U</a>	4	10,097	2,382	15	FP6	Laptop
<a href="#">Intel Core i3-10320 @ 3.80GHz</a>	4	10,096	2,825	65	FCLGA1200	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	6	10,082	2,458	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	10,066	1,201	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	8	9,988	1,672	135	LGA2011	Server
<a href="#">Intel Xeon E-2244G @ 3.80GHz</a>	4	9,986	2,833	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	9,981	1,679	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	10	9,949	1,483	75	LGA2011-v3	Server
<a href="#">Intel Core i7-4960X @ 3.60GHz</a>	6	9,929	2,073	130	LGA2011	Desktop
<a href="#">Intel Core i7-7740X @ 4.30GHz</a>	4	9,900	2,811	112	FCLGA2066	Desktop
<a href="#">Intel Core i5-8600 @ 3.10GHz</a>	6	9,852	2,568	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a>	12	9,847	1,292	75	LGA2011-v3	Server
<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	6	9,811	2,015	140	LGA2011-v3	Desktop
<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	8	9,772	1,558	115	LGA 2011	Server
<a href="#">Intel Core i5-9500 @ 3.00GHz</a>	6	9,749	2,605	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-7700K @ 4.20GHz</a>	4	9,706	2,755	95	LGA 1151	Desktop
<a href="#">AMD Ryzen 5 3350GE</a>	4	9,684	2,342	35	Unknown	Desktop
<a href="#">AMD Ryzen 5 PRO 3350GE</a>	4	9,643	2,340	35	Unknown	Desktop
<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	4	9,639	2,747	83	FCLGA1151-2	Server
<a href="#">AMD Ryzen 5 PRO 3350G</a>	4	9,582	2,341	65	AM4	Desktop
<a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>	8	9,578	1,707	150	LGA2011	Server
<a href="#">Intel Xeon E-2234 @ 3.60GHz</a>	4	9,555	2,888	71	FCLGA1151-2	Server
<a href="#">Intel Core i5-9400F @ 2.90GHz</a>	6	9,549	2,484	65	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	8	9,544	1,642	45	FCBGA1667	Server
<a href="#">Intel Core i5-8500 @ 3.00GHz</a>	6	9,540	2,486	65	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 2500X</a>	4	9,517	2,332	65	AM4	Desktop
<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	6	9,511	2,496	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E-2174G @ 3.80GHz</a>	4	9,502	2,590	71	FCLGA1151-2	Server
<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	6	9,478	2,464	65	FCBGA1440	Laptop
<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	4	9,449	2,371	28	FCBGA1344	Laptop
<a href="#">Intel Xeon E-2144G @ 3.60GHz</a>	4	9,447	2,687	71	FCLGA1151-2	Server
<a href="#">AMD Ryzen 5 PRO 3400G</a>	4	9,443	2,340	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 1500</a>	4	9,434	2,171	65	AM4	Desktop
<a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>	4	9,428	2,372	105	FCLGA3647	Server
<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	6	9,377	1,817	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 3400G</a>	4	9,370	2,369	65	AM4	Desktop
<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	4	9,351	2,685	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	8	9,326	1,564	130	LGA2011	Server
<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	9,320	1,786	130	FCLGA2011	Server
<a href="#">Intel Core i5-9600T @ 2.30GHz</a>	6	9,315	2,409	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>	8	9,302	1,535	85	FCLGA3647	Server
<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	6	9,285	1,961	130	LGA2011	Desktop
<a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>	4	9,276	2,692	79	FCLGA1151	Server
<a href="#">Intel Core i7-8569U @ 2.80GHz</a>	4	9,251	2,829	28	FCBGA1528	Laptop
<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	12	9,236	988	65	FCBGA1667	Server
<a href="#">Intel Core i5-8400 @ 2.80GHz</a>	6	9,225	2,415	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	16	9,223	835	65	FCBGA1667	Server
<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	6	9,212	2,296	35	FCLGA1151	Laptop
<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	6	9,151	1,962	130	FCLGA2011	Server
<a href="#">Intel Core i7-9850HL @ 1.90GHz</a>	6	9,112	2,139	25	FCBGA1440	Desktop, Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	8	9,075	1,647	45	FCBGA1667	Server
<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	4	9,070	2,580	NA	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>	8	9,062	1,451	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	12	9,061	1,317	105	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 3350G</a>	4	9,053	2,287	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1500X</a>	4	9,049	2,102	65	AM4	Desktop
<a href="#">Intel Core i7-10810U @ 1.10GHz</a>	6	9,049	2,418	15	FCBGA1528	Laptop
<a href="#">AMD Ryzen 5 3400GE</a>	4	9,042	2,289	35	AM4	Desktop
<a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	9,036	1,638	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	9,030	1,089	NA	LGA 2011	Server
<a href="#">Intel Core i7-6700K @ 4.00GHz</a>	4	8,969	2,532	95	LGA1151	Desktop
<a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	8,950	1,546	55	LGA2011-v3	Server
<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	4	8,949	2,374	72	FCLGA1151	Server
<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	4	8,943	2,605	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	4	8,932	2,759	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8	8,905	1,460	115	LGA2011	Server
<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	4	8,882	2,510	NA	Unknown	Unknown
<a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>	4	8,878	2,456	15	FCBGA-1526	Laptop
<a href="#">Intel Core i3-10100 @ 3.60GHz</a>	4	8,874	2,642	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	8,867	1,857	130	FCLGA2011	Server
<a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>	4	8,836	2,582	73	FCLGA1151	Server
<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	4	8,809	2,759	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>	4	8,809	2,469	72	FCLGA1151	Server
<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	4	8,808	2,650	45	FCBGA1440	Desktop, Laptop
<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	4	8,774	2,461	100	BGA2270	Laptop
<a href="#">AMD Ryzen 5 2400G</a>	4	8,732	2,161	65	AM4	Desktop
<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	4	8,730	2,609	65	FCLGA1200	Desktop
<a href="#">Apple A14 Bionic</a>	6	8,701	3,471	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	6	8,701	2,249	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	4	8,635	2,268	120	FCLGA2066	Server
<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	6	8,631	1,816	130	LGA2011	Desktop
<a href="#">Intel Xeon W-2223 @ 3.60GHz</a>	4	8,630	2,250	120	FCLGA2066	Server
<a href="#">Intel Core i7-7700 @ 3.60GHz</a>	4	8,614	2,479	65	LGA1151	Desktop
<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	8,611	1,350	70	FCLGA2011	Server
<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	4	8,598	2,098	105	FCLGA3647	Server
<a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>	8	8,574	1,482	130	LGA2011	Server
<a href="#">AMD Ryzen 5 PRO 2400G</a>	4	8,535	2,178	65	AM4	Desktop
<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	4	8,533	2,429	73	FCLGA1151	Server
<a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a>	4	8,523	2,436	35	FCBGA1440	Laptop, Server
<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	4	8,493	2,502	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>	8	8,445	1,406	115	LGA2011	Server
<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	6	8,433	1,808	130	LGA2011	Server
<a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>	4	8,408	2,402	65	FCBGA1440	Server
<a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>	4	8,389	2,344	80	FCLGA1151	Server
<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	4	8,379	2,288	15	FCBGA1526	Laptop
<a href="#">AMD Ryzen 7 3750H</a>	4	8,368	2,126	35	FP5	Laptop
<a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>	4	8,354	2,334	15	FCBGA1526	Laptop
<a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>	4	8,343	2,289	80	FCLGA1151	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-10300T @ 3.00GHz</a>	4	8,342	2,432	35	FCLGA1200	Desktop
<a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>	4	8,320	2,343	80	FCLGA1151	Server
<a href="#">Intel Core i5-8259U @ 2.30GHz</a>	4	8,277	2,255	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-9400H @ 2.50GHz</a>	4	8,267	2,518	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>	4	8,266	2,269	72	FCLGA1151	Server
<a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>	8	8,263	1,440	115	LGA 2011	Server
<a href="#">Intel Xeon E-2134 @ 3.50GHz</a>	4	8,253	2,440	71	FCLGA1151-2	Server
<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	4	8,236	2,590	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>	4	8,234	2,354	80	FCLGA1151	Server
<a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>	8	8,205	1,442	95	LGA 1356	Server
<a href="#">AMD Ryzen Embedded V1756B</a>	4	8,180	2,136	45	FP5	Desktop, Mobile/Embedded
<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	6	8,180	2,189	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	4	8,175	2,494	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8	8,170	1,398	95	LGA2011	Server
<a href="#">Intel Core i7-3930K @ 3.20GHz</a>	6	8,168	1,741	130	LGA2011	Desktop
<a href="#">AMD Ryzen 5 PRO 3400GE</a>	4	8,154	2,270	35	AM4	Desktop
<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	4	8,136	2,519	65	BGA2270	Laptop
<a href="#">AMD Ryzen 5 3550H</a>	4	8,093	2,103	35	FP5	Laptop
<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	6	8,093	1,740	130	LGA2011	Server
<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	4	8,063	2,468	88	LGA1150	Desktop
<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	8,055	2,561	28	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	4	8,044	2,301	65	LGA 1151	Desktop
<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	4	8,038	2,277	80	FCLGA1151	Server
<a href="#">AMD Opteron 6348</a>	6	8,030	1,302	115	Unknown	Server
<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	4	8,028	2,283	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a>	4	8,021	2,179	45	FCBGA1440	Server
<a href="#">AMD Ryzen 5 3580U</a>	4	8,001	2,144	15	FP5	Laptop
<a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	7,995	2,103	135	LGA2011-v3	Server
<a href="#">Intel Xeon D-1531 @ 2.20GHz</a>	6	7,967	1,731	45	FCBGA1667	Server
<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	4	7,959	2,353	15	FCBGA1526	Laptop
<a href="#">AMD Ryzen 5 2400GE</a>	4	7,948	2,162	35	AM4	Desktop
<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	7,944	1,693	85	LGA2011-v3	Server
<a href="#">Intel Core i5-8257U @ 1.40GHz</a>	4	7,937	2,358	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a>	4	7,934	2,350	65	LGA1150	Server
<a href="#">Intel Core i7-8709G @ 3.10GHz</a>	4	7,921	2,312	100	BGA2270	Laptop
<a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a>	4	7,918	2,151	45	FCBGA1440	Server
<a href="#">Intel Core i5-9300H @ 2.40GHz</a>	4	7,898	2,381	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7700T @ 2.90GHz</a>	4	7,881	2,263	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	6	7,876	2,083	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	6	7,874	1,772	150	LGA2011	Desktop
<a href="#">Intel Core i5-8260U @ 1.60GHz</a>	4	7,869	2,350	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	4	7,853	2,263	65	BGA2270	Laptop
<a href="#">AMD Ryzen 5 1400</a>	4	7,838	1,917	65	AM4	Desktop
<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	4	7,814	2,218	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>	4	7,789	2,022	80	FCLGA1151	Server
<a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	7,784	1,274	95	LGA 2011	Server
<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	6	7,782	2,054	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-5775C @ 3.30GHz</a>	4	7,769	2,315	65	FCLGA1150	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i7-5950HQ @ 2.90GHz</a>	4	7,759	2,344	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a>	4	7,757	2,287	45	FCLGA1151	Server
<a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a>	4	7,757	2,053	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	4	7,731	1,750	60	FCBGA2518	Server
<a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a>	4	7,721	2,142	45	FCBGA1440	Server
<a href="#">AMD Ryzen 3 PRO 1300</a>	4	7,717	2,229	65	AM4	Desktop
<a href="#">AMD Ryzen 3 4300U</a>	4	7,705	2,341	15	FP6	Laptop
<a href="#">AMD Athlon Gold PRO 3150G</a>	4	7,702	2,321	65	AM4	Desktop
<a href="#">AMD Ryzen 3 2300X</a>	4	7,692	2,374	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3550U</a>	4	7,681	2,053	15	Unknown	Unknown
<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	4	7,662	2,378	45	LGA1150	Server
<a href="#">AMD Ryzen 7 2800H</a>	4	7,656	2,164	45	FP5	Laptop
<a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>	4	7,614	2,260	95	FCLGA1150	Server
<a href="#">Intel Core i5-9300HF @ 2.40GHz</a>	4	7,595	2,352	45	FCBGA1440	Laptop
<a href="#">AMD Athlon Gold PRO 3150GE</a>	4	7,578	2,257	35	AM4	Desktop
<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	4	7,573	2,807	71	FCLGA1151-2	Server
<a href="#">Intel Core i5-8300H @ 2.30GHz</a>	4	7,572	2,337	45	FCLGA1151-2	Laptop
<a href="#">AMD Ryzen 5 2600H</a>	4	7,537	2,125	45	FP5	Laptop
<a href="#">AMD Ryzen 5 PRO 2400GE</a>	4	7,520	2,120	35	AM4	Desktop
<a href="#">Intel Core i3-10100T @ 3.00GHz</a>	4	7,510	2,372	35	FCLGA1200	Laptop
<a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	7,475	1,102	70	FCLGA2011	Server
<a href="#">Intel Xeon E-2224G @ 3.50GHz</a>	4	7,466	2,714	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a>	4	7,464	2,079	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E-2224 @ 3.40GHz</a>	4	7,461	2,630	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	4	7,458	2,144	140	LGA2011-v3	Server
<a href="#">AMD Ryzen 7 PRO 3700U</a>	4	7,446	2,026	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3200GE</a>	4	7,434	2,221	35	AM4	Desktop
<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	7,434	1,572	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	4	7,428	2,346	140	FCLGA2011-3	Server
<a href="#">Intel Core i7-6920HQ @ 2.90GHz</a>	4	7,426	2,131	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>	4	7,418	2,391	84	LGA1150	Server
<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	6	7,400	1,592	130	LGA2011	Server
<a href="#">Intel Core i3-9350KF @ 4.00GHz</a>	4	7,399	2,730	91	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 7 3780U</a>	4	7,386	2,240	15	FP5	Laptop
<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	6	7,382	1,931	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	7,382	2,006	105	LGA2011-v3	Server
<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	4	7,381	2,269	84	FCLGA1150	Server
<a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>	4	7,364	2,271	140	FCLGA2011-3	Server
<a href="#">Intel Xeon @ 2.00GHz</a>	6	7,363	939	NA	Unknown	Unknown
<a href="#">Intel Core i3-9320 @ 3.70GHz</a>	4	7,358	2,711	62	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 7 3700U</a>	4	7,351	2,032	15	FP5	Laptop
<a href="#">AMD Opteron 6380</a>	8	7,336	1,237	115	G34	Server
<a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>	4	7,331	2,262	80	FCLGA1150	Server
<a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>	8	7,321	1,137	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	7,319	1,439	80	LGA 1356	Server
<a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>	8	7,308	1,311	95	LGA2011	Server
<a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>	8	7,294	1,243	95	LGA2011	Server
<a href="#">AMD Opteron 6281</a>	8	7,279	1,129	NA	Socket G34	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	4	7,267	2,687	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,245	1,602	130	LGA1366	Desktop
<a href="#">AMD Ryzen 3 3200G</a>	4	7,231	2,230	65	AM4	Desktop
<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	10	7,229	1,027	105	FCLGA2011-3	Server
<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,217	1,959	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>	4	7,210	2,308	82	LGA1150	Server
<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	4	7,200	2,448	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-4790 @ 3.60GHz</a>	4	7,200	2,225	84	FCLGA1150	Desktop
<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	4	7,189	2,124	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>	4	7,181	2,204	84	FCLGA1150	Server
<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	8	7,181	1,106	70	LGA 2011	Server
<a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>	4	7,177	2,143	80	LGA1150	Server
<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	8	7,176	1,104	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	8	7,175	1,179	35	FCBGA1667	Server
<a href="#">AMD Ryzen 5 3500U</a>	4	7,158	1,992	15	FP5	Laptop
<a href="#">Intel Core i7-5775R @ 3.30GHz</a>	4	7,150	2,126	65	LGA1150	Desktop
<a href="#">AMD Ryzen 7 PRO 2700U</a>	4	7,146	2,035	15	FP5	Laptop
<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	6	7,145	1,600	130	LGA1366	Server
<a href="#">AMD Ryzen 5 3450U</a>	4	7,126	2,031	15	FP5	Laptop
<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	4	7,126	2,150	80	LGA1150	Server
<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	12	7,118	718	45	FCBGA1667	Server
<a href="#">AMD Ryzen 3 PRO 3200GE</a>	4	7,113	2,246	35	AM4	Laptop
<a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a>	4	7,105	2,038	45	FCBGA1440	Server
<a href="#">Intel Xeon X5679 @ 3.20GHz</a>	6	7,095	1,547	115	LGA1366	Server
<a href="#">Intel Core i7-995X @ 3.60GHz</a>	6	7,079	1,683	NA	Unknown	Desktop
<a href="#">Intel Core i5-8305G @ 2.80GHz</a>	4	7,073	2,118	65	BGA2270	Laptop
<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	4	7,071	2,155	84	LGA1150	Desktop
<a href="#">Intel Core i7-6820HK @ 2.70GHz</a>	4	7,067	1,995	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-4940MX @ 3.10GHz</a>	4	7,063	2,261	57	FPGA946,FPGA947	Laptop
<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	4	7,059	2,265	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	7,057	2,239	65	AM4	Desktop
<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	4	7,040	2,168	84	LGA1150	Server
<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	4	7,036	2,396	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	4	7,036	2,119	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	4	7,036	2,576	71	FCLGA1151-2	Server
<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	4	7,035	2,201	84	LGA1150	Desktop
<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	4	7,028	2,172	84	LGA1150	Desktop
<a href="#">AMD Opteron 6386 SE</a>	16	7,017	1,262	140	Socket G34	Server
<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6	6,992	1,555	130	LGA1366	Desktop
<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	4	6,991	2,415	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>	4	6,988	2,222	95	LGA1150	Server
<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011	Server
<a href="#">Intel Xeon D-1540 @ 2.00GHz</a>	8	6,982	891	45	FCBGA1667	Server
<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	6,978	2,030	140	LGA2011-v3	Server
<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	4	6,975	2,209	65	LGA1150	Desktop
<a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a>	4	6,973	2,176	45	Unknown	Server
<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	4	6,965	2,073	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	4	6,964	2,144	80	FCLGA1150	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i7-6700TE @ 2.40GHz</a>	4	6,935	2,118	35	LGA 1151	Desktop
<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	4	6,933	2,245	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	6,927	962	95	LGA 1356	Server
<a href="#">AMD Opteron 6287 SE</a>	16	6,925	1,091	NA	G34	Server
<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	4	6,924	1,969	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 PRO 3500U</a>	4	6,919	1,973	15	FP5	Laptop
<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	4	6,919	2,253	84	LGA1150	Server
<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	4	6,918	2,180	65	FCBGA1364	Desktop
<a href="#">AMD Ryzen 3 1300X</a>	4	6,902	2,094	65	AM4	Desktop
<a href="#">Intel Xeon X5690 @ 3.47GHz</a>	6	6,901	1,600	130	LGA1366	Server
<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	4	6,896	2,502	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	4	6,887	1,997	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>	4	6,884	2,204	82	LGA1150	Server
<a href="#">Intel Core i5-7600K @ 3.80GHz</a>	4	6,879	2,573	91	FCLGA1151	Desktop
<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	4	6,866	2,219	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a>	4	6,848	2,132	65	LGA1150	Server
<a href="#">Intel Core i7-4770S @ 3.10GHz</a>	4	6,841	2,151	65	LGA1150	Desktop
<a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>	8	6,830	1,239	95	LGA 2011	Server
<a href="#">AMD Ryzen Embedded V1605B</a>	4	6,825	1,996	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 7 2700U</a>	4	6,823	1,781	15	FP5	Laptop
<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	4	6,821	2,193	57	FCPGA946	Laptop
<a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>	4	6,812	2,084	80	LGA1150	Server
<a href="#">Intel Xeon D-1528 @ 1.90GHz</a>	6	6,806	1,296	35	FCBGA1667	Laptop, Server
<a href="#">Intel Core i3-9100F @ 3.60GHz</a>	4	6,784	2,527	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-970 @ 3.20GHz</a>	6	6,774	1,498	130	LGA1366	Desktop
<a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a>	10	6,774	1,235	70	LGA 1356	Server
<a href="#">AMD Ryzen 3 2200G</a>	4	6,759	2,055	65	AM4	Desktop
<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	4	6,728	2,550	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6	6,720	1,523	130	LGA1366	Desktop
<a href="#">AMD FX-9590 Eight-Core</a>	4	6,717	1,830	220	AM3+	Desktop
<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6	6,716	1,511	130	LGA1366	Server
<a href="#">Intel Xeon X5680 @ 3.33GHz</a>	6	6,674	1,465	130	LGA1366	Server
<a href="#">AMD Ryzen 5 2500U</a>	4	6,671	1,860	15	FP5	Laptop
<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	6,666	1,899	130	LGA 2011	Server
<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	4	6,662	2,489	65	FCLGA1151	Desktop
<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	6,644	1,679	85	FCLGA2011-3	Server
<a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>	4	6,625	1,729	85	FCLGA3647	Server
<a href="#">AMD Ryzen 3 PRO 2200G</a>	4	6,622	2,073	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2500U</a>	4	6,616	1,731	15	FP5	Laptop
<a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a>	4	6,600	1,869	35	FCLGA1151	Laptop, Server
<a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>	2	6,591	2,393	NA	Unknown	Server
<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	4	6,587	2,491	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a>	6	6,566	1,321	60	FCLGA1356	Server
<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	4	6,558	2,244	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	4	6,555	2,302	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>	4	6,553	1,979	130	FCLGA2011	Server
<a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>	4	6,551	2,191	87	LGA1155	Server
<a href="#">Intel Core i7-4820K @ 3.70GHz</a>	4	6,544	1,935	130	FCLGA2011	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i7-6700HQ @ 2.60GHz</a>	4	6,517	1,912	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	4	6,513	2,089	69	LGA1155	Server
<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	6,509	2,051	135	FCLGA2011-3	Server
<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	4	6,499	2,269	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	6,497	2,479	112	FCLGA2066	Desktop
<a href="#">Intel Xeon W3670 @ 3.20GHz</a>	6	6,497	1,481	130	LGA1366	Server
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	4	6,493	2,194	15	FC-BGA1356	Laptop
<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,493	1,977	35	FCLGA1150	Server
<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	4	6,493	2,153	69	LGA1155	Server
<a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	6,492	1,373	80	FCLGA1356	Server
<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	4	6,477	2,005	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6	6,460	1,401	95	FCLGA2011	Server
<a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a>	4	6,450	2,207	65	LGA1150	Server
<a href="#">Intel Core i7-4870HQ @ 2.50GHz</a>	4	6,444	2,072	47	FCBGA1364	Laptop
<a href="#">Intel Core i3-1115G4 @ 3.00GHz</a>	2	6,443	2,756	NA	FCBGA1449	Laptop
<a href="#">Intel Core i7-4960HQ @ 2.60GHz</a>	4	6,423	2,147	47	FCBGA1364	Laptop
<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	4	6,417	2,266	65	FCBGA1440	Laptop
<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	4	6,416	2,070	77	LGA1155	Desktop
<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6	6,415	1,210	52	LGA2011-v3	Server
<a href="#">Intel Core i5-8365U @ 1.60GHz</a>	4	6,400	2,218	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	4	6,398	2,119	77	LGA1155	Server
<a href="#">Intel Xeon X5675 @ 3.07GHz</a>	6	6,386	1,466	95	LGA1366	Server
<a href="#">AMD Opteron 6282 SE</a>	16	6,385	953	140	Unknown	Server
<a href="#">Intel Core i7-8565U @ 1.80GHz</a>	4	6,384	2,268	15	FCBGA1356	Laptop
<a href="#">AMD Ryzen 3 PRO 1200</a>	4	6,376	1,924	65	AM4	Desktop
<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	4	6,370	2,071	77	LGA1155	Desktop
<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	4	6,362	1,841	120	FCLGA2066	Server
<a href="#">AMD Opteron 6276</a>	8	6,351	1,122	115	Socket G34	Server
<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	6,337	1,340	60	LGA 2011	Server
<a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>	4	6,333	2,029	25	FCBGA1440	Server
<a href="#">Intel Core i5-8350U @ 1.70GHz</a>	4	6,332	2,057	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-4790T @ 2.70GHz</a>	4	6,332	2,133	45	LGA1150	Desktop
<a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>	6	6,317	1,348	95	LGA2011	Server
<a href="#">AMD Ryzen 3 2200GE</a>	4	6,304	2,011	35	AM4	Desktop
<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	4	6,300	1,944	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>	4	6,300	2,037	69	LGA1155	Server
<a href="#">Intel Core i7-4910MQ @ 2.90GHz</a>	4	6,298	2,059	47	FCPGA946	Laptop
<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6	6,298	1,552	130	LGA 2011	Server
<a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>	4	6,296	2,304	73	FCLGA1151	Server
<a href="#">Intel Core i5-6600K @ 3.50GHz</a>	4	6,284	2,335	91	FCLGA1151	Desktop
<a href="#">Intel Core i3-8300 @ 3.70GHz</a>	4	6,283	2,312	62	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 3 1200</a>	4	6,271	1,915	65	AM4	Desktop
<a href="#">Intel Xeon X5660 @ 2.80GHz</a>	6	6,254	1,406	95	LGA1366	Server
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	4	6,238	2,011	35	AM4	Desktop
<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	4	6,234	1,909	10	FCBGA1526	Laptop
<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	4	6,217	1,923	47	FCBGA1364	Laptop
<a href="#">AMD Ryzen 3 PRO 2300U</a>	4	6,216	1,882	15	FP5	Laptop
<a href="#">Intel Xeon E-2104G @ 3.20GHz</a>	4	6,215	1,981	65	FCLGA1151-2	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	6,202	1,288	80	FCLGA2011	Server
<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	4	6,199	1,999	69	LGA1155	Server
<a href="#">Intel Core i7-8565UC @ 1.80GHz</a>	4	6,187	2,527	15	FCBGA1528	Laptop
<a href="#">AMD FX-8370 Eight-Core</a>	4	6,184	1,644	125	AM3+	Desktop
<a href="#">Intel Xeon X5670 @ 2.93GHz</a>	6	6,140	1,404	95	LGA1366	Server
<a href="#">Intel Core i3-8100 @ 3.60GHz</a>	4	6,138	2,243	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	4	6,132	2,144	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	4	6,128	2,041	47	FCPGA946	Laptop
<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	4	6,127	2,001	77	LGA1155	Server
<a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a>	4	6,118	2,043	45	FCLGA1150	Server
<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	4	6,116	2,276	65	LGA 1151	Desktop
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6	6,110	1,295	95	LGA2011	Server
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	4	6,089	2,249	65	LGA1150	Desktop
<a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a>	4	6,088	1,848	25	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	8	6,073	1,156	95	LGA2011	Server
<a href="#">AMD Opteron 6344</a>	6	6,069	1,231	115	Unknown	Server
<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	4	6,066	2,279	65	LGA1151	Desktop
<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	4	6,061	1,973	47	FCPGA946	Laptop
<a href="#">AMD Ryzen 3 PRO 3300U</a>	4	6,060	2,071	15	FP5	Laptop
<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	4	6,048	2,072	72	FCLGA1151	Server
<a href="#">AMD FX-9370 Eight-Core</a>	4	6,044	1,684	220	AM3+	Desktop
<a href="#">Intel Core i7-4850HQ @ 2.30GHz</a>	4	6,040	1,923	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	4	6,026	2,033	45	LGA1150	Desktop
<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	4	6,025	1,921	25	FCLGA1151	Server
<a href="#">Intel Core i5-7600T @ 2.80GHz</a>	4	6,021	2,256	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-8265UC @ 1.60GHz</a>	4	5,988	2,200	NA	FCBGA1528	Laptop
<a href="#">Intel Core i5-8250U @ 1.60GHz</a>	4	5,976	1,956	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-5700HQ @ 2.70GHz</a>	4	5,975	2,026	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	5,974	1,078	85	FCLGA2011-3	Server
<a href="#">Intel Core i7-8550U @ 1.80GHz</a>	4	5,957	2,084	15	FC-BGA1356	Laptop
<a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a>	4	5,949	2,065	45	LGA1150	Server
<a href="#">AMD FX-8350 Eight-Core</a>	4	5,944	1,573	125	AM3+	Desktop
<a href="#">Intel Xeon D-1521 @ 2.40GHz</a>	4	5,931	1,693	45	FCBGA1667	Server
<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	8	5,929	1,091	70	LGA 2011	Server
<a href="#">Intel Core i3-9300T @ 3.20GHz</a>	4	5,927	2,312	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	4	5,922	1,921	45	rPGA988B	Laptop
<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	4	5,905	2,124	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	4	5,903	2,259	65	FCLGA1150	Desktop
<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	4	5,895	1,959	47	rPGA946B	Laptop
<a href="#">AMD Opteron 6378</a>	8	5,889	1,127	115	G34	Server
<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	6	5,867	1,234	95	LGA 1356	Server
<a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>	4	5,866	1,775	130	LGA2011	Server
<a href="#">AMD Ryzen 3 3300U</a>	4	5,861	1,898	15	FP5	Laptop
<a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>	4	5,842	1,689	80	LGA 1356	Server
<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	4	5,829	1,968	80	FCLGA1151	Server
<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	4	5,827	2,005	25	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	4	5,812	1,763	130	LGA2011	Desktop
<a href="#">Intel Xeon X5650 @ 2.67GHz</a>	6	5,794	1,307	95	LGA1366	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i7-4710MQ @ 2.50GHz</a>	4	5,770	1,896	47	FCPGA946	Laptop
<a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>	6	5,766	1,299	95	LGA 1356	Server
<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	4	5,734	1,737	10	BGA1526	Laptop
<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	4	5,726	2,246	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-7440EQ @ 2.90GHz</a>	4	5,711	2,131	45	FCBGA1440	Laptop
<a href="#">Intel Core i3-9100TE @ 2.20GHz</a>	4	5,705	2,042	35	FCLGA1151-2	Laptop
<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	4	5,703	1,862	45	BGA1224	Laptop
<a href="#">Intel Core i7-3940XM @ 3.00GHz</a>	4	5,697	1,930	55	rPGA988B	Laptop
<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	4	5,689	1,861	47	BGA1364	Laptop
<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	4	5,687	2,058	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>	4	5,682	1,875	65	FCLGA1151	Server
<a href="#">Intel Core i7-3920XM @ 2.90GHz</a>	4	5,659	1,901	55	FCPGA988	Laptop
<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	4	5,657	2,129	65	LGA 1151	Desktop
<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	12	5,647	569	45	FCBGA1667	Server
<a href="#">Intel Core i3-9100T @ 3.10GHz</a>	4	5,646	2,205	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	4	5,638	1,851	45	rPGA988B	Laptop
<a href="#">Intel Core i5-6600T @ 2.70GHz</a>	4	5,637	2,127	35	LGA 1151	Desktop
<a href="#">AMD Opteron 6238</a>	6	5,625	1,157	115	Socket G34	Server
<a href="#">Intel Core i7-3820QM @ 2.70GHz</a>	4	5,620	1,876	45	BGA1224	Laptop
<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	4	5,620	1,844	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	4	5,617	1,795	95	LGA1155	Desktop
<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	4	5,598	2,203	84	LGA1150	Desktop
<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	4	5,584	2,192	88	LGA1150	Desktop
<a href="#">AMD Opteron 6376</a>	8	5,572	1,165	115	Socket G34	Server
<a href="#">Intel Core i7-4750HQ @ 2.00GHz</a>	4	5,570	1,731	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-7440HQ @ 2.80GHz</a>	4	5,559	2,025	45	BGA1440	Laptop
<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	4	5,554	1,962	45	LGA1155	Desktop
<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	2	5,541	2,433	15	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>	8	5,538	971	70	LGA 1356	Server
<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	4	5,521	1,641	130	LGA2011	Server
<a href="#">Intel Core i5-7400 @ 3.00GHz</a>	4	5,516	2,111	65	FCLGA1151	Desktop
<a href="#">Intel Core i5-6402P @ 2.80GHz</a>	4	5,515	2,056	65	LGA 1151	Desktop
<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	4	5,510	1,780	95	LGA1155	Server
<a href="#">Intel Core i7-4700HQ @ 2.40GHz</a>	4	5,504	1,775	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	4	5,499	2,149	84	LGA1150	Desktop
<a href="#">AMD Ryzen Embedded V1404I</a>	4	5,491	1,932	15	Unknown	Desktop, Mobile/Embedded
<a href="#">Intel Core i7-2600K @ 3.40GHz</a>	4	5,471	1,739	95	LGA1155	Desktop
<a href="#">Intel Core i5-760S @ 2.53GHz</a>	4	5,440	1,578	NA	Unknown	Unknown
<a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>	4	5,438	1,951	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>	4	5,433	1,760	95	LGA1155	Server
<a href="#">AMD Ryzen 3 2300U</a>	4	5,422	1,713	15	FP5	Laptop
<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	4	5,408	2,314	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	4	5,408	1,752	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	4	5,400	2,215	65	LGA1150	Desktop
<a href="#">Intel Core i5-4670 @ 3.40GHz</a>	4	5,385	2,128	84	LGA1150	Desktop
<a href="#">AMD FX-8320 Eight-Core</a>	4	5,384	1,471	125	AM3+	Desktop
<a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>	4	5,382	2,071	84	FCLGA1150	Server
<a href="#">Intel Core i7-4785T @ 2.20GHz</a>	4	5,381	1,731	35	FCLGA1150	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-7500T @ 2.70GHz</a>	4	5,366	1,993	35	FCLGA1151	Desktop
<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	4	5,363	1,754	80	LGA1155	Server
<a href="#">Intel Core i7-4700MQ @ 2.40GHz</a>	4	5,347	1,778	47	rPGA946B	Laptop
<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	4	5,335	2,164	65	FCBGA1364	Desktop
<a href="#">Intel Core i3-8100T @ 3.10GHz</a>	4	5,333	1,932	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	4	5,333	1,896	45	LGA1150	Server
<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	4	5,329	1,916	35	LGA 1151	Desktop
<a href="#">Intel Xeon X5687 @ 3.60GHz</a>	4	5,329	1,582	130	LGA1366	Server
<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	4	5,323	1,739	95	LGA1155	Server
<a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>	6	5,321	1,107	60	LGA 2011	Server
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	4	5,315	1,733	95	LGA1155	Desktop
<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	4	5,308	2,084	84	LGA1150	Desktop
<a href="#">Intel Core i7-10510Y @ 1.20GHz</a>	4	5,289	1,915	7	UTFCBGA1377	Laptop
<a href="#">AMD Opteron 6274</a>	8	5,286	849	115	G34	Server
<a href="#">Intel Core i7-4860EQ @ 1.80GHz</a>	4	5,280	1,726	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	6	5,273	1,005	60	FCLGA1356	Server
<a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>	4	5,264	2,026	84	LGA1150	Server
<a href="#">Intel Xeon E5-2620 @ 2.00GHz</a>	6	5,257	1,111	95	LGA2011	Server
<a href="#">AMD FX-8300 Eight-Core</a>	4	5,247	1,476	95	AM3+	Desktop
<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	4	5,241	1,572	25	LGA 1151	Laptop
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	4	5,240	1,724	80	LGA1155	Server
<a href="#">Intel Core i3-1005G1 @ 1.20GHz</a>	2	5,230	2,290	15	FCBGA1526	Laptop
<a href="#">AMD FX-8310 Eight-Core</a>	4	5,211	1,445	95	AM3+	Desktop
<a href="#">AMD Opteron 6328</a>	4	5,210	1,398	115	G34	Server
<a href="#">Intel Core i7-4712MQ @ 2.30GHz</a>	4	5,203	1,779	37	FCPGA946	Laptop
<a href="#">Intel Xeon X5677 @ 3.47GHz</a>	4	5,184	1,613	130	LGA1366	Server
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	4	5,178	2,121	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-6440HQ @ 2.60GHz</a>	4	5,177	2,050	45	LGA 1151	Laptop
<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	4	5,174	1,724	45	BGA1224	Laptop
<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	6	5,170	1,105	95	LGA1356	Server
<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	4	5,164	1,715	45	BGA1224	Laptop
<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	4	5,160	1,976	65	LGA 1151	Desktop
<a href="#">Intel Core i5-4570 @ 3.20GHz</a>	4	5,158	2,023	84	LGA1150	Desktop
<a href="#">Intel Core i5-5575R @ 2.80GHz</a>	4	5,155	2,028	65	LGA1150	Desktop
<a href="#">Intel Xeon W-2102 @ 2.90GHz</a>	4	5,149	1,764	120	FCLGA2066	Server
<a href="#">AMD Opteron 6272</a>	8	5,146	737	115	G34	Server
<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	4	5,130	1,605	37	FCBGA1364	Laptop
<a href="#">Intel Core i5-7300HQ @ 2.50GHz</a>	4	5,123	1,983	45	Unknown	Laptop
<a href="#">Intel Xeon X5672 @ 3.20GHz</a>	4	5,123	1,574	95	LGA1366	Server
<a href="#">Intel Core i7-3610QE @ 2.30GHz</a>	4	5,122	1,662	45	rPGA988B	Laptop
<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	4	5,117	2,073	65	LGA1150	Desktop
<a href="#">AMD FX-8370E Eight-Core</a>	4	5,115	1,429	95	AM3+	Desktop
<a href="#">Qualcomm Technologies, Inc SM8250</a>	8	5,108	2,323	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3610QM @ 2.30GHz</a>	4	5,105	1,654	45	PGA988B	Laptop
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	4	5,097	1,657	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-3630QM @ 2.40GHz</a>	4	5,092	1,687	45	rPGA988B	Laptop
<a href="#">Apple A13 Bionic</a>	6	5,089	2,053	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	5,080	1,093	85	FCLGA3647	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a>	4	5,062	1,695	25	FCLGA1150	Server
<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	4	5,059	1,974	80	LGA1150	Server
<a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>	4	5,048	1,673	80	LGA1155	Server
<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	4	5,034	2,042	84	LGA1150	Desktop
<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	6	5,024	1,161	80	LGA1366	Server
<a href="#">AMD FX-8150 Eight-Core</a>	4	5,016	1,383	125	AM3+	Desktop
<a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	5,014	668	60	LGA 1356	Server
<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	4	5,013	1,761	25	FCLGA1151	Server
<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	8	5,002	2,439	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>	4	4,988	1,833	95	LGA1155	Server
<a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a>	4	4,987	1,811	140	LGA2011-v3	Server
<a href="#">AMD FX-8320E Eight-Core</a>	4	4,967	1,405	95	AM3+	Desktop
<a href="#">AMD FX-8140 Eight-Core</a>	4	4,953	1,336	95	AM3+	Desktop
<a href="#">Intel Core i7-4700EQ @ 2.40GHz</a>	4	4,941	1,842	47	FCBGA1364	Desktop
<a href="#">Intel Xeon E5649 @ 2.53GHz</a>	6	4,936	1,176	80	LGA1366	Server
<a href="#">Intel Core i7-4765T @ 2.00GHz</a>	4	4,924	1,581	35	FCLGA1150	Desktop
<a href="#">Intel Core i5-4570S @ 2.90GHz</a>	4	4,923	1,980	65	LGA1150	Desktop
<a href="#">Intel Core i5-3570K @ 3.40GHz</a>	4	4,920	2,045	77	LGA1155	Desktop
<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4	4,918	2,108	7	UTFCBGA1377	Laptop
<a href="#">AMD Athlon 300GE</a>	2	4,905	2,119	35	AM4	Desktop
<a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	4,887	986	85	FCLGA3647	Server
<a href="#">Intel Core i5-3570 @ 3.40GHz</a>	4	4,873	2,039	77	LGA1155	Desktop
<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	2	4,870	2,504	60	FCLGA1151	Desktop
<a href="#">AMD Opteron 6366 HE</a>	8	4,858	793	85	Unknown	Server
<a href="#">Intel Core i3-7320 @ 4.10GHz</a>	2	4,856	2,456	51	FCLGA1151	Desktop
<a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a>	4	4,838	1,635	25	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>	4	4,838	1,752	140	FCLGA2011-3	Server
<a href="#">Intel Core i5-7442EQ @ 2.10GHz</a>	4	4,834	1,819	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4	4,799	1,895	84	LGA1150	Desktop
<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4	4,799	1,836	35	LGA 1151	Desktop
<a href="#">Intel Core i5-3550 @ 3.30GHz</a>	4	4,792	2,007	77	LGA1155	Desktop
<a href="#">Intel Xeon D-1518 @ 2.20GHz</a>	4	4,784	1,256	35	FCBGA1667	Server
<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4	4,783	1,658	35	BGA1224	Laptop
<a href="#">Qualcomm Technologies, Inc KONA</a>	8	4,776	2,312	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	2	4,769	2,485	51	FCLGA1151	Desktop
<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4	4,764	1,502	25	LGA1150	Server
<a href="#">Hisilicon Kirin9000</a>	8	4,760	2,382	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 6220</a>	4	4,753	1,203	115	Socket G34	Server
<a href="#">Intel Core i5-4570R @ 2.70GHz</a>	4	4,748	1,866	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-4470S @ 3.00GHz</a>	4	4,742	1,756	65	LGA1150	Desktop
<a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>	4	4,725	1,562	95	LGA1155	Server
<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4	4,719	1,824	35	LGA1151	Desktop
<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4	4,712	1,935	77	LGA1155	Server
<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4	4,705	1,829	84	LGA1150	Desktop
<a href="#">AMD Athlon Silver PRO 3125GE</a>	2	4,701	2,067	35	AM4	Desktop
<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	4,695	1,046	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4	4,680	1,923	69	LGA1155	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Qualcomm Technologies, Inc SM8350</a>	8	4,677	2,079	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C3758 @ 2.20GHz</a>	8	4,675	857	25	FCBGA1310	Server
<a href="#">Intel Core i5-6300HQ @ 2.30GHz</a>	4	4,669	1,786	45	LGA 1151	Laptop
<a href="#">AMD Opteron 4284</a>	4	4,665	1,181	95	Socket C32	Server
<a href="#">Qualcomm Snapdragon 8350</a>	8	4,642	2,516	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3470 @ 3.20GHz</a>	4	4,640	1,936	77	LGA1155	Desktop
<a href="#">AMD Athlon 240GE</a>	2	4,634	2,009	35	AM4	Desktop
<a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>	4	4,634	1,484	80	LGA1356	Server
<a href="#">Intel Xeon L5640 @ 2.27GHz</a>	6	4,591	1,139	60	LGA1366	Server
<a href="#">Intel Core i5-3570S @ 3.10GHz</a>	4	4,582	1,987	65	LGA1155	Desktop
<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4	4,582	1,442	45	LGA1155	Server
<a href="#">Apple A12 Bionic</a>	6	4,574	1,903	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4	4,549	1,562	45	BGA1224	Laptop
<a href="#">AMD Athlon Silver 3050GE</a>	2	4,545	2,016	35	AM4	Laptop
<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4	4,542	1,555	35	rPGA988B	Laptop
<a href="#">AMD Athlon 220GE</a>	2	4,538	1,994	35	AM4	Laptop
<a href="#">Intel Xeon X5667 @ 3.07GHz</a>	4	4,534	1,452	95	LGA1366	Server
<a href="#">AMD FX-8120 Eight-Core</a>	4	4,523	1,318	125	AM3+	Desktop
<a href="#">Intel Xeon X5647 @ 2.93GHz</a>	4	4,522	1,368	130	LGA1366	Server
<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4	4,519	1,688	25	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>	4	4,513	1,636	140	LGA2011-v3	Server
<a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a>	2	4,505	2,056	9	BGA1526	Laptop
<a href="#">AMD Opteron 4280</a>	4	4,504	1,141	95	Socket C32	Server
<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4	4,487	1,685	45	Unknown	Laptop
<a href="#">Intel Core i5-4460S @ 2.90GHz</a>	4	4,472	1,823	65	LGA1150	Desktop
<a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>	2	4,463	2,564	58	FCLGA1200	Desktop
<a href="#">AMD FX-6350 Six-Core</a>	3	4,457	1,548	125	AM3+	Desktop
<a href="#">AMD FX-6330 Six-Core</a>	3	4,455	1,540	95	AM3+	Desktop
<a href="#">AMD Athlon 3000G</a>	2	4,447	1,985	35	AM4	Desktop
<a href="#">Intel Core i5-3450 @ 3.10GHz</a>	4	4,447	1,880	77	LGA1155	Desktop
<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	2	4,441	2,388	51	LGA 1151	Desktop
<a href="#">Intel Core i5-3550S @ 3.00GHz</a>	4	4,440	1,942	65	LGA1155	Desktop
<a href="#">Samsung Exynos 2100</a>	8	4,431	2,019	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4	4,429	1,495	35	PGA988B, FCBGA12	Laptop
<a href="#">Intel Xeon L5639 @ 2.13GHz</a>	6	4,419	1,102	60	LGA1366	Server
<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4	4,410	1,919	45	LGA1150	Desktop
<a href="#">Intel Core i7-2760QM @ 2.40GHz</a>	4	4,408	1,559	45	BGA1224	Laptop
<a href="#">Intel Core i3-6300 @ 3.80GHz</a>	2	4,406	2,355	51	LGA 1151	Desktop
<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	4,391	1,095	80	LGA2011-v3	Server
<a href="#">Intel Core i5-6400T @ 2.20GHz</a>	4	4,384	1,680	35	LGA 1151	Desktop
<a href="#">AMD Opteron 4386</a>	4	4,378	1,012	95	C32	Server
<a href="#">AMD Ryzen Embedded R1606G</a>	2	4,371	1,953	15	FP5	Desktop, Mobile/Embedded
<a href="#">Intel Core i7-2920XM @ 2.50GHz</a>	4	4,370	1,503	55	FCPGA988	Laptop
<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	2	4,366	1,920	15	Unknown	Laptop
<a href="#">AMD FX-6130 Six-Core</a>	3	4,353	1,390	125	AM3+	Desktop
<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	2	4,351	2,162	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-2600S @ 2.80GHz</a>	4	4,339	1,685	65	LGA1155	Desktop
<a href="#">AMD Athlon PRO 300GE</a>	2	4,337	1,840	35	AM4	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-3470S @ 2.90GHz</a>	4	4,321	1,894	65	LGA1155	Desktop
<a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>	4	4,313	1,616	130	LGA 2011	Server
<a href="#">AMD Ryzen 3 PRO 2100GE</a>	2	4,308	1,901	35	AM4	Desktop
<a href="#">Intel Core i3-7100 @ 3.90GHz</a>	2	4,294	2,328	51	FCLGA1151	Desktop
<a href="#">Intel Atom C3958 @ 2.00GHz</a>	16	4,281	514	31	FCBGA1310	Server
<a href="#">Intel Core i7-2820QM @ 2.30GHz</a>	4	4,270	1,510	45	BGA1224	Laptop
<a href="#">Intel Core i5-7360U @ 2.30GHz</a>	2	4,267	2,231	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-4770TE @ 2.30GHz</a>	4	4,257	1,458	45	LGA1150	Desktop
<a href="#">Intel Core i5-3450S @ 2.80GHz</a>	4	4,252	1,849	65	LGA1155	Desktop
<a href="#">Intel Core i5-3340 @ 3.10GHz</a>	4	4,246	1,789	77	LGA1155	Desktop
<a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>	8	4,235	931	70	LGA 2011	Server
<a href="#">AMD Athlon Gold 3150U</a>	2	4,232	1,889	15	FP5	Laptop
<a href="#">Hisilicon Kirin990</a>	8	4,229	1,874	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3350P @ 3.10GHz</a>	4	4,215	1,782	69	LGA1155	Desktop
<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	2	4,213	2,567	58	FCLGA1200	Desktop
<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	2	4,207	2,191	15	BGA1356	Laptop
<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	2	4,194	2,226	28	BGA1356	Laptop
<a href="#">Apple A11 Bionic</a>	6	4,187	1,136	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 200GE</a>	2	4,183	1,830	35	AM4	Desktop
<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4	4,180	1,761	95	LGA1155	Desktop
<a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>	2	4,172	2,472	58	FCLGA1200	Desktop
<a href="#">Intel Core i5-3570T @ 2.30GHz</a>	4	4,168	1,779	45	LGA1155	Desktop
<a href="#">Intel Core i5-4440S @ 2.80GHz</a>	4	4,165	1,765	65	LGA1150	Desktop
<a href="#">Hisilicon Kirin985</a>	8	4,162	1,823	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a>	2	4,160	2,442	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	2	4,159	2,128	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	2	4,158	2,229	51	LGA 1151	Desktop
<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	2	4,149	2,154	28	Unknown	Laptop
<a href="#">AMD Ryzen 3 3250U</a>	2	4,144	1,908	15	FP5	Laptop
<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4	4,144	1,404	55	PGA988B	Laptop
<a href="#">AMD Athlon PRO 200GE</a>	2	4,139	1,821	35	AM4	Desktop
<a href="#">AMD Opteron 3380</a>	8	4,134	1,107	65	Unknown	Server
<a href="#">Intel Core i3-8145UE @ 2.20GHz</a>	2	4,133	2,324	15	FCBGA1528	Laptop
<a href="#">AMD FX-6300 Six-Core</a>	3	4,130	1,481	95	AM3+	Desktop
<a href="#">Intel Core i5-7267U @ 3.10GHz</a>	2	4,110	2,117	28	BGA1356	Laptop
<a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>	2	4,102	2,424	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	2	4,101	2,108	15	BGA1356	Laptop
<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	2	4,096	2,089	54	LGA 1151	Desktop
<a href="#">Intel Core i5-2500K @ 3.30GHz</a>	4	4,093	1,702	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4	4,076	1,702	95	LGA1155	Desktop
<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4	4,075	1,601	10	FCBGA1296	Mobile/Embedded
<a href="#">AMD Opteron 6234</a>	6	4,072	547	115	G34	Server
<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	2	4,072	2,329	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-3475S @ 2.90GHz</a>	4	4,059	1,771	65	LGA1155	Desktop
<a href="#">AMD Athlon 300U</a>	2	4,051	1,868	15	FP5	Laptop
<a href="#">AMD A8-7500</a>	2	4,048	1,515	65	FM2+	Desktop
<a href="#">AMD Opteron 6212</a>	4	4,046	987	115	Socket G34	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-3330 @ 3.00GHz</a>	4	4,043	1,714	77	LGA1155	Desktop
<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	2	4,040	2,055	35	LGA 1151	Desktop
<a href="#">Intel Core i7-2720QM @ 2.20GHz</a>	4	4,040	1,368	45	BGA1224	Laptop
<a href="#">Microsoft ARM SQ1 @ 3.0 GHz</a>	8	4,036	1,860	15	Unknown	Laptop
<a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	4,034	1,302	80	FCLGA1356	Server
<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4	4,018	1,204	80	LGA1366	Server
<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	2	4,005	2,277	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-7101TE @ 3.40GHz</a>	2	3,985	2,111	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	4	3,984	1,670	65	LGA1150	Desktop
<a href="#">AMD FX-6200 Six-Core</a>	3	3,981	1,365	125	AM3+	Desktop
<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	4	3,974	1,654	95	LGA1155	Desktop
<a href="#">Intel Core i5-3340S @ 2.80GHz</a>	4	3,974	1,747	65	LGA1155	Desktop
<a href="#">AMD Ryzen Embedded R1505G</a>	2	3,969	1,806	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 3 3200U</a>	2	3,962	1,860	15	FP5	Laptop
<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	2	3,959	1,988	15	BGA1356	Laptop
<a href="#">AMD Opteron 4334</a>	3	3,949	1,269	95	Socket C32	Server
<a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	3,948	939	85	LGA2011-v3	Server
<a href="#">AMD Opteron 3365</a>	4	3,941	1,128	65	AM3+	Server
<a href="#">Intel Core i7-985 @ 3.47GHz</a>	4	3,928	1,579	NA	LGA1366	Unknown
<a href="#">Qualcomm Technologies, Inc SM8150</a>	8	3,897	1,787	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>	4	3,891	1,452	45	LGA1155	Server
<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	2	3,876	1,951	15	FCBGA1356	Laptop
<a href="#">AMD FX-6120 Six-Core</a>	3	3,873	1,414	95	AM3+	Desktop
<a href="#">Qualcomm Technologies, Inc SM8150P</a>	8	3,873	1,728	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-7100T @ 3.40GHz</a>	2	3,861	2,052	35	FCLGA1151	Desktop
<a href="#">AMD PRO A12-9800</a>	4	3,852	1,770	65	AM4	Desktop
<a href="#">AMD PRO A12-8870</a>	4	3,848	1,718	65	AM4	Desktop
<a href="#">AMD FX-8100 Eight-Core</a>	4	3,847	1,094	95	AM3+	Desktop
<a href="#">MT6889Z/CZA</a>	8	3,846	2,031	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	4	3,842	1,493	NA	rPGA988B	Laptop
<a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a>	4	3,827	1,475	6	FCBGA1338	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1202B</a>	2	3,823	1,654	15	FP5	Laptop, Mobile/Embedded
<a href="#">Hisilicon Kirin980</a>	8	3,821	1,711	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	4	3,819	1,577	95	LGA1155	Desktop
<a href="#">Intel Core i7-6567U @ 3.30GHz</a>	2	3,817	1,966	28	FCBGA1356	Laptop
<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	2	3,816	2,282	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-8145U @ 2.10GHz</a>	2	3,811	2,126	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-3330S @ 2.70GHz</a>	4	3,807	1,666	65	LGA1155	Desktop
<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	4	3,807	1,340	45	PGA988B	Laptop
<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	2	3,804	2,030	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-2380P @ 3.10GHz</a>	4	3,797	1,607	95	LGA1155	Desktop
<a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>	4	3,777	1,437	130	LGA2011	Server
<a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>	4	3,760	1,563	80	LGA1155	Server
<a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>	4	3,757	1,559	95	LGA1155	Server
<a href="#">Intel Core i5-3335S @ 2.70GHz</a>	4	3,754	1,738	65	LGA1155	Desktop
<a href="#">AMD PRO A10-8850B</a>	2	3,752	1,611	95	FM2+	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">U6780A@2.7GHz</a>						
<a href="#">AMD Athlon X4 845</a>	2	3,742	1,665	65	FM2+	Desktop
<a href="#">AMD Opteron 3280</a>	8	3,720	1,043	65	AM3+	Server
<a href="#">Intel Core i5-7300U @ 2.60GHz</a>	2	3,719	1,955	15	FCBGA1356	Laptop
<a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>	2	3,716	2,231	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	2	3,716	1,972	35	FCLGA1151-2	Desktop
<a href="#">AMD Opteron 4332 HE</a>	6	3,715	1,346	65	Socket C32	Server
<a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>	2	3,709	2,273	54	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5620 @ 2.40GHz</a>	4	3,709	1,118	80	LGA1366	Server
<a href="#">Intel Core i7-2710QE @ 2.10GHz</a>	4	3,704	1,384	45	PGA988B	Laptop
<a href="#">AMD Phenom II X6 1100T</a>	6	3,701	1,498	125	AM3	Desktop
<a href="#">Intel Xeon E5630 @ 2.53GHz</a>	4	3,698	1,188	80	LGA1366	Server
<a href="#">Qualcomm Technologies, Inc SM8150 Plus</a>	8	3,698	1,931	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 6174</a>	12	3,697	488	115	Socket G34	Server
<a href="#">AMD Ryzen 3 2200U</a>	2	3,695	1,706	15	FP5	Laptop
<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	2	3,689	2,237	54	FCLGA1151-2	Desktop
<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	8	3,685	1,759	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	2	3,682	2,023	54	LGA1150	Desktop
<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	2	3,676	1,963	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6100T @ 3.20GHz</a>	2	3,671	1,932	35	LGA 1151	Desktop
<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	3,666	1,376	80	LGA 2011	Server
<a href="#">Intel Core i7-7500U @ 2.70GHz</a>	2	3,665	1,970	15	FCBGA1356	Laptop
<a href="#">AMD A9-9820</a>	8	3,662	798	NA	Unknown	Unknown
<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	2	3,650	2,019	15	FCBGA1356	Laptop
<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	4	3,648	1,423	NA	FCBGA1090	Desktop
<a href="#">AMD FX-6100 Six-Core</a>	3	3,645	1,308	95	AM3+	Desktop
<a href="#">AMD Athlon X4 950</a>	4	3,618	1,648	65	AM4	Desktop
<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	2	3,618	2,106	54	LGA1150	Desktop
<a href="#">AMD Phenom II X6 1090T</a>	6	3,610	1,454	125	AM3	Desktop
<a href="#">Intel Core i5-2320 @ 3.00GHz</a>	4	3,607	1,515	95	LGA1155	Desktop
<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	2	3,605	1,841	15	FCBGA1356	Laptop
<a href="#">AMD Athlon X4 880K</a>	2	3,595	1,605	95	FM2+	Desktop
<a href="#">Intel Core i3-4360 @ 3.70GHz</a>	2	3,595	2,027	54	FCLGA1150	Desktop
<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	4	3,589	1,451	45	LGA1155	Server
<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	4	3,585	1,227	45	PGA988B	Laptop
<a href="#">Intel Core i3-4340 @ 3.60GHz</a>	2	3,584	2,039	54	LGA1150	Desktop
<a href="#">AMD PRO A10-9700</a>	2	3,583	1,647	65	AM4	Desktop
<a href="#">Intel Pentium G4600 @ 3.60GHz</a>	2	3,579	2,184	51	FCLGA1151	Desktop
<a href="#">MediaTek MT6873</a>	8	3,571	1,320	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 6176 SE</a>	12	3,564	507	140	G34	Server
<a href="#">MT6875</a>	8	3,561	1,168	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4460T @ 1.90GHz</a>	4	3,559	1,468	35	LGA1150	Desktop
<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	2	3,552	1,991	54	LGA1150	Desktop
<a href="#">AMD A10-7870K</a>	2	3,551	1,552	95	FM2+	Desktop
<a href="#">AMD A10-7890K</a>	2	3,543	1,584	95	FM2+	Desktop
<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	2	3,538	2,130	54	FCLGA1151	Desktop
<a href="#">AMD A8-7680</a>	4	3,531	1,639	45	FM2+	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD A10-8850</a>	2	3,525	1,624	NA	Unknown	Desktop
<a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>	4	3,518	977	50	LGA 1356	Server
<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	2	3,517	1,868	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-10110Y @ 1.00GHz</a>	2	3,504	2,249	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i3-7167U @ 2.80GHz</a>	2	3,489	1,834	28	Unknown	Laptop
<a href="#">AMD A10-9700</a>	4	3,488	1,598	65	AM4	Desktop
<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	4	3,484	1,346	130	LGA2011	Server
<a href="#">AMD PRO A10-8770</a>	4	3,479	1,493	65	AM4	Desktop
<a href="#">AMD Opteron 6164 HE</a>	12	3,478	399	85	Socket G34	Server
<a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	2	3,475	2,301	54	FCLGA1151-2	Desktop
<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	4	3,465	1,545	130	LGA1366	Server
<a href="#">Intel Core i3-4160 @ 3.60GHz</a>	2	3,456	2,002	54	FCLGA1150	Desktop
<a href="#">Intel Xeon X5698 @ 4.40GHz</a>	2	3,447	1,922	130	LGA1366	Server
<a href="#">AMD Athlon X4 860K</a>	2	3,444	1,541	95	FM2+	Desktop
<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	2	3,444	2,049	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	2	3,442	2,088	28	FCBGA1168	Laptop
<a href="#">AMD A10-7850K APU</a>	2	3,436	1,520	95	FM2+	Desktop
<a href="#">Intel Core i3-7100H @ 3.00GHz</a>	2	3,430	1,668	35	FCBGA1440	Laptop
<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Athlon X4 870K</a>	2	3,425	1,562	95	FM2+	Desktop
<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	4	3,408	1,656	65	LGA1155	Desktop
<a href="#">AMD A10 PRO-7850B APU</a>	2	3,406	1,570	95	FM2+	Desktop
<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	5	3,401	1,699	7	FC-CSP1016	Laptop
<a href="#">Intel Core i5-7200U @ 2.50GHz</a>	2	3,400	1,788	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	2	3,400	1,710	15	Unknown	Laptop
<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	2	3,398	1,979	37	Unknown	Laptop
<a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>	4	3,391	953	95	LGA 2011	Server
<a href="#">AMD A12-9800E</a>	4	3,390	1,596	35	AM4	Desktop
<a href="#">Intel Xeon W5580 @ 3.20GHz</a>	4	3,386	1,503	130	LGA1366	Server
<a href="#">AMD Opteron 6136</a>	8	3,381	549	115	Socket G34	Server
<a href="#">Samsung Exynos 9825</a>	8	3,370	1,677	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-B4150 Quad-Core</a>	2	3,369	1,425	95	AM3+	Desktop
<a href="#">Intel Core i5-6267U @ 2.90GHz</a>	2	3,363	1,812	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-2300 @ 2.80GHz</a>	4	3,358	1,429	95	LGA1155	Desktop
<a href="#">Intel Xeon W3570 @ 3.20GHz</a>	4	3,354	1,520	130	LGA1366	Server
<a href="#">AMD PRO A8-9600</a>	2	3,347	1,468	65	AM4	Desktop
<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	2	3,338	1,920	54	FCLGA1150	Desktop
<a href="#">AMD Phenom II X6 1405T</a>	6	3,335	1,247	95	AM2+,AM3	Desktop
<a href="#">AMD Ryzen Embedded R1305G</a>	2	3,329	1,656	8	FP5	Laptop, Mobile/Embedded
<a href="#">MediaTek MT6853T</a>	8	3,329	1,576	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/TNZA</a>	8	3,329	1,607	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-4150 Quad-Core</a>	4	3,327	1,465	125	AM3+	Desktop
<a href="#">Intel Xeon D-1520 @ 2.20GHz</a>	4	3,324	419	45	BGA 1667	Server
<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	2	3,321	1,790	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	2	3,315	1,688	35	LGA 1151	Laptop
<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	2	3,305	1,897	37	FPGA946,FPGA947	Laptop
<a href="#">AMD A10-7860K</a>	2	3,303	1,522	65	FM2+	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD A10-8750</a>	2	3,299	1,546	65	FM2+	Desktop
<a href="#">Intel Xeon L5609 @ 1.87GHz</a>	4	3,298	1,160	40	LGA1366	Server
<a href="#">AMD Athlon X4 840</a>	2	3,295	1,490	65	FM2+	Desktop
<a href="#">AMD A8-9600</a>	4	3,294	1,490	65	AM4	Desktop
<a href="#">Intel Core i7-6498DU @ 2.50GHz</a>	2	3,293	1,759	15	BGA1356	Laptop
<a href="#">Intel Core i7-975 @ 3.33GHz</a>	4	3,292	1,495	130	LGA1366	Desktop
<a href="#">AMD Opteron X3421 APU</a>	4	3,289	1,476	35	Unknown	Server
<a href="#">Intel Core i7-965 @ 3.20GHz</a>	4	3,288	1,452	130	LGA1366	Desktop
<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	4	3,287	1,490	130	LGA1366	Server
<a href="#">Intel Core i7-6500U @ 2.50GHz</a>	2	3,284	1,724	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6100TE @ 2.70GHz</a>	2	3,280	1,658	35	LGA 1151	Desktop
<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	4	3,274	1,108	45	BGA1224	Laptop
<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	2	3,266	1,889	54	LGA1150	Desktop
<a href="#">AMD FX-4350 Quad-Core</a>	2	3,265	1,608	125	AM3+	Desktop
<a href="#">AMD Opteron 4365 EE</a>	4	3,263	933	40	Socket C32	Server
<a href="#">Intel Core i7-4578U @ 3.00GHz</a>	2	3,258	2,031	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	2	3,257	1,704	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-4400E @ 2.70GHz</a>	2	3,251	1,804	37	BGA1364	Desktop
<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	2	3,250	1,908	35	FCLGA1150	Desktop
<a href="#">AMD FX-4330</a>	2	3,248	1,563	95	AM3+	Desktop
<a href="#">Intel Xeon X3480 @ 3.07GHz</a>	4	3,245	1,472	95	LGA1156	Server
<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	2	3,244	1,693	35	FCLGA1150	Desktop
<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	2	3,240	1,760	25	FCBGA1667	Server
<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	2	3,236	1,945	35	LGA1150	Desktop
<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	2	3,234	1,964	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	4	3,234	1,571	130	LGA1366	Server
<a href="#">AMD Phenom II X6 1065T</a>	6	3,232	1,338	95	AM3	Desktop
<a href="#">Intel Core i7-2635QM @ 2.00GHz</a>	4	3,232	1,219	45	BGA1224	Laptop
<a href="#">Intel Core i7-960 @ 3.20GHz</a>	4	3,232	1,452	130	LGA1366	Desktop
<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	2	3,228	1,885	37	PGA946	Laptop
<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	6	3,225	727	60	LGA1366	Server
<a href="#">Intel Core i7-2715QE @ 2.10GHz</a>	4	3,221	1,287	45	BGA1023	Laptop
<a href="#">AMD PRO A8-8650B</a>	4	3,216	1,498	65	FM2+	Desktop
<a href="#">AMD A8-7600 APU</a>	2	3,211	1,444	65	FM2+	Desktop
<a href="#">Samsung Exynos 9820</a>	8	3,204	1,678	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9810</a>	8	3,203	1,308	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A10-9700E</a>	2	3,195	1,453	35	AM4	Desktop
<a href="#">AMD PRO A12-9800E</a>	4	3,192	1,592	35	AM4	Desktop
<a href="#">AMD Athlon Silver 3050U</a>	2	3,191	1,753	15	FP5	Laptop
<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	2	3,187	1,863	37	Unknown	Laptop
<a href="#">AMD Phenom II X6 1055T</a>	6	3,179	1,309	125	AM3	Desktop
<a href="#">AMD A12-9730P</a>	4	3,172	1,487	35	FP4	Laptop
<a href="#">AMD FX-4320</a>	2	3,167	1,548	95	AM3+	Desktop
<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	2	3,165	1,855	37	Unknown	Laptop
<a href="#">Intel Core i3-4360T @ 3.20GHz</a>	2	3,164	1,852	35	LGA1150	Desktop
<a href="#">Intel Core i3-4350 @ 3.60GHz</a>	2	3,163	1,692	54	LGA1150	Desktop
<a href="#">Intel Core i5-6198DU @ 2.30GHz</a>	2	3,162	1,658	15	BGA1356	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Xeon X3470 @ 2.93GHz</a>	4	3,158	1,414	95	LGA1156	Server
<a href="#">Intel Atom C3858 @ 2.00GHz</a>	12	3,154	501	25	FCBGA1310	Server
<a href="#">AMD A10-9700E</a>	4	3,151	1,387	35	AM4	Desktop
<a href="#">AMD A10 PRO-7800B APU</a>	2	3,150	1,475	65	FM2+	Desktop
<a href="#">Intel Xeon X5570 @ 2.93GHz</a>	4	3,148	1,418	95	LGA1366	Server
<a href="#">AMD A10-6800K APU</a>	2	3,146	1,611	100	FM2	Desktop
<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	2	3,140	1,625	35	LGA 1151	Laptop
<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	2	3,137	1,806	35	LGA1150	Desktop
<a href="#">Intel Core i5-4570TE @ 2.70GHz</a>	2	3,135	1,672	35	LGA1150	Desktop
<a href="#">AMD A10-6700 APU</a>	4	3,134	1,629	65	FM2	Desktop
<a href="#">AMD FX-4200 Quad-Core</a>	4	3,134	1,285	125	AM3+	Desktop
<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	2	3,132	1,630	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-875K @ 2.93GHz</a>	4	3,127	1,367	95	LGA1156	Desktop
<a href="#">AMD A10-7700K APU</a>	2	3,124	1,416	95	FM2+	Desktop
<a href="#">AMD FX-4170 Quad-Core</a>	2	3,121	1,501	125	AM3+	Desktop
<a href="#">AMD PRO A10-8770E</a>	4	3,121	1,484	35	AM4	Desktop
<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	4	3,121	1,414	130	LGA1366	Server
<a href="#">AMD A10-7800 APU</a>	2	3,119	1,443	65	FM2+	Desktop
<a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a>	2	3,119	1,807	35	FCLGA1151-2	Server
<a href="#">Intel Core i7-5650U @ 2.20GHz</a>	2	3,110	1,913	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-2400S @ 2.50GHz</a>	4	3,106	1,462	65	LGA1155	Desktop
<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	2	3,098	1,717	35	LGA1150	Desktop
<a href="#">Intel Core i5-4200H @ 2.80GHz</a>	2	3,096	1,801	47	BGA1364	Desktop
<a href="#">AMD FX-870K Quad Core</a>	2	3,094	1,369	NA	Unknown	Unknown
<a href="#">Intel Core i7-950 @ 3.07GHz</a>	4	3,094	1,391	130	LGA1366	Desktop
<a href="#">Intel Core i3-4160T @ 3.10GHz</a>	2	3,091	1,742	35	LGA1150	Desktop
<a href="#">Qualcomm Technologies, Inc SM7225</a>	8	3,082	1,743	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	4	3,080	1,186	10	FCBGA1090	Desktop
<a href="#">Intel Core i7-940 @ 2.93GHz</a>	4	3,075	1,349	130	LGA1366	Desktop
<a href="#">AMD Opteron X3418 APU</a>	4	3,074	1,433	25	Unknown	Server
<a href="#">AMD A12-9800</a>	2	3,072	1,463	65	AM4	Desktop
<a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>	8	3,066	745	NA	Unknown	Unknown
<a href="#">Intel Core i7-870 @ 2.93GHz</a>	4	3,065	1,404	95	LGA1156	Desktop
<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	2	3,063	1,837	7	FCBGA1515	Laptop
<a href="#">AMD Opteron 2435</a>	6	3,061	593	75	F (1207)	Server
<a href="#">AMD Phenom II X6 1075T</a>	6	3,060	1,380	125	AM3	Desktop
<a href="#">Intel Celeron J4125 @ 2.00GHz</a>	4	3,054	1,173	10	FCBGA1090	Desktop
<a href="#">Qualcomm Technologies, Inc SM7250</a>	8	3,051	1,628	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5560 @ 2.80GHz</a>	4	3,045	1,374	95	LGA1366	Server
<a href="#">Hisilicon Kirin810</a>	8	3,044	1,534	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	2	3,044	1,836	28	BGA1168	Laptop
<a href="#">AMD FX-9830P</a>	4	3,038	1,475	35	FP4	Laptop
<a href="#">Intel Core i5-3380M @ 2.90GHz</a>	2	3,036	1,852	35	FCPGA988, FCBGA1	Laptop
<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	2	3,030	1,599	15	FCBGA1356	Laptop
<a href="#">AMD A8-7670K</a>	4	3,028	1,473	95	FM2+	Desktop
<a href="#">Intel Core m3-8100Y @ 1.10GHz</a>	2	3,025	1,796	5	FCBGA1515	Laptop
<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	2	3,016	1,834	23	FCBGA1168	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD PRO A12-8870E</a>	4	3,014	1,593	35	AM4	Desktop
<a href="#">AMD Athlon Silver 3050e</a>	2	3,010	1,476	6	Unknown	Laptop
<a href="#">Intel Core i5-4300M @ 2.60GHz</a>	2	2,992	1,757	37	PGA946	Laptop
<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2	2,991	1,775	15	FCBGA1168	Laptop
<a href="#">AMD PRO A8-8670E</a>	4	2,989	1,382	35	AM4	Desktop
<a href="#">Qualcomm Technologies, Inc SDMMAGPIEP</a>	8	2,985	1,505	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2405S @ 2.50GHz</a>	4	2,980	1,485	65	LGA1155	Desktop
<a href="#">Intel Xeon W3530 @ 2.80GHz</a>	4	2,979	1,327	130	LGA1366	Server
<a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>	2	2,978	1,526	80	FCLGA2011	Server
<a href="#">AMD FX-670K Quad-Core</a>	2	2,969	1,578	65	FM2	Desktop
<a href="#">AMD A8-6600K APU</a>	2	2,968	1,514	100	FM2	Desktop
<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2	2,967	1,578	15	FCBGA1356	Laptop
<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	4	2,964	1,103	10	FCBGA1090	Desktop
<a href="#">Intel Pentium G4560T @ 2.90GHz</a>	2	2,962	1,777	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2	2,960	1,665	28	FCBGA1364	Laptop
<a href="#">AMD Phenom II X6 1045T</a>	6	2,957	1,263	95	AM3	Desktop
<a href="#">Intel Xeon X5550 @ 2.67GHz</a>	4	2,957	1,298	95	LGA1366	Server
<a href="#">Intel Core i5-4210M @ 2.60GHz</a>	2	2,953	1,738	37	FCPGA946	Laptop
<a href="#">Intel Core i7-4560U @ 1.60GHz</a>	2	2,950	1,782	NA	Unknown	Laptop
<a href="#">Intel Core i5-4210H @ 2.90GHz</a>	2	2,949	1,723	47	FCBGA1364	Laptop
<a href="#">AMD A10-9630P</a>	4	2,947	1,352	35	FP4	Laptop
<a href="#">MediaTek MT6785V/CD</a>	8	2,947	1,357	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4278U @ 2.60GHz</a>	2	2,946	1,755	28	FCBGA1168	Laptop
<a href="#">AMD Athlon X4 760K Quad Core</a>	2	2,945	1,522	100	FM2	Desktop
<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2	2,945	2,241	51	FCLGA1151	Desktop
<a href="#">Intel Core i5-3470T @ 2.90GHz</a>	2	2,939	1,765	35	LGA1155	Desktop
<a href="#">AMD A10-6790K APU</a>	2	2,936	1,554	100	FM2	Desktop
<a href="#">AMD Opteron 2431</a>	6	2,936	570	75	F (1207)	Server
<a href="#">MediaTek MT6785V/CC</a>	8	2,933	1,306	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-4300 Quad-Core</a>	2	2,932	1,487	95	AM3+	Desktop
<a href="#">Intel Core i5-3360M @ 2.80GHz</a>	2	2,930	1,793	35	BGA1023	Laptop
<a href="#">Qualcomm Technologies, Inc LITO</a>	8	2,929	1,557	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-7650K</a>	2	2,925	1,347	65	FM2+	Desktop
<a href="#">AMD Phenom II X6 1035T</a>	6	2,925	1,228	95	AM3	Desktop
<a href="#">AMD A10-5800K APU</a>	2	2,924	1,488	100	FM2	Desktop
<a href="#">Intel Core i7-3540M @ 3.00GHz</a>	2	2,909	1,792	35	rPGA988B	Laptop
<a href="#">Intel Core i7-5550U @ 2.00GHz</a>	2	2,908	1,781	15	FCBGA1168	Laptop
<a href="#">AMD Athlon X4 830</a>	2	2,901	1,292	65	FM2+	Desktop
<a href="#">Qualcomm Technologies, Inc LAGOON</a>	8	2,897	1,632	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W3540 @ 2.93GHz</a>	4	2,890	1,289	130	LGA1366	Server
<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2	2,888	1,656	35	LGA1150	Laptop
<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2	2,887	1,582	35	FCLGA1150	Desktop
<a href="#">Qualcomm Technologies, Inc SDM765G 5G</a>	8	2,877	1,629	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-860 @ 2.80GHz</a>	4	2,873	1,321	95	LGA1156	Desktop
<a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>	4	2,873	991	80	FCLGA1356	Server
<a href="#">AMD Opteron 4184</a>	6	2,872	630	95	C32	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2	2,871	1,636	35	LGA1150	Desktop
<a href="#">AMD A10-5800B APU</a>	2	2,870	1,517	100	FM2	Desktop
<a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>	2	2,867	1,749	4.5	FCBGA1515	Laptop
<a href="#">Intel Core i7-930 @ 2.80GHz</a>	4	2,864	1,278	130	LGA1366	Desktop
<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2	2,862	2,211	58	FCLGA1200	Desktop
<a href="#">AMD FX-7600P APU</a>	4	2,856	1,436	35	FP3	Laptop
<a href="#">Qualcomm Technologies, Inc SDM730G AIE</a>	8	2,855	1,510	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	4	2,852	1,447	45	LGA1155	Desktop
<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2	2,849	2,165	51	FCLGA1151	Desktop
<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2	2,845	1,688	17	LGA1155	Server
<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2	2,840	2,168	58	FCLGA1200	Desktop
<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	4	2,836	1,031	40	LGA1366	Server
<a href="#">Intel Core i7-8500Y @ 1.50GHz</a>	2	2,832	1,688	5	FCBGA1515	Laptop
<a href="#">AMD Phenom II X4 980</a>	4	2,829	1,521	125	AM3	Unknown
<a href="#">AMD Opteron 6128</a>	8	2,826	447	115	G34	Server
<a href="#">AMD Opteron 3350 HE</a>	4	2,825	1,362	45	Unknown	Server
<a href="#">AMD A10-6800B APU</a>	2	2,824	1,513	100	FM2	Desktop
<a href="#">Intel Core i5-4258U @ 2.40GHz</a>	2	2,823	1,664	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>	2	2,823	1,679	4.5	FCBGA1515	Laptop
<a href="#">Qualcomm Technologies, Inc SDM720G</a>	8	2,822	1,603	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-880 @ 3.07GHz</a>	4	2,803	1,356	95	LGA1156	Desktop
<a href="#">Intel Core i5-24050S @ 2.50GHz</a>	4	2,799	1,200	65	LGA1155, FCLGA11	Desktop
<a href="#">Qualcomm Technologies, Inc SDMMAGPIE</a>	8	2,790	1,467	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-6500B APU</a>	2	2,789	1,479	65	FM2	Desktop
<a href="#">AMD Opteron 6172</a>	12	2,789	432	115	G34	Server
<a href="#">AMD Athlon X4 750K Quad Core</a>	2	2,786	1,453	100	FM2	Unknown
<a href="#">Intel Core i5-4200M @ 2.50GHz</a>	2	2,786	1,645	37	PGA946	Laptop
<a href="#">Intel Core i7-870S @ 2.67GHz</a>	4	2,786	1,270	82	LGA1156	Desktop
<a href="#">AMD FX-8800P</a>	2	2,785	1,347	35	FP4	Laptop
<a href="#">Intel Xeon X3450 @ 2.67GHz</a>	4	2,782	1,215	95	LGA1156	Server
<a href="#">Qualcomm Technologies, Inc SM7125</a>	8	2,782	1,566	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a>	4	2,780	1,451	150	LGA771	Desktop
<a href="#">AMD A8-8650</a>	4	2,774	1,408	65	FM2+	Desktop
<a href="#">Intel Celeron G5900 @ 3.40GHz</a>	2	2,768	2,162	58	FCLGA1200	Desktop
<a href="#">Qualcomm Technologies, Inc ATOLL-AB</a>	8	2,759	1,622	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core 860 @ 2.80GHz</a>	4	2,754	1,142	NA	Unknown	Unknown
<a href="#">AMD A8-5600K APU</a>	2	2,751	1,413	100	FM2	Desktop
<a href="#">AMD PRO A10-8750B</a>	2	2,751	1,217	65	FM2+	Desktop
<a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	2,751	977	80	LGA 2011	Server
<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	4	2,750	1,240	130	LGA1366	Server
<a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>	2	2,742	1,570	4.5	FCBGA1515	Laptop
<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2	2,735	1,652	15	FCBGA1168	Laptop
<a href="#">AMD A10-5700 APU</a>	2	2,733	1,436	65	FM2	Desktop
<a href="#">Intel Core i5-5300U @ 2.30GHz</a>	2	2,733	1,656	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-5350U @ 1.80GHz</a>	2	2,733	1,688	15	FCBGA1168	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-7100U @ 2.40GHz</a>	2	2,726	1,400	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-860S @ 2.53GHz</a>	4	2,725	1,413	82	LGA1156	Desktop
<a href="#">Intel Core i7-920 @ 2.67GHz</a>	4	2,721	1,223	130	LGA1366	Desktop
<a href="#">AMD A6-9400</a>	2	2,717	1,664	10	FT4	Laptop
<a href="#">Intel Core i7-4600U @ 2.10GHz</a>	2	2,716	1,669	15	FCBGA1168	Laptop
<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	4	2,715	1,071	NA	Unknown	Desktop
<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2	2,714	2,041	54	FCLGA1151	Desktop
<a href="#">Intel Xeon X3460 @ 2.80GHz</a>	4	2,705	1,206	95	LGA1156	Server
<a href="#">Intel Xeon X5492 @ 3.40GHz</a>	4	2,705	1,446	150	LGA771	Server
<a href="#">AMD FX-4130 Quad-Core</a>	2	2,699	1,354	125	AM3+	Desktop
<a href="#">AMD PRO A12-9800B</a>	4	2,696	1,400	15	FP4	Laptop
<a href="#">AMD RX-427BB</a>	4	2,695	1,338	35	FP3	Laptop
<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	4	2,694	1,316	6	FCBGA1090	Laptop
<a href="#">Intel Xeon X5470 @ 3.33GHz</a>	4	2,689	1,448	120	LGA771	Server
<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	4	2,686	1,002	80	LGA1366	Server
<a href="#">AMD Athlon X4 740 Quad Core</a>	2	2,682	1,364	65	FM2	Desktop
<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2	2,681	1,510	25	FCBGA1364	Laptop
<a href="#">AMD 3015e</a>	2	2,678	1,408	6	Unknown	Laptop
<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2	2,678	1,627	4.5	FCBGA1515	Desktop, Laptop
<a href="#">AMD A8-5500B APU</a>	2	2,663	1,366	65	FM2	Desktop
<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	4	2,661	883	80	LGA 1356	Server
<a href="#">Intel Core i5-3340M @ 2.70GHz</a>	2	2,653	1,655	35	BGA1023	Laptop
<a href="#">Intel Xeon X3440 @ 2.53GHz</a>	4	2,651	1,154	95	LGA1156	Server
<a href="#">Intel Core i3-3250T @ 3.00GHz</a>	2	2,650	1,684	35	FCLGA1155	Desktop
<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2	2,644	1,631	73	LGA1156	Desktop
<a href="#">Intel Xeon E5540 @ 2.53GHz</a>	4	2,644	1,149	80	LGA1366	Server
<a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>	4	2,640	1,059	80	LGA2011	Server
<a href="#">AMD 3020e</a>	2	2,639	1,484	6	Unknown	Laptop
<a href="#">AMD Phenom II X4 970</a>	4	2,637	1,408	125	AM3	Unknown
<a href="#">Intel Core i3-6157U @ 2.40GHz</a>	2	2,637	1,370	28	BGA1356	Laptop
<a href="#">Intel Xeon X5482 @ 3.20GHz</a>	4	2,636	1,394	150	LGA771	Server
<a href="#">AMD FirePro A320 APU</a>	4	2,634	1,482	100	FM2	Desktop
<a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a>	4	2,632	1,398	136	LGA775	Desktop
<a href="#">Intel Core i5-3320M @ 2.60GHz</a>	2	2,628	1,608	35	BGA1023	Laptop
<a href="#">AMD A12-9720P</a>	4	2,626	1,343	15	FP4	Laptop
<a href="#">AMD PRO A10-9700B</a>	4	2,626	1,315	15	FP4	Laptop
<a href="#">Intel Core i5-3610ME @ 2.70GHz</a>	2	2,623	1,675	35	BGA1023	Laptop
<a href="#">Intel Core i7-3687U @ 2.10GHz</a>	2	2,617	1,569	17	BGA1023	Laptop
<a href="#">Intel Core i3-6100U @ 2.30GHz</a>	2	2,614	1,343	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2	2,613	1,471	28	FCBGA1168	Laptop
<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	4	2,611	1,156	6	FCBGA1090	Laptop
<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2	2,609	2,033	54	FCLGA1151	Desktop
<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	4	2,603	1,150	80	LGA1366	Server
<a href="#">Samsung Exynos 8895</a>	8	2,597	1,001	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8 PRO-7600B APU</a>	4	2,593	1,263	65	FM2+	Desktop
<a href="#">Qualcomm Technologies, Inc SM7150</a>	8	2,592	1,372	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">MediaTek MT6779V/CE</a>	8	2,591	1,217	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2	2,589	1,549	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2	2,580	1,288	37	FCPGA946	Laptop
<a href="#">AMD FX-770K Quad-Core</a>	2	2,578	1,413	65	FM2+	Desktop
<a href="#">AMD Phenom II X4 B65</a>	4	2,576	1,357	NA	AM2+/AM3	Desktop
<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2	2,575	2,004	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-760 @ 2.80GHz</a>	4	2,575	1,305	95	LGA1156	Desktop
<a href="#">AMD A8-5500 APU</a>	2	2,562	1,326	65	FM2	Desktop
<a href="#">Apple A9X</a>	2	2,560	1,518	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3667U @ 2.00GHz</a>	2	2,554	1,613	17	BGA1023	Laptop
<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2	2,549	1,431	4.5	FCBGA1515	Laptop
<a href="#">AMD FX-4100 Quad-Core</a>	2	2,541	1,278	95	AM3+	Desktop
<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	4	2,536	1,023	80	LGA1366	Server
<a href="#">Intel Core i7-4500U @ 1.80GHz</a>	2	2,535	1,545	15	BGA1168	Laptop
<a href="#">Intel Xeon X5460 @ 3.16GHz</a>	4	2,530	1,375	120	LGA771	Server
<a href="#">AMD A10-9620P</a>	4	2,529	1,322	15	Unknown	Laptop
<a href="#">MediaTek MT6779V/CV</a>	8	2,526	1,144	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3230M @ 2.60GHz</a>	2	2,525	1,574	35	PGA988	Laptop
<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	4	2,522	1,169	60	LGA1366	Server
<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2	2,521	1,292	25	FCBGA1440	Laptop
<a href="#">AMD Phenom II X4 B99</a>	4	2,520	1,378	95	Unknown	Unknown
<a href="#">AMD Phenom II X4 965</a>	4	2,518	1,362	125	AM3	Desktop
<a href="#">Intel Pentium G4500T @ 3.00GHz</a>	2	2,518	1,845	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2	2,517	1,523	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-3245 @ 3.40GHz</a>	2	2,514	1,803	55	LGA1155	Desktop
<a href="#">AMD PRO A12-8800B</a>	2	2,509	1,331	15	FP4	Laptop
<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2	2,500	1,399	35	LGA1150	Desktop
<a href="#">Intel Core i5-5250U @ 1.60GHz</a>	2	2,500	1,526	15	FCBGA1168	Laptop
<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	4	2,500	945	80	LGA1366	Server
<a href="#">Intel Xeon L7455 @ 2.13GHz</a>	6	2,494	601	65	PGA604	Server
<a href="#">MediaTek MT6779V/CU</a>	8	2,485	1,219	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-670 @ 3.47GHz</a>	2	2,483	1,549	73	LGA1156	Desktop
<a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a>	4	2,482	1,298	130	LGA775	Desktop
<a href="#">Intel Core i5-4288U @ 2.60GHz</a>	2	2,481	1,520	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2	2,481	1,498	15	FCBGA1168	Laptop
<a href="#">AMD Opteron 8439 SE</a>	6	2,479	590	105	F (1207)	Server
<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2	2,478	1,482	15	FCBGA1168	Laptop
<a href="#">AMD Athlon II X4 559</a>	4	2,473	1,388	NA	Unknown	Unknown
<a href="#">Intel Celeron N4120 @ 1.10GHz</a>	4	2,468	1,116	6	FCBGA1090	Laptop
<a href="#">AMD Phenom II X4 B97</a>	4	2,467	1,326	95	AM2+/AM3	Desktop
<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	4	2,464	731	80	LGA 1356	Server
<a href="#">Intel Xeon D-1602 @ 2.50GHz</a>	2	2,459	1,435	27	FCBGA1667	Server
<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	4	2,459	1,293	80	LGA771	Server
<a href="#">Intel Core i5-750 @ 2.67GHz</a>	4	2,457	1,237	95	LGA1156	Desktop
<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2	2,456	1,391	65	Unknown	Unknown
<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	4	2,451	1,008	6	FCBGA1090	Laptop
<a href="#">Intel Core i7-2640M @ 2.80GHz</a>	2	2,451	1,497	35	BGA1023	Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon X3370 @ 3.00GHz</a>	4	2,446	1,311	95	LGA775	Server
<a href="#">Qualcomm Technologies, Inc MSM8998</a>	8	2,445	1,046	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4260U @ 1.40GHz</a>	2	2,440	1,541	15	FCBGA1168	Laptop
<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	4	2,432	1,297	80	LGA771	Server
<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2	2,428	2,089	53	LGA1150	Desktop
<a href="#">AMD Phenom II X4 975</a>	4	2,424	1,393	125	AM3	Unknown
<a href="#">Intel Core i5-3210M @ 2.50GHz</a>	2	2,424	1,527	35	PGA988B	Laptop
<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2	2,423	1,463	35	BGA1023	Laptop
<a href="#">AMD Phenom II X4 955</a>	4	2,422	1,310	125	AM3	Desktop
<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2	2,422	1,350	37	FCPGA946	Laptop
<a href="#">Intel Celeron G4900 @ 3.10GHz</a>	2	2,419	1,911	54	FCLGA1151-2	Desktop
<a href="#">AMD Athlon II X4 553</a>	4	2,418	1,204	NA	Unknown	Unknown
<a href="#">Intel Core i5-661 @ 3.33GHz</a>	2	2,413	1,445	87	LGA1156	Desktop
<a href="#">Intel Celeron G4920 @ 3.20GHz</a>	2	2,406	1,965	54	FCLGA1151-2	Desktop
<a href="#">Intel Atom C2750 @ 2.40GHz</a>	8	2,401	382	20	FCBGA1283	Server
<a href="#">Intel Pentium G4400T @ 2.90GHz</a>	2	2,401	1,804	35	FCLGA1151	Desktop
<a href="#">HiSilicon Kirin 960</a>	8	2,398	1,092	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 850</a>	4	2,397	1,351	95	AM2+/AM3	Unknown
<a href="#">AMD PRO A12-8830B</a>	4	2,392	1,192	15	BGA (FP4)	Laptop
<a href="#">Apple A8X</a>	3	2,392	936	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 650</a>	4	2,390	1,327	95	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc SM6150</a>	8	2,390	1,248	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 4170 HE</a>	6	2,382	476	65	C32	Server
<a href="#">Intel Xeon X5450 @ 3.00GHz</a>	4	2,381	1,262	120	LGA771	Server
<a href="#">AMD PRO A8-9600B</a>	4	2,379	1,327	15	FP4	Laptop
<a href="#">Intel Core i7-3537U @ 2.00GHz</a>	2	2,378	1,488	17	BGA1023	Laptop
<a href="#">AMD Phenom II X4 977</a>	4	2,377	1,368	95	Unknown	Unknown
<a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>	4	2,377	1,290	95	LGA775	Desktop
<a href="#">Intel Celeron G3950 @ 3.00GHz</a>	2	2,369	1,811	51	FCLGA1151	Desktop
<a href="#">Intel Core i7-940XM @ 2.13GHz</a>	4	2,367	1,268	55	PGA988	Laptop
<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	4	2,362	868	80	LGA 2011	Server
<a href="#">AMD A12-9700P</a>	4	2,360	1,149	15	FP4	Laptop
<a href="#">AMD Phenom II X4 B60</a>	4	2,357	1,304	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 840</a>	4	2,355	1,306	95	AM2+/AM3	Desktop
<a href="#">Intel Core i5-660 @ 3.33GHz</a>	2	2,352	1,462	73	LGA1156	Desktop
<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2	2,351	1,256	15	BGA1168	Laptop
<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2	2,349	1,068	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2	2,348	1,369	35	LGA1155	Desktop
<a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a>	4	2,348	1,352	NA	Unknown	Unknown
<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2	2,348	1,425	15	FCBGA1528	Laptop
<a href="#">AMD Phenom II X4 B55</a>	4	2,347	1,297	NA	AM2+/AM3	Desktop
<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	4	2,346	914	10	FCBGA1296	Desktop
<a href="#">AMD Phenom II X4 B35</a>	4	2,341	1,215	NA	AM2+/AM3	Desktop
<a href="#">Intel Xeon X5472 @ 3.00GHz</a>	4	2,340	1,273	120	LGA771	Server
<a href="#">AMD A8-3870K APU</a>	4	2,339	1,233	100	FM1	Desktop
<a href="#">AMD Athlon II X4 651 Quad-Core</a>	4	2,338	1,296	100	FM1	Unknown
<a href="#">HiSilicon Kirin970</a>	8	2,338	972	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2	2,319	1,775	55	LGA1155	Desktop
<a href="#">Intel Core i7-4650U @ 1.70GHz</a>	2	2,312	1,372	15	BGA1168	Laptop
<a href="#">Intel Xeon L5520 @ 2.27GHz</a>	4	2,312	1,067	60	LGA1366	Server
<a href="#">AMD Athlon II X4 555</a>	4	2,310	1,242	NA	Unknown	Unknown
<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2	2,308	1,374	5	FCBGA1515	Laptop
<a href="#">Intel Xeon X3380 @ 3.16GHz</a>	4	2,308	1,335	95	LGA775	Server
<a href="#">AMD FX-7600P</a>	4	2,306	1,129	35	FP3	Laptop
<a href="#">Intel Core i5-4350U @ 1.40GHz</a>	2	2,305	1,499	15	BGA1168	Laptop
<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2	2,305	1,358	15	FCBGA1528	Laptop
<a href="#">AMD Phenom II X4 B70</a>	4	2,303	1,209	65	AM2+ (938-pin)	Desktop
<a href="#">AArch64 rev 1 (aarch64)</a>	8	2,297	1,028	NA	Unknown	Unknown
<a href="#">Intel Core i5-2540M @ 2.60GHz</a>	2	2,294	1,381	35	BGA1023	Laptop
<a href="#">Intel Celeron G4900T @ 2.90GHz</a>	2	2,292	1,799	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2	2,288	1,182	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-3427U @ 1.80GHz</a>	2	2,287	1,386	17	BGA1023	Laptop
<a href="#">Intel Core i5-4210U @ 1.70GHz</a>	2	2,286	1,379	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2	2,284	1,391	80	Unknown	Server
<a href="#">AMD Opteron 3260 HE</a>	2	2,283	900	45	AM3+	Server
<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	4	2,273	1,226	65	LGA775	Server
<a href="#">Intel Core i3-3240 @ 3.40GHz</a>	2	2,272	1,806	55	LGA1155	Desktop
<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	4	2,271	814	10	FCBGA1296	Desktop
<a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>	4	2,269	1,228	95	LGA775	Desktop
<a href="#">Intel Celeron G3930 @ 2.90GHz</a>	2	2,268	1,795	51	FCLGA1151	Desktop
<a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a>	4	2,267	1,202	75	LGA775	Desktop
<a href="#">Intel Xeon E5462 @ 2.80GHz</a>	4	2,266	1,215	80	LGA771	Server
<a href="#">Intel Celeron G3920 @ 2.90GHz</a>	2	2,265	1,695	51	FCLGA1151	Desktop
<a href="#">AMD Phenom II X4 B50</a>	4	2,263	1,269	NA	AM2+/AM3	Desktop
<a href="#">AArch64 rev 0 (aarch64)</a>	8	2,262	883	NA	Unknown	Unknown
<a href="#">AMD PRO A8-8600B</a>	4	2,262	1,146	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A10-8730B</a>	4	2,261	1,170	15	FP4	Laptop
<a href="#">AMD A10-8700P</a>	2	2,259	1,182	35	FP4	Laptop
<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2	2,251	1,401	7	FCBGA1515	Laptop
<a href="#">AMD Phenom II X4 960T</a>	4	2,249	1,322	95	AM3	Desktop
<a href="#">Intel Core i5-2520M @ 2.50GHz</a>	2	2,247	1,382	35	PGA988B	Laptop
<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2	2,246	1,229	NA	FCBGA1449	Laptop
<a href="#">Qualcomm Technologies, Inc SDM712</a>	8	2,246	1,300	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 840T</a>	4	2,245	1,275	95	AM2+/AM3	Unknown
<a href="#">Qualcomm Technologies, Inc BENGALP</a>	8	2,243	957	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 B95</a>	4	2,242	1,229	95	AM3	Desktop
<a href="#">AMD PRO A10-8700B</a>	2	2,242	1,119	15	BGA (FP4)	Laptop
<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	4	2,242	1,235	80	LGA771	Server
<a href="#">Intel Celeron J3455E @ 1.50GHz</a>	4	2,240	869	10	FCBGA1296	Desktop
<a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a>	4	2,240	1,225	130	LGA775	Desktop
<a href="#">AMD Phenom II X4 B40</a>	4	2,238	1,231	NA	Unknown	Desktop
<a href="#">AMD A8-8600P</a>	2	2,231	1,082	15	FP4	Laptop
<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2	2,230	1,711	55	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon X3360 @ 2.83GHz</a>	4	2,230	1,241	95	LGA775	Server
<a href="#">Intel Xeon X3353 @ 2.66GHz</a>	4	2,229	1,173	80	LGA775	Server
<a href="#">AMD A10-9600P</a>	4	2,228	1,079	15	FP4	Laptop
<a href="#">Rockchip RK3399</a>	8	2,228	899	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X3363 @ 2.83GHz</a>	4	2,225	1,237	80	LGA771	Server
<a href="#">AMD A10-6700T APU</a>	2	2,224	1,267	45	FM2	Desktop
<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2	2,224	1,761	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2	2,223	1,721	51	FCLGA1151	Desktop
<a href="#">MediaTek MT6769V/CU</a>	8	2,222	1,128	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA660</a>	8	2,222	1,032	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 940</a>	4	2,219	1,207	125	AM2+	Desktop
<a href="#">Intel Xeon X3430 @ 2.40GHz</a>	4	2,219	1,002	95	LGA1156	Server
<a href="#">AMD Phenom II X4 945</a>	4	2,218	1,228	125	AM3	Desktop
<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2	2,218	1,706	35	FCLGA1151	Desktop
<a href="#">AMD Athlon II X4 645</a>	4	2,213	1,253	95	AM3	Desktop
<a href="#">Intel Core i5-3437U @ 1.90GHz</a>	2	2,211	1,380	17	BGA1023	Laptop
<a href="#">MediaTek MT6771V/CT</a>	8	2,211	924	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-650 @ 3.20GHz</a>	2	2,210	1,386	73	LGA1156	Desktop
<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	4	2,210	1,144	50	LGA771	Server
<a href="#">AMD Phenom II X4 973</a>	4	2,204	1,180	NA	Unknown	Unknown
<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2	2,202	1,282	15	BGA1356	Laptop
<a href="#">MediaTek MT6771V/W</a>	8	2,201	897	NA	Unknown	Mobile/Embedded
<a href="#">MT6769V/CT</a>	8	2,200	1,134	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G3900T @ 2.60GHz</a>	2	2,199	1,629	35	Unknown	Desktop
<a href="#">Intel Xeon X5365 @ 3.00GHz</a>	4	2,198	1,207	150	LGA771	Server
<a href="#">Intel Xeon E5430 @ 2.66GHz</a>	4	2,196	1,144	80	LGA771	Server
<a href="#">MediaTek MT6769T</a>	8	2,194	1,112	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2	2,193	1,429	NA	Unknown	Unknown
<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	4	2,193	1,149	45	LGA1156	Server
<a href="#">MediaTek MT6769V/WB</a>	8	2,192	1,118	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2	2,190	1,481	35	FCLGA1151	Laptop
<a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>	4	2,189	1,219	95	LGA775	Desktop
<a href="#">Intel Core i5-4200U @ 1.60GHz</a>	2	2,188	1,334	15	BGA1168	Laptop
<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2	2,179	1,332	17	BGA1023	Laptop
<a href="#">MediaTek MT6769Z</a>	8	2,179	1,090	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2	2,178	1,261	15	FCBGA1168	Laptop
<a href="#">Hisilicon Kirin710</a>	8	2,175	959	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C2750 @ 2.41GHz</a>	8	2,174	291	20	BGA 1283	Server
<a href="#">MediaTek MT6769V/CB</a>	8	2,174	1,114	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM6125</a>	8	2,166	929	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 925</a>	4	2,163	1,156	95	AM3	Desktop
<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2	2,161	1,724	55	LGA1155	Desktop
<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2	2,158	1,281	4.5	FCBGA1234	Laptop
<a href="#">Intel Xeon X3350 @ 2.66GHz</a>	4	2,158	1,156	95	LGA775	Server
<a href="#">Samsung Exynos 8890</a>	8	2,158	920	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-7200P</a>	4	2,156	1,079	35	FP3	Laptop
<a href="#">AMD Phenom II X4 B45</a>	4	2,155	1,245	NA	Unknown	Unknown
<a href="#">Intel Atom E3950 @ 1.60GHz</a>	4	2,151	751	12	BGA1296	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-5015U @ 2.10GHz</a>	2	2,143	1,193	15	FCBGA1168	Laptop
<a href="#">Intel Pentium N4200 @ 1.10GHz</a>	4	2,143	850	6	FCBGA1296	Laptop
<a href="#">Intel Core i7-3517UE @ 1.70GHz</a>	2	2,141	1,205	17	BGA1023	Laptop
<a href="#">AArch64 rev 2 (aarch64)</a>	8	2,137	948	NA	Unknown	Unknown
<a href="#">AMD Athlon II X4 640</a>	4	2,137	1,213	95	AM3	Desktop
<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2	2,133	1,927	53	LGA1150	Desktop
<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2	2,132	1,221	7	FCBGA1515	Laptop
<a href="#">Intel Core i5-2560M @ 2.70GHz</a>	2	2,131	1,259	NA	Unknown	Unknown
<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2	2,129	1,891	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2	2,129	1,895	53	LGA1150	Desktop
<a href="#">AMD FX-9800P</a>	4	2,125	1,075	15	Unknown	Laptop
<a href="#">Qualcomm Technologies, Inc SDM660</a>	8	2,120	975	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4250U @ 1.30GHz</a>	2	2,118	1,281	15	BGA1168	Laptop
<a href="#">AMD Athlon X4 640</a>	4	2,115	1,224	95	Unknown	Unknown
<a href="#">Apple A9</a>	2	2,112	1,201	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2	2,109	1,650	35	FCLGA1151	Desktop
<a href="#">AMD Phenom II X4 B25</a>	4	2,108	1,040	NA	AM2+/AM3	Desktop
<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2	2,108	1,224	15	FCBGA1168	Laptop
<a href="#">Qualcomm Technologies, Inc TRINKET</a>	8	2,108	898	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2	2,107	1,615	35	LGA1150	Desktop
<a href="#">AMD Phenom II X4 B93</a>	4	2,104	1,141	95	AM3	Desktop
<a href="#">AMD A8-3850 APU</a>	4	2,102	1,179	100	FM1	Desktop
<a href="#">Qualcomm Technologies, Inc SDM670</a>	8	2,100	1,046	NA	Unknown	Mobile/Embedded
<a href="#">AMD A10-7400P</a>	4	2,096	1,067	35	FP3	Laptop
<a href="#">Intel Core i3-2125 @ 3.30GHz</a>	2	2,093	1,550	65	LGA1155	Desktop
<a href="#">AMD Phenom II X4 820</a>	4	2,092	1,134	95	AM3	Desktop
<a href="#">MediaTek MT6771V/WM</a>	8	2,084	817	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc BENGAL</a>	8	2,080	867	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 1389</a>	4	2,079	1,102	75	AM2	Server
<a href="#">AMD Athlon II X4 655</a>	4	2,078	1,473	95	AM2+ (940-pin)	Unknown
<a href="#">MediaTek MT6771V/WT</a>	8	2,076	915	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 630</a>	4	2,074	1,141	95	AM3	Desktop
<a href="#">AMD Opteron 2384</a>	4	2,074	1,074	75	F (1207)	Server
<a href="#">Intel Xeon X3230 @ 2.66GHz</a>	4	2,073	1,089	95	LGA775	Server
<a href="#">AMD Athlon II X4 631 Quad-Core</a>	4	2,072	1,118	100	FM1	Desktop
<a href="#">Qualcomm Technologies, Inc SDM710</a>	8	2,069	1,116	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6763V/CE</a>	8	2,066	1,114	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 3250 HE</a>	2	2,061	1,003	45	AM3+	Server
<a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>	4	2,061	1,138	95	LGA775	Desktop
<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2	2,061	1,218	15	FCBGA1356	Laptop
<a href="#">Unisoc T618</a>	8	2,061	1,142	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G2140 @ 3.30GHz</a>	2	2,059	1,837	55	LGA1155	Desktop
<a href="#">AMD Opteron 4162 EE</a>	6	2,058	382	35	F (1207)	Server
<a href="#">Intel Atom C2758 @ 2.40GHz</a>	8	2,056	333	20	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>	4	2,055	1,140	95	LGA775	Desktop
<a href="#">Intel Core i7-640M @ 2.80GHz</a>	2	2,054	1,391	35	BGA1288	Laptop
<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2	2,052	1,683	55	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2	2,050	1,421	20	LGA1155	Server
<a href="#">Intel Core i5-3337U @ 1.80GHz</a>	2	2,047	1,265	17	BGA1023	Laptop
<a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>	4	2,042	1,083	105	LGA775	Desktop
<a href="#">Intel Pentium G3258 @ 3.20GHz</a>	2	2,041	1,828	53	FCLGA1150	Desktop
<a href="#">AMD A6-3670 APU</a>	4	2,040	1,128	100	FM1	Desktop
<a href="#">Intel Pentium G3260 @ 3.30GHz</a>	2	2,040	1,869	53	LGA1150	Desktop
<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2	2,034	1,499	35	FCBGA1440	Laptop
<a href="#">MediaTek MT6771V/C</a>	8	2,034	825	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2	2,029	1,400	65	FCLGA1155	Desktop
<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	4	2,029	1,102	50	LGA771	Server
<a href="#">Qualcomm Technologies, Inc SDM665</a>	8	2,028	865	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2450M @ 2.50GHz</a>	2	2,027	1,252	35	BGA1023	Laptop
<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	4	2,027	559	105	LGA1567	Server
<a href="#">AMD Athlon II X4 638 Quad-Core</a>	4	2,026	1,182	65	FM1	Desktop
<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2	2,026	1,161	15	FCBGA1168	Laptop
<a href="#">AMD A8-3820 APU</a>	4	2,024	1,098	65	FM1	Desktop
<a href="#">MT6797M</a>	10	2,021	981	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2430M @ 2.40GHz</a>	2	2,018	1,255	35	PGA988B	Laptop
<a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>	4	2,018	1,153	95	LGA775	Desktop
<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2	2,017	1,446	73	LGA1156	Desktop
<a href="#">AMD Phenom II X4 910e</a>	4	2,016	1,077	65	AM3	Desktop
<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2	2,016	1,135	35	LGA1150	Desktop
<a href="#">Samsung Exynos 9611</a>	8	2,014	1,013	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-3650 APU</a>	4	2,011	1,092	100	FM1	Desktop
<a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a>	4	2,011	1,080	NA	Unknown	Desktop
<a href="#">AMD Athlon II X4 635</a>	4	2,005	1,115	95	AM3	Desktop
<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	4	2,001	1,035	55	PGA988B	Laptop
<a href="#">Intel Core i7-2655LE @ 2.20GHz</a>	2	1,999	1,231	25	BGA1023	Desktop
<a href="#">AMD A10-5757M APU</a>	4	1,997	1,195	35	FP2	Laptop
<a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a>	4	1,997	1,184	95	LGA775	Desktop
<a href="#">Intel Core i5-2415M @ 2.30GHz</a>	2	1,996	1,171	35	BGA1023	Desktop
<a href="#">AMD Opteron 2427</a>	6	1,995	386	75	F (1207)	Server
<a href="#">Intel Core i3-2130 @ 3.40GHz</a>	2	1,993	1,585	65	LGA1155	Desktop
<a href="#">Intel Xeon L5410 @ 2.33GHz</a>	4	1,991	1,027	50	LGA771	Server
<a href="#">Intel Core i7-620M @ 2.67GHz</a>	2	1,990	1,276	35	BGA1288	Laptop
<a href="#">AMD Athlon X4 750 Quad Core</a>	4	1,986	1,338	65	FM2	Desktop
<a href="#">Intel Xeon X3320 @ 2.50GHz</a>	4	1,986	1,097	95	LGA775	Server
<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	2	1,985	1,525	35	LGA1155	Desktop
<a href="#">Intel Xeon X5355 @ 2.66GHz</a>	4	1,979	1,060	120	LGA771	Server
<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	2	1,972	1,238	35	FCBGA1023, PPG	Laptop
<a href="#">ARM Neoverse-N1 2 Core 0 MHz</a>	2	1,971	1,711	NA	Unknown	Unknown
<a href="#">Intel Pentium G3420 @ 3.20GHz</a>	2	1,969	1,790	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	2	1,968	1,531	35	LGA1155	Desktop
<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	2	1,967	1,411	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	2	1,961	1,211	17	BGA1023	Laptop
<a href="#">Intel Atom E3900 @ 1.60GHz</a>	4	1,953	675	NA	Unknown	Laptop
<a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>	4	1,951	1,083	95	LGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Celeron 4305UE @ 2.00GHz</a>	2	1,950	1,214	15	FCBGA1528	Desktop, Laptop
<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	2	1,949	1,182	4.5	FCBGA1234	Laptop
<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	2	1,948	1,177	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-3317U @ 1.70GHz</a>	2	1,947	1,235	17	BGA1023	Laptop
<a href="#">AMD Phenom 9850B Quad-Core</a>	4	1,946	992	95	Unknown	Unknown
<a href="#">AMD Phenom II X4 920</a>	4	1,945	1,048	125	AM2+	Desktop
<a href="#">Qualcomm Technologies, Inc SM4250</a>	8	1,941	729	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A6-9500</a>	2	1,938	1,666	65	AM4	Desktop
<a href="#">Intel Atom E3940 @ 1.60GHz</a>	4	1,936	673	9.5	Unknown	Laptop
<a href="#">Intel Xeon X6550 @ 2.00GHz</a>	4	1,936	390	130	LGA1567	Server
<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	4	1,935	712	80	LGA1366	Server
<a href="#">Intel Xeon E5507 @ 2.27GHz</a>	4	1,928	997	80	LGA1366	Server
<a href="#">Intel Xeon X3330 @ 2.66GHz</a>	4	1,928	1,160	95	LGA775	Server
<a href="#">Intel Core2 Quad Q9100 @ 2.26GHz</a>	4	1,923	1,004	45	PGA478	Laptop
<a href="#">Intel Xeon E5410 @ 2.33GHz</a>	4	1,923	1,024	80	LGA771	Server
<a href="#">Intel Celeron N3450 @ 1.10GHz</a>	4	1,920	752	6	FCBGA1296	Laptop
<a href="#">AMD Opteron 3320 EE</a>	2	1,918	838	25	AM3+	Server
<a href="#">Intel Core i3-4025U @ 1.90GHz</a>	2	1,918	1,080	15	FCBGA1168	Laptop
<a href="#">AMD Phenom II X4 905e</a>	4	1,912	1,021	65	AM3	Desktop
<a href="#">Intel Pentium G3420T @ 2.70GHz</a>	2	1,912	1,570	35	LGA1150	Desktop
<a href="#">AMD Opteron X2170 APU</a>	4	1,911	832	25	FT3	Server
<a href="#">AMD A10 PRO-7350B APU</a>	4	1,910	911	19	FP3	Laptop
<a href="#">Qualcomm Technologies, Inc SDM636</a>	8	1,910	828	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3439Y @ 1.50GHz</a>	2	1,907	1,197	13	BGA1023	Desktop
<a href="#">Intel Core i5-4422E @ 1.80GHz</a>	2	1,907	1,048	25	FCBGA1364	Laptop
<a href="#">Intel Core i5-580M @ 2.67GHz</a>	2	1,905	1,228	35	BGA1288	Laptop
<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	2	1,905	993	4.5	FCBGA1234	Laptop
<a href="#">AMD Athlon II X4 615e</a>	4	1,904	1,076	45	AM3	Desktop
<a href="#">AMD Phenom II X4 830</a>	4	1,903	1,041	95	AM2+/AM3	Unknown
<a href="#">Intel Pentium G3250 @ 3.20GHz</a>	2	1,903	1,808	53	LGA1150	Desktop
<a href="#">Intel Pentium G3450 @ 3.40GHz</a>	2	1,903	1,730	53	FCLGA1150	Desktop
<a href="#">AMD Opteron 2419 EE</a>	6	1,902	396	60	F (1207)	Server
<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	2	1,902	1,520	65	LGA1155	Desktop
<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	2	1,901	1,189	17	BGA1023	Laptop
<a href="#">AMD A10-4600M APU</a>	2	1,900	1,061	35	FS1r2	Laptop
<a href="#">AMD A10-5750M APU</a>	4	1,899	1,091	35	FS1r2	Laptop
<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	2	1,899	1,716	55	FCLGA1155	Desktop
<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	4	1,899	1,060	80	LGA771	Server
<a href="#">AMD Opteron 1385</a>	4	1,898	1,035	115	AM2+,AM3	Server
<a href="#">MediaTek MT6768V/CA</a>	8	1,897	1,024	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-7480</a>	2	1,895	1,621	65	FM2+	Desktop
<a href="#">Intel Celeron G1850 @ 2.90GHz</a>	2	1,895	1,692	54	FCLGA1150	Desktop
<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	2	1,893	1,106	4.5	FCBGA1234	Laptop
<a href="#">AMD Athlon II X3 460</a>	3	1,890	1,384	95	AM3	Desktop
<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	2	1,889	1,183	35	PGA988B	Laptop
<a href="#">Intel Pentium G2130 @ 3.20GHz</a>	2	1,887	1,749	55	FCLGA1155	Desktop
<a href="#">AMD PRO A6-8550B</a>	1	1,885	1,623	65	FM2+	Desktop
<a href="#">AMD A8-3800 APU</a>	4	1,882	1,045	65	FM1	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	2	1,882	1,189	35	BGA1023	Desktop
<a href="#">Intel Core i7-3555LE @ 2.50GHz</a>	2	1,880	980	25	BGA1023	Laptop
<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	4	1,879	1,093	45	PGA988A	Laptop
<a href="#">Intel Core i5-2435M @ 2.40GHz</a>	2	1,878	1,167	35	BGA1023	Laptop
<a href="#">MediaTek MT6797</a>	10	1,875	988	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4030U @ 1.90GHz</a>	2	1,874	1,031	15	FCBGA1168	Laptop
<a href="#">AMD Athlon II X4 620</a>	4	1,871	1,034	95	AM3	Desktop
<a href="#">Qualcomm Technologies, Inc SDM460</a>	8	1,868	755	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 610e</a>	4	1,864	1,014	45	AM3	Desktop
<a href="#">AMD Opteron 2378</a>	4	1,864	936	75	F (1207)	Server
<a href="#">Intel Pentium G3240 @ 3.10GHz</a>	2	1,864	1,742	53	FCLGA1150	Desktop
<a href="#">AMD Phenom II X4 B05e</a>	4	1,862	989	NA	Unknown	Unknown
<a href="#">AMD Athlon 5370 APU</a>	4	1,857	746	25	AM1,FS1B	Desktop
<a href="#">Intel Core i3-4110U @ 1.90GHz</a>	2	1,853	1,119	NA	Unknown	Laptop
<a href="#">Intel Core i5-4230U @ 1.90GHz</a>	2	1,853	1,620	15	FCBGA1364	Laptop
<a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>	6	1,851	751	NA	Unknown	Unknown
<a href="#">Intel Pentium 1403 @ 2.60GHz</a>	2	1,851	990	80	LGA1356	Server
<a href="#">Intel Celeron G3900TE @ 2.30GHz</a>	2	1,850	1,402	35	FCLGA1151	Laptop
<a href="#">Intel Core i3-2310E @ 2.10GHz</a>	2	1,845	733	35	FCBGA1023	Laptop
<a href="#">Intel Core2 Extreme Q9300 @ 2.53GHz</a>	4	1,845	1,046	45	PGA478	Desktop
<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	4	1,845	936	80	LGA1366	Server
<a href="#">AMD Phenom II X4 805</a>	4	1,844	999	95	AM3	Desktop
<a href="#">AMD Phenom 9950 Quad-Core</a>	4	1,843	1,033	125	AM2+	Desktop
<a href="#">Intel Pentium G3220 @ 3.00GHz</a>	2	1,843	1,690	54	FCLGA1150	Desktop
<a href="#">Intel Core i5-560M @ 2.67GHz</a>	2	1,842	1,230	35	BGA1288	Laptop
<a href="#">AMD A6-9500E</a>	2	1,841	1,478	35	AM4	Desktop
<a href="#">AMD A6-9500</a>	2	1,840	1,612	65	AM4	Desktop
<a href="#">Intel Xeon X3323 @ 2.50GHz</a>	4	1,837	1,059	80	LGA775	Server
<a href="#">Intel Celeron J4025 @ 2.00GHz</a>	2	1,830	1,273	10	FCBGA1090	Desktop
<a href="#">AMD Phenom II X4 B15e</a>	4	1,825	1,069	NA	AM2+/AM3	Desktop
<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	2	1,824	1,067	35	BGA1023	Laptop
<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	2	1,823	1,063	35	rPGA988	Desktop
<a href="#">AMD Athlon II X3 455</a>	3	1,820	1,348	95	AM3	Desktop
<a href="#">Intel Xeon X3220 @ 2.40GHz</a>	4	1,819	942	105	LGA775	Server
<a href="#">Intel Core i7-610E @ 2.53GHz</a>	2	1,818	1,400	35	BGA1288	Laptop
<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	2	1,817	1,084	11.5	FCBGA1168	Desktop
<a href="#">AMD A8-6500T APU</a>	2	1,816	1,048	45	FM2	Desktop
<a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>	4	1,816	1,060	95	LGA775	Desktop
<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	2	1,814	1,274	65	LGA1155	Desktop
<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	4	1,814	947	80	LGA771	Server
<a href="#">AMD Phenom II X3 B77</a>	3	1,813	1,302	95	AM2+/AM3	Unknown
<a href="#">AMD A8-7410 APU</a>	4	1,800	808	25	Unknown	Laptop
<a href="#">AMD Phenom 9750 Quad-Core</a>	4	1,798	968	125	AM2+	Desktop
<a href="#">AMD Opteron 1381</a>	4	1,797	1,011	75	AM3	Server
<a href="#">AMD Phenom II X940 Quad-Core</a>	4	1,797	785	45	S1	Laptop
<a href="#">AMD GX-420MC SOC</a>	4	1,796	695	17.5	FTB3b	Laptop
<a href="#">Intel Core i3-2100 @ 3.10GHz</a>	2	1,792	1,425	65	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD Phenom X4 Quad-Core GP-9730</a>	4	1,784	957	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD Athlon X3 455</a>	3	1,783	1,227	95	AM2+/AM3	Unknown
<a href="#">AMD Athlon X3 435</a>	3	1,781	1,192	95	Unknown	Unknown
<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	4	1,781	985	45	PGA988A	Laptop
<a href="#">Qualcomm Technologies, Inc. SDM632</a>	8	1,780	734	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>	4	1,779	1,013	95	LGA775	Desktop
<a href="#">AMD FX-7500 APU</a>	4	1,777	886	19	FP3	Laptop
<a href="#">AMD Athlon 5350 APU</a>	4	1,775	705	25	AM1,FS1B	Desktop
<a href="#">AMD R-464L APU</a>	4	1,773	1,123	35	FS1r2	Unknown
<a href="#">AMD A8-6410 APU</a>	4	1,771	790	15	BGA769 (FT3b)	Laptop
<a href="#">AMD Athlon II X4 605e</a>	4	1,771	953	45	AM3	Desktop
<a href="#">AMD Athlon II X3 445</a>	3	1,770	1,282	95	AM3	Desktop
<a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>	4	1,770	957	105	LGA775	Desktop
<a href="#">AMD Phenom II N830 3+1</a>	4	1,768	935	35	S1	Laptop
<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	4	1,766	987	45	PGA988A	Laptop
<a href="#">Intel Core i5-540M @ 2.53GHz</a>	2	1,762	1,162	35	BGA1288	Laptop
<a href="#">Intel Xeon L5408 @ 2.13GHz</a>	4	1,761	935	40	LGA771	Server
<a href="#">AMD A10-4657M APU</a>	4	1,759	940	35	FP2	Laptop
<a href="#">AMD Athlon II X3 450</a>	3	1,756	1,287	95	AM3	Desktop
<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	2	1,755	1,558	35	LGA1150	Desktop
<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	2	1,755	1,568	35	LGA1150	Desktop
<a href="#">AMD A6-7470K</a>	1	1,744	1,551	65	FM2+	Desktop
<a href="#">AMD A6-3620 APU</a>	4	1,741	975	65	FM1	Desktop
<a href="#">HP Hexa-Core 2.0GHz</a>	4	1,741	804	NA	Unknown	Unknown
<a href="#">AMD Opteron 2356</a>	4	1,733	849	75	F (1207)	Server
<a href="#">AMD PRO A4-8350B</a>	1	1,733	1,523	65	FM2+	Desktop
<a href="#">Intel Celeron G1840 @ 2.80GHz</a>	2	1,729	1,612	53	FCLGA1150	Desktop
<a href="#">MediaTek MT6797T</a>	10	1,723	533	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X2 Dual-Core GE-6060</a>	2	1,722	1,160	NA	Unknown	Unknown
<a href="#">AMD Phenom 9850 Quad-Core</a>	4	1,721	948	125	AM2+	Desktop
<a href="#">AMD A8-5557M APU</a>	4	1,719	1,047	35	FP2	Laptop
<a href="#">Intel Core i3-4158U @ 2.00GHz</a>	2	1,718	1,005	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-520M @ 2.40GHz</a>	2	1,718	1,094	35	BGA1288	Laptop
<a href="#">AMD A10-5745M APU</a>	4	1,716	989	25	FP2	Laptop
<a href="#">AMD Athlon II X4 600e</a>	4	1,711	913	45	AM3	Desktop
<a href="#">MT6763V/CT</a>	8	1,708	634	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4 PRO-3340B</a>	4	1,706	757	25	BGA769 (FT3)	Laptop
<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	2	1,705	1,039	4.5	BGA1234	Laptop
<a href="#">AMD PRO A6-8500B</a>	2	1,704	1,365	15	FP4	Laptop
<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	2	1,704	1,613	55	FCLGA1155	Desktop
<a href="#">AMD A6-7310 APU</a>	4	1,703	783	25	Unknown	Laptop
<a href="#">AMD Opteron 1356</a>	4	1,703	918	75	AM2	Server
<a href="#">AMD Phenom FX-5200 Quad-Core</a>	4	1,699	919	65	AM3	Unknown
<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	2	1,697	1,240	37	FCPGA946	Laptop
<a href="#">AMD Phenom 9650 Quad-Core</a>	4	1,694	923	95	AM2+	Desktop
<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	2	1,694	1,119	35	LGA1155	Desktop
<a href="#">AMD A6-6310 APU</a>	4	1,693	759	15	FT3	Laptop
<a href="#">Qualcomm Technologies, Inc. SDM630</a>	8	1,693	621	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	2	1,691	1,460	35	LGA1155	Desktop
<a href="#">AMD PRO A6-8570</a>	2	1,690	1,495	65	AM4	Desktop
<a href="#">MediaTek MT8768WT</a>	8	1,689	615	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2617M @ 1.50GHz</a>	2	1,687	1,092	17	BGA1023	Laptop
<a href="#">AMD A4-6250J APU</a>	4	1,685	700	25	Unknown	Unknown
<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	2	1,683	1,541	35	LGA1150	Desktop
<a href="#">AMD A10-7300 APU</a>	4	1,680	830	19	FP3	Laptop
<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	2	1,680	1,249	25	BGA1288	Laptop
<a href="#">AMD PRO A6-7350B</a>	2	1,679	1,535	15	FMA4	Laptop
<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	2	1,679	959	6	FCBGA1515	Laptop
<a href="#">AMD A9-9430</a>	2	1,678	1,435	NA	Unknown	Desktop
<a href="#">AMD Phenom II X4 810</a>	4	1,678	943	95	AM3	Desktop
<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	4	1,678	827	50	LGA771	Server
<a href="#">MT6763V/WT</a>	8	1,678	643	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-7100 APU</a>	4	1,677	860	19	FP3	Laptop
<a href="#">MT6765</a>	8	1,677	624	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A4-3350B APU</a>	4	1,671	763	15	FT3b	Laptop
<a href="#">Intel Core i5-4202Y @ 1.60GHz</a>	2	1,670	1,079	11.5	FCBGA1168	Desktop
<a href="#">AMD Phenom II X920 Quad-Core</a>	4	1,669	944	45	S1	Laptop
<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	2	1,665	1,368	15	FCBGA1356	Laptop
<a href="#">AArch64 rev 4 (aarch64)</a>	8	1,664	638	NA	Unknown	Unknown
<a href="#">AMD Athlon II X3 435</a>	3	1,663	1,185	95	AM3	Desktop
<a href="#">AMD Phenom 9600B Quad-Core</a>	4	1,663	924	95	AM2+	Desktop
<a href="#">AMD PRO A6-9500E</a>	2	1,662	1,493	35	AM4	Desktop
<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	2	1,661	1,564	55	FCLGA1155	Desktop
<a href="#">Samsung Exynos 9610</a>	8	1,658	944	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4210Y @ 1.50GHz</a>	2	1,657	1,058	11	BGA1168	Desktop
<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	4	1,656	972	45	PGA988A	Laptop
<a href="#">SAMSUNG Exynos7420</a>	8	1,653	765	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-4500M APU</a>	2	1,650	914	35	FS1r2	Laptop
<a href="#">Intel Atom C3558 @ 2.20GHz</a>	4	1,650	569	16	FCBGA1310	Server
<a href="#">Intel Core i3-4010U @ 1.70GHz</a>	2	1,650	910	15	BGA1168	Laptop
<a href="#">AMD Phenom X4 Quad-Core GP-9600</a>	4	1,649	764	95	AM2+	Desktop
<a href="#">Intel Celeron G1820 @ 2.70GHz</a>	2	1,647	1,518	53	FCLGA1150	Desktop
<a href="#">AMD A4-7210 APU</a>	4	1,646	716	25	BGA	Laptop
<a href="#">Intel Celeron G1630 @ 2.80GHz</a>	2	1,646	1,542	55	FCLGA1155	Desktop
<a href="#">MediaTek MT6765V/CA</a>	8	1,646	631	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 9550 Quad-Core</a>	4	1,644	891	95	AM2+	Desktop
<a href="#">MT6765V/WA</a>	8	1,644	626	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	2	1,642	907	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	2	1,642	984	13	FCBGA1023	Laptop
<a href="#">AMD A6-5200 APU</a>	4	1,641	652	25	FT3	Laptop
<a href="#">MT6765V/WB</a>	8	1,641	583	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II N950 Quad-Core</a>	4	1,637	883	35	S1	Laptop
<a href="#">AMD A6-3600 APU</a>	4	1,636	935	65	FM1	Desktop
<a href="#">AMD Opteron 2373 EE</a>	4	1,635	814	60	F (1207)	Server
<a href="#">Samsung Exynos 7904</a>	8	1,634	765	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-3120M @ 2.50GHz</a>	2	1,630	1,281	35	PGA988	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-2557M @ 1.70GHz</a>	2	1,628	942	17	BGA1023	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	8	1,628	741	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	2	1,627	1,029	4.5	Unknown	Laptop
<a href="#">Intel Celeron J4005 @ 2.00GHz</a>	2	1,626	1,127	10	FCBGA1090	Desktop
<a href="#">Intel Core i3-560 @ 3.33GHz</a>	2	1,626	1,341	73	LGA1156	Desktop
<a href="#">AMD GX-424CC SOC</a>	4	1,625	772	25	FT3b	Laptop
<a href="#">AMD Phenom II N970 Quad-Core</a>	4	1,625	902	35	S1	Laptop
<a href="#">Intel Core i3-4030Y @ 1.60GHz</a>	2	1,623	865	11.5	FCBGA1168	Laptop
<a href="#">Intel Pentium G3320TE @ 2.30GHz</a>	2	1,623	1,314	35	FCLGA1150	Desktop
<a href="#">AMD Opteron 1354</a>	4	1,620	864	75	AM2	Server
<a href="#">HiSilicon Kirin 650</a>	8	1,620	620	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5 E 520 @ 2.40GHz</a>	2	1,619	1,032	35	BGA1288	Desktop
<a href="#">AMD A6-6400B APU</a>	1	1,616	1,608	65	FM2	Desktop
<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	2	1,616	919	6	FCBGA1515	Laptop
<a href="#">Intel Celeron G1820T @ 2.40GHz</a>	2	1,614	1,396	35	LGA1150	Desktop
<a href="#">Intel Pentium G2120T @ 2.70GHz</a>	2	1,613	1,493	35	FCLGA1155	Desktop
<a href="#">AMD Athlon X4 620</a>	4	1,612	978	95	Unknown	Unknown
<a href="#">Intel Xeon E5405 @ 2.00GHz</a>	4	1,611	873	80	LGA771	Server
<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	2	1,609	1,387	37	FCPGA946	Laptop
<a href="#">MediaTek MT8768CT</a>	8	1,609	602	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8953</a>	8	1,609	517	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 2000E @ 2.20GHz</a>	2	1,607	1,282	37	FCBGA1364	Laptop
<a href="#">Intel Celeron N4020 @ 1.10GHz</a>	2	1,607	1,193	6	FCBGA1090	Laptop
<a href="#">AMD A6-8550</a>	2	1,604	1,474	65	FM2+	Desktop
<a href="#">MediaTek MT6765V/CB</a>	8	1,603	586	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 910</a>	4	1,600	925	95	AM3	Desktop
<a href="#">AMD Phenom FX-5000 Quad-Core</a>	4	1,599	826	65	AM2+	Unknown
<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	4	1,599	875	105	LGA775	Server
<a href="#">AMD GX-420CA SOC</a>	4	1,597	622	25	FT3 (769-BGA)	Laptop
<a href="#">Intel Atom C3538 @ 2.10GHz</a>	4	1,596	540	15	FCBGA1310	Server
<a href="#">Intel Celeron N4000C @ 1.10GHz</a>	2	1,596	1,153	6	FCBGA1090	Laptop
<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	2	1,595	1,446	35	LGA1155	Desktop
<a href="#">AMD A10-4655M APU</a>	2	1,591	864	25	FP2	Laptop
<a href="#">Intel Core i5-4220Y @ 1.60GHz</a>	2	1,591	952	11.5	FCBGA1364	Laptop
<a href="#">Intel Core i3-3110M @ 2.40GHz</a>	2	1,586	1,254	35	BGA1023	Laptop
<a href="#">AMD A8-3550MX APU</a>	4	1,579	938	45	FS1	Laptop
<a href="#">ARM phytium FT1500a 4 Core 2000 MHz</a>	4	1,579	716	NA	Unknown	Unknown
<a href="#">Intel Celeron G1840T @ 2.50GHz</a>	2	1,576	1,431	35	LGA1150	Desktop
<a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a>	4	1,573	826	16.1	FP4	Laptop, Mobile/Embedded
<a href="#">AMD A6-7400K APU</a>	2	1,569	1,404	65	FM2+	Desktop
<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	2	1,566	1,053	NA	Unknown	Unknown
<a href="#">AMD A4-6320 APU</a>	1	1,563	1,550	65	FM2	Desktop
<a href="#">AMD Phenom II X3 720</a>	3	1,560	1,115	95	AM3	Desktop
<a href="#">Intel Celeron G1830 @ 2.80GHz</a>	2	1,560	1,513	53	LGA1150	Desktop
<a href="#">Intel Core i5-4200Y @ 1.40GHz</a>	2	1,558	944	11.5	BGA1168	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-550 @ 3.20GHz</a>	2	1,556	1,353	73	LGA1156	Desktop
<a href="#">AMD A6 PRO-7400B</a>	1	1,555	1,452	65	FM2+	Desktop
<a href="#">AMD A8-5545M APU</a>	4	1,553	828	19	FP2	Laptop
<a href="#">AMD A6-6420B APU</a>	1	1,550	1,629	65	FM2	Desktop
<a href="#">AMD A9-9425</a>	2	1,549	1,350	15	BGA (FT4)	Laptop
<a href="#">AMD Phenom 9600 Quad-Core</a>	4	1,549	886	95	AM2+	Desktop
<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	4	1,549	817	80	LGA771	Server
<a href="#">AMD E2-7110 APU</a>	4	1,548	617	15	FP4 BGA	Laptop
<a href="#">MT8788</a>	8	1,548	883	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8 PRO-7150B APU</a>	4	1,547	791	19	FP3	Laptop
<a href="#">AMD Athlon II X3 425</a>	3	1,547	1,109	95	AM3	Desktop
<a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>	4	1,547	556	NA	Unknown	Unknown
<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	2	1,545	954	11.5	BGA1168	Desktop
<a href="#">Intel Pentium 2030M @ 2.50GHz</a>	2	1,542	1,387	35	FCPGA988	Laptop
<a href="#">AMD Phenom II N930 Quad-Core</a>	4	1,540	827	35	S1	Laptop
<a href="#">Intel Pentium G3220T @ 2.60GHz</a>	2	1,539	1,436	35	LGA1150	Desktop
<a href="#">AMD A6-6420K APU</a>	2	1,538	1,557	65	FM2	Desktop
<a href="#">AMD Phenom II X3 B73</a>	3	1,538	1,056	95	AM3	Desktop
<a href="#">Qualcomm MSM8996PRO-AB</a>	4	1,537	1,020	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5504 @ 2.00GHz</a>	4	1,529	838	80	LGA1366	Server
<a href="#">Intel Xeon X5270 @ 3.50GHz</a>	2	1,524	1,485	80	LGA771	Server
<a href="#">AMD Phenom 9750B Quad-Core</a>	4	1,520	913	95	AM2+	Desktop
<a href="#">AMD A9-9420</a>	2	1,518	1,306	15	Unknown	Laptop
<a href="#">Intel Pentium 4405Y @ 1.50GHz</a>	2	1,518	868	6	FCBGA1515	Laptop
<a href="#">AMD A9-9410</a>	2	1,517	1,342	25	FP4	Laptop
<a href="#">AMD Athlon X3 425</a>	3	1,516	845	95	Unknown	Unknown
<a href="#">Apple A8</a>	2	1,513	900	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 2354</a>	4	1,509	857	115	F (1207)	Server
<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	2	1,509	1,461	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	2	1,507	1,321	35	LGA1155	Desktop
<a href="#">MediaTek MT6757V</a>	8	1,507	583	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 900e</a>	4	1,505	917	65	AM3	Desktop
<a href="#">Intel Core i3-540 @ 3.07GHz</a>	2	1,505	1,273	73	LGA1156	Desktop
<a href="#">AMD Athlon X2 370K Dual Core</a>	1	1,504	1,514	65	Unknown	Unknown
<a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>	2	1,502	1,133	4.5	FCBGA1515	Laptop
<a href="#">AMD Phenom 9350e Quad-Core</a>	4	1,501	792	65	AM2+	Desktop
<a href="#">Intel Celeron 2970M @ 2.20GHz</a>	2	1,501	1,245	37	FCPGA946	Laptop
<a href="#">AMD A4-7300 APU</a>	1	1,500	1,490	65	FM2	Desktop
<a href="#">AMD PRO A6-8530B</a>	2	1,498	1,271	15	FP4	Laptop
<a href="#">AMD Athlon II X3 420e</a>	3	1,495	1,097	45	AM3	Desktop
<a href="#">AMD Phenom II X3 710</a>	3	1,495	1,065	95	AM3	Desktop
<a href="#">AMD PRO A6-8570E</a>	2	1,489	1,216	35	Unknown	Desktop
<a href="#">AMD A8-3510MX APU</a>	4	1,483	888	45	FS1	Laptop
<a href="#">Samsung Exynos 7885</a>	8	1,482	813	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	2	1,481	897	17	BGA1023	Laptop
<a href="#">AMD Phenom 9500 Quad-Core</a>	4	1,480	835	95	AM2+	Desktop
<a href="#">AMD A8-3530MX APU</a>	4	1,477	886	45	FS1	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">MT6757WD</a>	8	1,474	625	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	2	1,473	1,208	15	FCBGA1356	Laptop
<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	2	1,472	1,542	NA	Unknown	Unknown
<a href="#">Intel Xeon E7320 @ 2.13GHz</a>	4	1,469	776	80	604	Server
<a href="#">Intel Pentium G870 @ 3.10GHz</a>	2	1,468	1,454	65	FCLGA1155	Desktop
<a href="#">AMD A4-6210 APU</a>	4	1,467	604	15	FT3b	Laptop
<a href="#">Intel Celeron 3867U @ 1.80GHz</a>	2	1,467	1,092	15	FCBGA1356	Laptop
<a href="#">AMD Opteron 1352</a>	4	1,464	849	75	AM2	Server
<a href="#">MediaTek MT8768WA</a>	8	1,464	551	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7880</a>	8	1,462	465	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4 PRO-7300B APU</a>	1	1,455	1,508	65	Unknown	Desktop
<a href="#">AMD Phenom 9450e Quad-Core</a>	4	1,455	841	65	AM2+	Desktop
<a href="#">AMD A6-8500P</a>	2	1,452	1,227	15	BGA (FP4)	Laptop
<a href="#">Intel Xeon X5272 @ 3.40GHz</a>	2	1,451	1,411	80	LGA771	Server
<a href="#">Intel Xeon E5240 @ 3.00GHz</a>	2	1,448	1,312	65	LGA771	Server
<a href="#">Intel Core i3-2120T @ 2.60GHz</a>	2	1,443	1,105	35	LGA1155	Desktop
<a href="#">AMD Athlon II X3 415e</a>	3	1,441	1,028	45	AM3	Desktop
<a href="#">AMD Athlon X3 440</a>	3	1,438	1,129	95	Unknown	Unknown
<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	2	1,437	1,103	15	FCBGA1528	Laptop
<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	2	1,437	1,040	6	FCBGA1090	Laptop
<a href="#">Intel Core i3-4020Y @ 1.50GHz</a>	2	1,437	764	11.5	BGA1168	Desktop
<a href="#">Intel Core i3-530 @ 2.93GHz</a>	2	1,436	1,178	73	LGA1156	Desktop
<a href="#">Qualcomm Technologies, Inc APQ8096</a>	4	1,431	1,146	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X3 700e</a>	3	1,430	969	65	AM3	Desktop
<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	2	1,429	1,344	55	FCLGA1155	Desktop
<a href="#">Intel Xeon E3113 @ 3.00GHz</a>	2	1,429	1,282	65	LGA775	Server
<a href="#">MediaTek MT8183</a>	8	1,428	764	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6763V/V</a>	8	1,426	549	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-3520M APU</a>	4	1,424	847	35	FS1	Laptop
<a href="#">AMD Phenom II X3 740</a>	3	1,424	982	95	Unknown	Unknown
<a href="#">AMD A6-6400K APU</a>	1	1,416	1,397	65	FM2	Desktop
<a href="#">AMD A6-5400B APU</a>	1	1,412	1,354	65	FM2	Desktop
<a href="#">Intel Pentium 3550M @ 2.30GHz</a>	2	1,412	1,311	37	FCPGA946	Laptop
<a href="#">Intel Atom C2558 @ 2.40GHz</a>	4	1,410	358	15	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-2610UE @ 1.50GHz</a>	2	1,409	972	17	BGA1023	Laptop
<a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>	2	1,408	1,302	65	LGA775	Unknown
<a href="#">AMD A9-9400</a>	2	1,407	1,254	10	FP4	Laptop
<a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a>	2	1,407	777	13	LGA1150	Server
<a href="#">Intel Celeron 1020E @ 2.20GHz</a>	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
<a href="#">MT6755V/B</a>	8	1,404	551	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X3 B75</a>	3	1,403	1,132	95	AM3	Desktop
<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	4	1,402	769	80	LGA771	Server
<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	2	1,401	1,137	73	LGA1156	Desktop
<a href="#">MediaTek MT6762V/WD</a>	8	1,400	491	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II P960 Quad-Core</a>	4	1,395	734	35	S1	Laptop
<a href="#">AMD A4-6300 APU</a>	1	1,393	1,409	65	FM2	Desktop
<a href="#">Qualcomm Technologies, Inc APQ8076</a>	8	1,391	564	NA	Unknown	Mobile/Embedded



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Hisilicon Kirin 930</a>	8	1,390	482	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4410Y @ 1.50GHz</a>	2	1,387	827	6	FCBGA1515	Laptop
<a href="#">AMD E1-6050J APU</a>	2	1,385	787	10	Unknown	Unknown
<a href="#">AMD Phenom II X2 565</a>	2	1,385	1,355	80	AM2+/AM3	Desktop
<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	4	1,385	662	50	LGA771	Server
<a href="#">AMD A6-3500 APU</a>	3	1,381	969	65	FM1	Desktop
<a href="#">AMD Athlon 5150 APU</a>	4	1,380	545	25	AM1,FS1b	Desktop
<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	2	1,380	1,299	35	FCPGA988	Laptop
<a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>	4	1,373	697	4	UTFCBGA1380	Laptop
<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	2	1,372	1,377	55	FCLGA1155	Desktop
<a href="#">Intel Core i3-2312M @ 2.10GHz</a>	2	1,369	959	35	PGA988B	Laptop
<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	2	1,367	1,015	25	rPGA988A	Laptop
<a href="#">Intel Pentium G860 @ 3.00GHz</a>	2	1,365	1,350	65	FCLGA1155	Desktop
<a href="#">AMD GX-415GA SOC</a>	4	1,363	518	15	FT3 (769-BGA)	Laptop
<a href="#">AMD Phenom II X2 570</a>	2	1,363	1,416	80	AM3	Desktop
<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	2	1,362	711	17	BGA1023	Laptop
<a href="#">MT6755V/WS</a>	8	1,359	531	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 280</a>	2	1,355	1,462	65	AM3	Unknown
<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	2	1,353	936	35	rPGA988B	Laptop
<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	4	1,349	686	6	FCBGA1170	Laptop
<a href="#">AMD A4-5100 APU</a>	4	1,346	540	15	FT3	Laptop
<a href="#">AMD Phenom 8750 Triple-Core</a>	3	1,343	974	95	AM2+	Desktop
<a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>	4	1,343	456	NA	Unknown	Unknown
<a href="#">AMD A6-9225</a>	2	1,340	1,181	15	BGA (FT4)	Laptop
<a href="#">AMD PRO A6-9500B</a>	2	1,340	1,108	15	FP4	Laptop
<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	2	1,338	1,410	65	LGA775	Desktop
<a href="#">Intel Xeon L3110 @ 3.00GHz</a>	2	1,338	1,279	45	LGA775	Server
<a href="#">AMD Phenom II X2 B59</a>	2	1,337	1,387	80	AM2+/AM3	Unknown
<a href="#">Intel Xeon L5240 @ 3.00GHz</a>	2	1,337	1,299	40	LGA771	Server
<a href="#">AMD A8-4555M APU</a>	2	1,336	805	19	FP2	Laptop
<a href="#">Intel Pentium 3825U @ 1.90GHz</a>	2	1,333	1,089	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-3339Y @ 1.50GHz</a>	2	1,332	706	13	BGA1023	Desktop
<a href="#">Unisoc SC9863a</a>	8	1,332	488	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-3430MX APU</a>	4	1,331	785	45	FS1	Laptop
<a href="#">AMD Athlon II X3 405e</a>	3	1,331	973	45	AM3	Desktop
<a href="#">Intel Atom C2550 @ 2.40GHz</a>	4	1,331	373	14	FCBGA1283	Server
<a href="#">MediaTek MT6762V/WR</a>	8	1,331	508	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3120 @ 3.16GHz</a>	2	1,330	1,364	65	LGA775	Server
<a href="#">AMD A4-5050 APU</a>	4	1,328	538	13.5	FT3	Laptop
<a href="#">AMD A4-6300B APU</a>	1	1,328	1,373	65	Unknown	Desktop
<a href="#">AMD Phenom II X2 560</a>	2	1,328	1,356	80	AM2+/AM3	Unknown
<a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>	4	1,328	663	4	BGA1380	Laptop
<a href="#">Intel Pentium J3710 @ 1.60GHz</a>	4	1,328	678	6.5	Unknown	Desktop
<a href="#">AMD Athlon X2 280</a>	2	1,327	1,258	65	AM3	Unknown
<a href="#">Intel Atom T5700 @ 1.70GHz</a>	4	1,326	549	NA	Unknown	Laptop
<a href="#">Intel Core i5 750S @ 2.40GHz</a>	4	1,326	1,039	82	LGA1156	Desktop
<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	2	1,325	1,068	35	PGA988B	Laptop
<a href="#">VIA QuadCore C4650@2.0GHz</a>	4	1,323	557	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD Athlon X2 340 Dual Core</a>	2	1,319	1,312	65	Unknown	Unknown
<a href="#">AMD Phenom II P940 Quad-Core</a>	4	1,319	679	35	S1	Laptop
<a href="#">Qualcomm Technologies, Inc SDA450</a>	8	1,319	426	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron J3160 @ 1.60GHz</a>	4	1,318	624	6	BGA1170	Desktop
<a href="#">AMD Opteron 2393 SE</a>	2	1,317	1,237	105	F (1207)	Server
<a href="#">Intel Pentium G645 @ 2.90GHz</a>	2	1,316	1,278	65	LGA1155	Desktop
<a href="#">AMD A4-5300 APU</a>	2	1,313	1,310	65	FM2	Desktop
<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	4	1,313	643	6	FCBGA1170	Laptop
<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	2	1,311	1,051	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	2	1,310	729	11.5	BGA1168	Desktop
<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	2	1,308	1,338	35	FCLGA1155	Desktop
<a href="#">Intel Xeon E5310 @ 1.60GHz</a>	4	1,306	640	80	LGA771	Server
<a href="#">MediaTek MT6757CD</a>	8	1,306	564	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4012Y @ 1.50GHz</a>	2	1,305	745	11.5	FCBGA1168	Laptop
<a href="#">Intel Pentium G850 @ 2.90GHz</a>	2	1,303	1,305	65	FCLGA1155	Desktop
<a href="#">Intel Core i5-480M @ 2.67GHz</a>	2	1,300	1,177	35	BGA1288	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8976</a>	8	1,299	687	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	4	1,297	711	95	AM2+	Desktop
<a href="#">Intel Celeron G550 @ 2.60GHz</a>	2	1,295	1,242	65	LGA1155	Desktop
<a href="#">AMD Phenom II X2 555</a>	2	1,294	1,322	80	AM2+/AM3	Desktop
<a href="#">Intel Pentium G630 @ 2.70GHz</a>	2	1,294	1,245	65	LGA1155	Desktop
<a href="#">Qualcomm MSM8996</a>	4	1,294	692	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	2	1,293	1,264	73	LGA1156	Desktop
<a href="#">AMD A10 Micro-6700T APU</a>	4	1,291	703	5	FT3b	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8996pro</a>	4	1,290	849	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	2	1,286	1,180	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	2	1,286	1,067	15	BGA1356	Laptop
<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	2	1,284	925	18	BGA1288	Laptop
<a href="#">AMD Phenom 8850B Triple-Core</a>	3	1,281	972	95	Unknown	Desktop
<a href="#">AMD A6-9230</a>	2	1,279	1,158	15	Unknown	Desktop
<a href="#">AMD Phenom 9100e Quad-Core</a>	4	1,279	734	65	AM2+	Desktop
<a href="#">AMD Phenom II X2 521</a>	2	1,279	1,366	65	AM2+/AM3	Unknown
<a href="#">Unisoc UIS8581E</a>	8	1,279	498	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 240</a>	2	1,278	1,300	65	FM2	Desktop
<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	2	1,277	954	17	BGA1023	Laptop
<a href="#">AMD A4-5000 APU</a>	4	1,275	510	15	FT3	Laptop
<a href="#">Intel Celeron 1020M @ 2.10GHz</a>	2	1,275	1,176	35	FCPGA988	Laptop
<a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a>	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-460M @ 2.53GHz</a>	2	1,270	1,150	35	BGA1288	Laptop
<a href="#">Intel Celeron G555 @ 2.70GHz</a>	2	1,268	1,275	65	LGA1155	Desktop
<a href="#">AMD Phenom 9150e Quad-Core</a>	4	1,267	702	65	AM2+	Desktop
<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	4	1,265	705	10	FCBGA1170	Laptop
<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	2	1,264	1,166	35	LGA1155	Desktop
<a href="#">Intel Core i3-390M @ 2.67GHz</a>	2	1,264	1,096	35	BGA1288	Laptop
<a href="#">AMD Phenom II X620 Dual-Core</a>	2	1,262	1,339	45	S1	Laptop
<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	2	1,262	1,217	73	LGA1156	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD A6-5357M APU</a>	2	1,260	1,268	35	FP2	Laptop
<a href="#">Intel Celeron 2950M @ 2.00GHz</a>	2	1,260	1,136	37	FCPGA946	Laptop
<a href="#">Intel Core i3-330E @ 2.13GHz</a>	2	1,260	934	35	BGA1288	Laptop
<a href="#">AMD A4-9120</a>	2	1,257	1,076	15	BGA	Laptop
<a href="#">AMD A6-3420M APU</a>	4	1,254	787	35	FS1	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8992</a>	6	1,254	737	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-3500M APU</a>	4	1,252	772	35	FS1	Laptop
<a href="#">Intel Core i3-2348M @ 2.30GHz</a>	2	1,247	1,028	35	rPGA988B	Laptop
<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	2	1,247	1,010	35	PGA988B	Laptop
<a href="#">AMD A6-5400K APU</a>	1	1,246	1,247	65	FM2	Desktop
<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	2	1,246	938	15	FCBGA1356	Laptop
<a href="#">AMD Athlon II X2 B26</a>	2	1,245	1,315	65	Unknown	Unknown
<a href="#">Intel Pentium G640 @ 2.80GHz</a>	2	1,242	1,301	65	LGA1155	Desktop
<a href="#">Intel Xeon E3110 @ 3.00GHz</a>	2	1,242	1,331	65	LGA775	Server
<a href="#">Intel Pentium G645T @ 2.50GHz</a>	2	1,241	1,195	35	LGA1155	Desktop
<a href="#">AMD Athlon II X2 270</a>	2	1,238	1,353	65	AM3	Desktop
<a href="#">AMD Phenom II N850 Triple-Core</a>	3	1,238	878	35	S1	Laptop
<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	4	1,238	625	4	UTFCBGA1380	Laptop
<a href="#">Intel Xeon X5260 @ 3.33GHz</a>	2	1,238	1,406	80	LGA771	Server
<a href="#">Intel Xeon @ 2.20GHz</a>	1	1,237	1,023	61	PPGA603	Server
<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	2	1,235	841	10	FCBGA1296	Desktop, Laptop
<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	4	1,235	727	10	FCBGA1170	Desktop
<a href="#">Qualcomm Technologies, Inc MSM8996</a>	4	1,235	869	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 265</a>	2	1,233	1,344	65	AM3	Desktop
<a href="#">AMD Sempron 3850 APU</a>	4	1,231	466	25	AM1,FS1b	Desktop
<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	2	1,231	1,316	65	LGA775	Desktop
<a href="#">Qualcomm Technologies, Inc MSM8956</a>	6	1,231	767	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X4 Quad-Core GP-9530</a>	4	1,228	417	NA	AM2+ (940-pin)	Desktop
<a href="#">Intel Pentium G620 @ 2.60GHz</a>	2	1,226	1,219	65	LGA1155	Desktop
<a href="#">AMD Phenom II X3 705e</a>	3	1,222	962	65	AM3	Desktop
<a href="#">AMD A4-9125</a>	2	1,221	1,038	15	BGA (FT4)	Laptop
<a href="#">Intel Core i3-2328M @ 2.20GHz</a>	2	1,216	975	35	PGA988	Laptop
<a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>	2	1,216	1,202	NA	Socket P	Laptop
<a href="#">MediaTek MT6762V/WB</a>	8	1,216	453	NA	Unknown	Mobile/Embedded
<a href="#">AMD R-272F APU</a>	2	1,215	1,087	35	FS1	Desktop, Laptop
<a href="#">Intel Core i5-450M @ 2.40GHz</a>	2	1,215	1,061	35	PGA988A	Laptop
<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	4	1,214	613	6	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	2	1,213	1,304	NA	Socket P	Laptop
<a href="#">AMD Phenom 8600 Triple-Core</a>	3	1,210	898	95	AM2+	Desktop
<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	4	1,210	716	7.5	FCBGA1170	Laptop
<a href="#">AMD A6-3410MX APU</a>	4	1,209	728	45	FS1	Laptop
<a href="#">AMD A6-9220C</a>	2	1,208	1,050	6	FT4	Laptop
<a href="#">AMD A4-5300B APU</a>	2	1,207	1,273	65	FM2	Desktop
<a href="#">Intel Core i3-2330M @ 2.20GHz</a>	2	1,207	968	35	BGA1023	Laptop
<a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a>	2	1,207	1,181	44	PGA478	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD Phenom II X2 545</a>	2	1,204	1,220	80	AM2+/AM3	Desktop
<a href="#">AMD Opteron 2222</a>	2	1,198	618	95	F (1207)	Server
<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	4	1,197	706	7.5	FCBGA1170	Laptop
<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	2	1,196	911	18	BGA1288	Laptop
<a href="#">Intel Core i5-430M @ 2.27GHz</a>	2	1,195	1,006	35	BGA1288	Laptop
<a href="#">AMD A6-3400M APU</a>	4	1,191	723	35	FS1	Laptop
<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	2	1,191	1,155	35	BGA479,PGA478	Laptop
<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	4	1,189	573	6	FCBGA1170	Laptop
<a href="#">AMD Phenom 8750B Triple-Core</a>	3	1,188	901	95	AM2+	Desktop
<a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a>	4	1,187	709	4	UTFCBGA1380	Laptop, Mobile/Embedded
<a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a>	2	1,187	1,187	44	PGA478	Laptop
<a href="#">AMD A4-4020 APU</a>	2	1,186	1,216	65	FM2	Desktop
<a href="#">AMD Phenom II P860 Triple-Core</a>	3	1,183	842	35	S1	Laptop
<a href="#">AMD R-460L APU</a>	4	1,183	776	25	BGA827 (FP2)	Laptop
<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	2	1,182	1,022	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-3217U @ 1.80GHz</a>	2	1,181	917	17	BGA1023	Laptop
<a href="#">MediaTek MT6765G</a>	8	1,181	476	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	2	1,177	889	6	FCBGA1515	Laptop
<a href="#">Intel Core i3-2310M @ 2.10GHz</a>	2	1,177	936	35	BGA1023	Laptop
<a href="#">Intel Celeron G540T @ 2.10GHz</a>	2	1,174	972	35	LGA1155	Desktop
<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	2	1,173	1,289	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	2	1,172	1,126	NA	Socket P	Laptop
<a href="#">Intel Pentium E6800 @ 3.33GHz</a>	2	1,172	1,367	65	LGA775	Desktop
<a href="#">AMD A6-9210</a>	2	1,167	1,023	15	FP4	Laptop
<a href="#">AMD Phenom II X640 Dual-Core</a>	2	1,165	1,142	45	S1	Unknown
<a href="#">AMD Phenom II X2 511</a>	2	1,163	1,253	65	AM2+/AM3	Unknown
<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	2	1,162	1,204	35	BGA479	Laptop
<a href="#">AMD E2-6110 APU</a>	4	1,160	477	15	AM1,FT3b	Laptop
<a href="#">AMD Phenom II P920 Quad-Core</a>	4	1,160	598	25	S1	Laptop
<a href="#">Intel Pentium E5800 @ 3.20GHz</a>	2	1,160	1,320	65	LGA775	Desktop
<a href="#">MediaTek MT6762V/CB</a>	8	1,160	461	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N3350 @ 1.10GHz</a>	2	1,158	813	6	FCBGA1296	Laptop
<a href="#">AMD QC-4000</a>	4	1,155	449	15	FT3	Laptop
<a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>	2	1,154	1,239	65	LGA775	Desktop
<a href="#">AMD Phenom II X2 B55</a>	2	1,151	1,244	80	AM3	Desktop
<a href="#">AMD Phenom II X2 550</a>	2	1,148	1,237	80	AM2+/AM3	Desktop
<a href="#">AMD A6 Micro-6500T APU</a>	4	1,146	630	NA	Unknown	Laptop
<a href="#">AMD A4-4000 APU</a>	1	1,144	1,176	65	FM2	Desktop
<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	2	1,143	1,039	17	FCBGA1023	Laptop
<a href="#">AMD Phenom 8850 Triple-Core</a>	3	1,142	982	95	AM2+	Desktop
<a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>	2	1,140	1,198	65	LGA775	Desktop
<a href="#">Intel Pentium G840 @ 2.80GHz</a>	2	1,140	1,240	65	FCLGA1155	Desktop
<a href="#">AMD Phenom II N870 Triple-Core</a>	3	1,139	858	35	S1	Laptop
<a href="#">Intel Pentium G640T @ 2.40GHz</a>	2	1,139	1,102	35	LGA1155	Desktop
<a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a>	2	1,138	1,077	44	PGA478	Laptop
<a href="#">AMD Athlon II X2 255</a>	2	1,137	1,248	65	AM3	Desktop
<a href="#">AMD Phenom 8450e Triple-Core</a>	3	1,134	781	65	AM2+	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD A4-5150M APU</a>	2	1,129	1,109	35	FS1r2	Laptop
<a href="#">AMD A8-7050</a>	2	1,129	890	15	Unknown	Laptop
<a href="#">Intel Core i3-370M @ 2.40GHz</a>	2	1,128	984	35	PGA988A	Laptop
<a href="#">Intel Core i3-380M @ 2.53GHz</a>	2	1,126	996	35	PGA988A	Laptop
<a href="#">MediaTek MT6750V/WT</a>	8	1,126	420	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II P840 Triple-Core</a>	3	1,124	790	35	S1	Laptop
<a href="#">AMD Phenom II X2 B53</a>	2	1,123	1,169	80	AM3	Desktop
<a href="#">AMD A6-5345M APU</a>	2	1,122	1,094	17	FP2	Laptop
<a href="#">AMD Phenom 8450 Triple-Core</a>	3	1,121	795	95	AM2+	Desktop
<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	2	1,120	1,103	130	LGA1366	Server
<a href="#">Intel Xeon L5320 @ 1.86GHz</a>	4	1,118	281	50	LGA771	Server
<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	2	1,117	1,020	35	FCPGA988	Laptop
<a href="#">Intel Atom Z3795 @ 1.60GHz</a>	4	1,115	648	4	UTFCBGA1380	Laptop
<a href="#">Intel Celeron G1820TE @ 2.20GHz</a>	2	1,115	728	35	LGA1150	Desktop
<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	4	1,115	641	10	FCBGA1170	Desktop
<a href="#">AMD Phenom 8250 Triple-Core</a>	3	1,114	752	65	Unknown	Desktop
<a href="#">Intel Celeron 3215U @ 1.70GHz</a>	2	1,113	1,046	15	FCBGA1168	Laptop
<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	4	1,111	660	7.5	FCBGA1170	Laptop
<a href="#">AMD A9-9420e</a>	2	1,106	971	NA	Unknown	Laptop
<a href="#">AMD Opteron 2220</a>	2	1,106	553	95	F (1207)	Server
<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	2	1,106	1,207	65	LGA775	Desktop
<a href="#">Qualcomm Technologies, Inc SDM450</a>	8	1,106	391	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 210e</a>	2	1,105	1,105	45	AM3	Desktop
<a href="#">AMD E2-3800 APU</a>	4	1,103	445	15	FT3	Laptop
<a href="#">Intel Celeron G530 @ 2.40GHz</a>	2	1,102	1,091	65	LGA1155	Desktop
<a href="#">Intel Celeron G550T @ 2.20GHz</a>	2	1,102	1,026	35	LGA1155	Desktop
<a href="#">Intel Pentium B970 @ 2.30GHz</a>	2	1,100	1,062	35	PGA988	Laptop
<a href="#">AMD Phenom II X2 B57</a>	2	1,099	1,231	80	Unknown	Unknown
<a href="#">Intel Xeon 3075 @ 2.66GHz</a>	2	1,096	1,096	NA	Unknown	Server
<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	2	1,094	688	17	BGA1023	Laptop
<a href="#">Intel Pentium E6700 @ 3.20GHz</a>	2	1,094	1,280	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>	2	1,092	1,117	NA	Socket P	Laptop
<a href="#">AMD Athlon II X2 B28</a>	2	1,091	1,329	65	AM3	Desktop
<a href="#">Intel Celeron 2002E @ 1.50GHz</a>	2	1,091	871	25	FCBGA1364	Laptop
<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	2	1,091	1,224	65	LGA775	Desktop
<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	2	1,090	817	18	BGA1288	Laptop
<a href="#">AMD Opteron 1222</a>	2	1,089	1,128	103	AM2	Server
<a href="#">Qualcomm Technologies, Inc SDM439</a>	8	1,088	419	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C2538 @ 2.40GHz</a>	4	1,086	441	15	FCBGA1283	Laptop
<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	2	1,086	929	73	FCLGA1156	Desktop
<a href="#">AMD Athlon II X2 260</a>	2	1,085	1,264	65	AM3	Desktop
<a href="#">AMD Phenom 8400 Triple-Core</a>	3	1,085	840	95	AM2+	Desktop
<a href="#">Intel Pentium 3805U @ 1.90GHz</a>	2	1,085	1,027	15	FCBGA1168	Laptop
<a href="#">AMD Phenom 8250e Triple-Core</a>	3	1,084	729	65	940	Desktop
<a href="#">Intel Celeron G540 @ 2.50GHz</a>	2	1,080	1,135	65	LGA1155	Desktop
<a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>	2	1,079	1,153	35	BGA479	Laptop
<a href="#">AMD Athlon II X2 245e</a>	2	1,075	1,145	45	AM3	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Radeon R2E</a>						
<a href="#">Intel Xeon W3503 @ 2.40GHz</a>	2	1,073	1,027	130	LGA1366	Server
<a href="#">Qualcomm MSM8937</a>	8	1,072	359	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon 3085 @ 3.00GHz</a>	2	1,070	1,124	65	LGA775	Server
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	8	1,070	357	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>	2	1,069	1,104	28	PGA478	Laptop
<a href="#">Intel Pentium B980 @ 2.40GHz</a>	2	1,069	1,048	35	FCPGA988	Laptop
<a href="#">AMD Phenom II P820 Triple-Core</a>	3	1,068	717	25	S1	Laptop
<a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>	2	1,067	1,109	25	PGA478	Laptop
<a href="#">Intel Pentium G630T @ 2.30GHz</a>	2	1,067	1,009	35	LGA1155	Desktop
<a href="#">AMD Phenom II N660 Dual-Core</a>	2	1,065	1,167	35	S1	Laptop
<a href="#">MediaTek MT6762V/CA</a>	8	1,065	416	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X4 Quad-Core GS-6560</a>	4	1,063	282	NA	Unknown	Unknown
<a href="#">AMD A6-9200</a>	2	1,062	925	10	BGA	Laptop
<a href="#">AMD Athlon II X2 4400e</a>	2	1,059	1,121	37	Unknown	Unknown
<a href="#">Intel Celeron 1005M @ 1.90GHz</a>	2	1,059	1,014	35	FCPGA988	Laptop
<a href="#">Intel Celeron 2980U @ 1.60GHz</a>	2	1,056	929	15	FCBGA1168	Laptop
<a href="#">Intel Celeron G530T @ 2.00GHz</a>	2	1,055	966	35	LGA1155	Desktop
<a href="#">AMD Athlon II X2 250</a>	2	1,054	1,135	65	AM3	Desktop
<a href="#">AMD A4-3420 APU</a>	2	1,052	1,146	65	FM1	Desktop
<a href="#">AMD A6-5350M APU</a>	2	1,049	1,084	35	FS1r2	Laptop
<a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>	4	1,049	649	NA	Unknown	Unknown
<a href="#">Intel Core i3-350M @ 2.27GHz</a>	2	1,049	876	35	BGA1288	Laptop
<a href="#">AMD Athlon II X2 250e</a>	2	1,046	1,153	45	AM3	Desktop
<a href="#">AMD PRO A4-4350B</a>	2	1,046	964	15	FT4	Laptop
<a href="#">AMD Athlon II X2 245</a>	2	1,043	1,141	65	AM2+/AM3	Desktop
<a href="#">AMD A4-4300M APU</a>	1	1,042	1,050	35	FS1	Laptop
<a href="#">AMD Athlon II X2 235e</a>	2	1,040	1,102	45	AM3	Desktop
<a href="#">Intel Atom x5-E8000 @ 1.04GHz</a>	4	1,040	520	5	FCBGA1170	Laptop
<a href="#">AMD GX-222GC SOC</a>	2	1,038	819	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
<a href="#">AMD Opteron 1220</a>	2	1,036	1,077	103	AM2	Server
<a href="#">AMD Opteron 2218</a>	2	1,036	491	95	F (1207)	Server
<a href="#">AMD Athlon II X2 B24</a>	2	1,035	1,192	65	AM3	Desktop
<a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>	2	1,034	1,169	65	LGA775	Desktop
<a href="#">AMD A6-1450 APU</a>	4	1,033	457	8	FT3	Laptop
<a href="#">Intel Celeron N2940 @ 1.83GHz</a>	4	1,033	610	7.5	FCBGA1170	Laptop
<a href="#">AMD A4-3400 APU</a>	2	1,031	1,046	65	FM1	Desktop
<a href="#">AMD Athlon II X2 B22</a>	2	1,030	1,128	65	AM3	Desktop
<a href="#">Intel Celeron 1000M @ 1.80GHz</a>	2	1,028	973	35	FCPGA988	Laptop
<a href="#">Intel Celeron U1900 @ 1.99GHz</a>	4	1,028	527	NA	Unknown	Unknown
<a href="#">Intel Xeon 3070 @ 2.66GHz</a>	2	1,025	1,024	65	LGA775	Server
<a href="#">AMD A4 PRO-7350B</a>	1	1,024	1,174	65	FM2+	Desktop
<a href="#">Intel Celeron 1037U @ 1.80GHz</a>	2	1,021	947	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	2	1,021	948	17	FCBGA1023	Laptop
<a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a>	2	1,018	1,040	44	PGA478	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>	2	1,016	1,063	35	S1	Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Qualcomm MSM8992</a>	6	1,016	425	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6 PRO-7050B APU</a>	2	1,015	884	17	FP3	Laptop
<a href="#">AMD Athlon X2 240e</a>	2	1,015	1,092	45	Unknown	Unknown
<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	2	1,015	898	18	BGA1288	Laptop
<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	2	1,015	1,164	65	LGA775	Desktop
<a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>	2	1,012	1,075	25	PGA478	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	2	1,011	1,103	35	S1	Laptop
<a href="#">AMD A6-7000</a>	2	1,010	857	17	FP3	Laptop
<a href="#">AMD Phenom X2 Dual-Core GE-7060</a>	2	1,010	1,332	NA	Unknown	Unknown
<a href="#">AMD A4 Micro-6400T APU</a>	4	1,004	530	4.5	FT3b	Laptop
<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	2	1,004	1,093	35	BGA479	Laptop
<a href="#">Intel Core2 Extreme X6800 @ 2.93GHz</a>	2	1,004	1,094	75	PLGA775	Desktop
<a href="#">AMD Athlon II X2 220</a>	2	1,003	1,100	65	AM3	Desktop
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	2	1,003	944	NA	Unknown	Unknown
<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	2	1,002	818	18	BGA1288	Laptop
<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	2	1,001	1,051	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	2	1,001	1,111	65	LGA775	Desktop
<a href="#">Intel Pentium E6600 @ 3.06GHz</a>	2	998	1,085	65	LGA775	Desktop
<a href="#">AMD Athlon X2 215</a>	2	996	1,107	65	Unknown	Unknown
<a href="#">MediaTek MT6750T</a>	8	996	476	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8994</a>	8	996	588	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-4400M APU</a>	1	995	1,017	35	FS1r2	Laptop
<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	2	995	1,113	NA	Socket P	Laptop
<a href="#">MediaTek MT6762G</a>	8	995	379	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon X2 250</a>	2	993	1,132	65	Unknown	Unknown
<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	2	993	648	6.5	BGA1296	Laptop
<a href="#">AMD E2-9010</a>	2	991	871	15	FP4	Laptop
<a href="#">Intel Celeron 2981U @ 1.60GHz</a>	2	991	871	15	BGA1168	Laptop
<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	2	991	1,047	35	BGA479	Laptop
<a href="#">AMD Athlon II X2 4300e</a>	2	990	1,074	13	Unknown	Unknown
<a href="#">Intel Pentium 3556U @ 1.70GHz</a>	2	990	932	15	BGA1168	Laptop
<a href="#">MediaTek MT6762V/WA</a>	8	988	385	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	2	987	818	130	PLGA775	Desktop
<a href="#">AMD Athlon II X2 240e</a>	2	986	1,122	45	AM3	Desktop
<a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>	2	986	1,047	65	LGA775	Desktop
<a href="#">Intel Pentium E5500 @ 2.80GHz</a>	2	986	1,135	65	LGA775	Desktop
<a href="#">Intel Pentium 3558U @ 1.70GHz</a>	2	984	925	15	FCBGA1168	Laptop
<a href="#">Intel Atom E3845 @ 1.91GHz</a>	4	983	535	10	FCBGA1170	Desktop
<a href="#">MediaTek MT6750</a>	8	983	363	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8937</a>	8	981	370	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	2	978	646	13	BGA1023	Desktop
<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	4	977	573	7.5	FCBGA1170	Laptop
<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	2	976	620	17	BGA-1023	Laptop
<a href="#">MT6755V/WM</a>	8	976	310	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6753T</a>	8	975	424	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>	2	974	1,105	65	LGA775	Desktop
<a href="#">AMD Athlon 64 FX-74</a>	2	972	617	125	F (1207)	Desktop
<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	2	972	1,027	NA	Unknown	Unknown
<a href="#">tn8</a>	4	972	592	NA	Unknown	Mobile/Embedded
<a href="#">AMD E2-3200 APU</a>	2	971	971	65	FM1	Desktop
<a href="#">AMD Phenom II N620 Dual-Core</a>	2	968	1,051	35	S1	Laptop
<a href="#">MT6795M</a>	8	968	377	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>	2	967	1,142	125	AM2	Desktop
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	2	967	833	35	PGA988	Laptop
<a href="#">AMD GX-412HC</a>	4	966	420	7	FT3b	Laptop
<a href="#">AMD Phenom II N640 Dual-Core</a>	2	965	1,039	35	S1	Laptop
<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	2	964	777	18	BGA1288	Laptop
<a href="#">Intel Pentium B950 @ 2.10GHz</a>	2	964	913	35	PGA988	Laptop
<a href="#">Intel Pentium E6300 @ 2.80GHz</a>	2	964	1,144	65	LGA775	Desktop
<a href="#">Intel Xeon 5160 @ 3.00GHz</a>	2	963	1,134	80	LGA771	Server
<a href="#">AMD A4-3300 APU</a>	2	961	1,025	65	FM1	Desktop
<a href="#">AMD Phenom X3 8550</a>	3	961	773	95	AM2/AM2+	Desktop
<a href="#">AMD A6-9220e</a>	2	959	845	NA	Unknown	Laptop
<a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>	2	959	1,056	25	BGA479	Laptop
<a href="#">AMD Athlon 7850 Dual-Core</a>	2	956	1,065	95	AM2+	Desktop
<a href="#">AMD Opteron 285</a>	2	956	509	95	940	Server
<a href="#">AMD R-260H APU</a>	2	954	902	17	BGA827 (FP2)	Laptop
<a href="#">AMD Opteron 290</a>	2	952	570	95	940	Server
<a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>	4	950	511	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo SP9400 @ 2.40GHz</a>	2	948	936	25	BGA956	Laptop
<a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>	2	945	1,041	25	BGA479	Laptop
<a href="#">AMD Athlon II X2 215</a>	2	944	1,024	65	AM3	Desktop
<a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>	4	944	476	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 FX-62 Dual Core</a>	2	943	1,000	125	AM2	Desktop
<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	4	942	455	10	FCBGA1170	Desktop
<a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>	2	942	1,074	65	LGA775	Desktop
<a href="#">Intel Xeon 3060 @ 2.40GHz</a>	2	939	942	65	LGA775	Server
<a href="#">AMD Athlon X2 255</a>	2	938	1,095	65	AM2+/AM3	Unknown
<a href="#">Intel Celeron 3205U @ 1.50GHz</a>	2	935	898	15	FCBGA1168	Laptop
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	2	935	1,154	65	LGA775	Desktop
<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	2	932	1,015	35	BGA479	Laptop
<a href="#">AMD Sempron X2 198 Dual-Core</a>	2	930	1,070	65	FM1	Desktop
<a href="#">Intel Celeron B840 @ 1.90GHz</a>	2	930	901	35	PGA988B	Laptop
<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	2	929	1,085	65	LGA775	Desktop
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	2	928	737	18	BGA1288	Laptop
<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	2	928	647	30	LGA1156	Server
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	2	925	1,036	89	AM2	Desktop
<a href="#">Samsung EXYNOS5433</a>	8	925	352	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>	2	923	982	35	S1	Laptop
<a href="#">AMD E2-9030</a>	2	922	906	NA	BGA (FT4)	Desktop
<a href="#">AMD Athlon X2 240</a>	2	921	1,017	65	Unknown	Unknown
<a href="#">AMD Athlon 7750 Dual-Core</a>	2	916	998	95	AM2+	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	4	914	489	4	UTFCBGA592	Laptop
<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	2	914	1,070	65	LGA775	Desktop
<a href="#">AMD Turion II Dual-Core Mobile M540</a>	2	912	967	35	S1	Laptop
<a href="#">Intel Xeon 5148 @ 2.33GHz</a>	2	912	868	40	LGA771	Server
<a href="#">AMD Opteron 1218</a>	2	910	962	103	AM2	Server
<a href="#">AMD Opteron 2220 SE</a>	2	909	519	119	F (1207)	Server
<a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>	2	909	855	NA	Unknown	Laptop
<a href="#">Intel Core i3-2375M @ 1.50GHz</a>	2	907	686	17	BGA1023	Laptop
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	2	905	1,032	65	LGA775	Desktop
<a href="#">Qualcomm Technologies, Inc MSM8952</a>	8	905	398	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo P8800 @ 2.66GHz</a>	2	903	1,082	25	BGA479	Laptop
<a href="#">Intel Celeron N2920 @ 1.86GHz</a>	4	901	546	7.5	FCBGA1170	Laptop
<a href="#">Intel Xeon 3.73GHz</a>	2	901	734	NA	Unknown	Server
<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	2	900	940	25	PGA478	Laptop
<a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>	2	900	1,024	35	BGA479	Laptop
<a href="#">AMD Athlon II N370 Dual-Core</a>	2	899	913	35	S1g4	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 5600+</a>	2	898	1,006	89	AM2	Desktop
<a href="#">Intel Pentium G620T @ 2.20GHz</a>	2	896	961	35	LGA1155	Desktop
<a href="#">Qualcomm MSM8994</a>	8	896	395	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6753</a>	8	895	348	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-9120e</a>	2	894	758	NA	FT4	Laptop
<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	2	894	1,016	35	BGA479	Laptop
<a href="#">Qualcomm Technologies, Inc SDM429</a>	4	889	567	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium B960 @ 2.20GHz</a>	2	888	936	35	PGA988	Laptop
<a href="#">Intel Xeon 5133 @ 2.20GHz</a>	2	887	838	40	LGA771	Server
<a href="#">MT8168B</a>	4	886	537	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X2 Dual-Core GP-7730</a>	2	884	1,047	NA	Unknown	Unknown
<a href="#">AMD Turion II P540 Dual-Core</a>	2	884	843	35	S1	Laptop
<a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>	2	881	907	65	LGA775	Desktop
<a href="#">AMD Sempron X2 190</a>	2	879	977	45	AM2+/AM3	Unknown
<a href="#">AMD Turion II N550 Dual-Core</a>	2	877	891	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	2	876	995	65	AM2	Desktop
<a href="#">Athlon 64 Dual Core 5600+</a>	2	875	993	65	AM2	Desktop
<a href="#">AMD Athlon II X2 240</a>	2	872	980	65	AM3	Desktop
<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	2	870	997	35	BGA479	Laptop
<a href="#">AMD Athlon II X2 4450e</a>	2	867	1,066	45	AM2	Desktop
<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	2	866	948	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	2	865	837	17	BGA956	Laptop
<a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a>	4	864	487	4	Unknown	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	2	861	887	35	S1	Laptop
<a href="#">Intel Core i3-2365M @ 1.40GHz</a>	2	861	629	17	BGA1023	Laptop
<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	2	861	651	17	BGA1023	Laptop
<a href="#">Intel Pentium P6200 @ 2.13GHz</a>	2	861	850	35	PGA988	Laptop
<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	2	860	992	65	LGA775	Desktop
<a href="#">Intel Xeon 5140 @ 2.33GHz</a>	2	857	870	65	LGA771	Server
<a href="#">AMD Turion II N530 Dual-Core</a>	2	855	968	35	S1	Laptop
<a href="#">AMD E2-9000e</a>	2	854	739	6	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Samsung Exynos 7870</a>	8	851	276	NA	Unknown	Mobile/Embedded
<a href="#">Athlon 64 Dual Core 5000+</a>	2	850	924	89	Unknown	Desktop
<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	2	849	621	17	BGA1023	Laptop
<a href="#">Intel Pentium 3560Y @ 1.20GHz</a>	2	849	700	11.5	BGA1168	Laptop
<a href="#">Intel Pentium P6100 @ 2.00GHz</a>	2	847	831	35	PGA988	Laptop
<a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>	2	846	952	25	BGA479	Laptop
<a href="#">MT6761V/CBB</a>	4	846	536	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	2	844	1,003	65	LGA775	Desktop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	2	841	686	35	S1	Laptop
<a href="#">Intel Xeon 3050 @ 2.13GHz</a>	2	841	672	65	LGA775	Server
<a href="#">AMD Opteron 275</a>	2	839	445	95	940	Server
<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	2	838	788	65	LGA771	Server
<a href="#">AMD A4-3320M APU</a>	2	837	832	35	FS1	Laptop
<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	2	837	799	80	LGA1366	Server
<a href="#">Intel Core i5-430UM @ 1.20GHz</a>	2	836	630	18	BGA1288	Laptop
<a href="#">AMD Athlon Dual Core 5000B</a>	2	835	935	65	AM2	Desktop
<a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a>	4	832	466	4	UTFCBGA592	Laptop, Mobile/Embedded
<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	2	828	767	35	PGA988	Laptop
<a href="#">AMD Athlon Dual Core 5400B</a>	2	826	969	65	AM2	Desktop
<a href="#">AMD Sempron X2 180</a>	2	826	865	45	Unknown	Unknown
<a href="#">AMD Athlon 7550 Dual-Core</a>	2	824	894	95	AM2+	Desktop
<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	2	824	591	17	Unknown	Laptop
<a href="#">Intel Pentium B940 @ 2.00GHz</a>	2	823	861	35	PGA988	Laptop
<a href="#">Intel Xeon 3065 @ 2.33GHz</a>	2	822	732	65	LGA775	Server
<a href="#">AMD Phenom II P650 Dual-Core</a>	2	821	889	35	S1	Laptop
<a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>	2	820	921	25	BGA479	Laptop
<a href="#">AMD Turion II P560 Dual-Core</a>	2	818	931	25	S1	Laptop
<a href="#">AMD A4-4355M APU</a>	2	816	815	17	FP2	Laptop
<a href="#">Intel Celeron P4500 @ 1.87GHz</a>	2	816	707	35	PGA988A	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M620</a>	2	814	945	35	S1	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8940</a>	8	812	287	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion II Dual-Core Mobile M500</a>	2	810	881	35	S1	Laptop
<a href="#">Intel Celeron E3400 @ 2.60GHz</a>	2	808	977	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a>	2	808	969	65	LGA775	Desktop
<a href="#">AMD A4-3305M APU</a>	2	807	893	35	FS1	Laptop
<a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>	2	807	872	35	BGA479	Laptop
<a href="#">AMD Opteron 1214 HE</a>	2	806	811	65	AM2	Server
<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	2	805	1,032	65	LGA775	Desktop
<a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>	2	804	874	35	BGA479	Laptop
<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	2	804	845	80	LGA1366	Server
<a href="#">AMD Athlon64 X2 Dual Core 4600+</a>	2	803	755	110	AM2	Desktop
<a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a>	2	803	985	65	LGA775	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	2	797	1,008	89	Unknown	Desktop
<a href="#">Intel Celeron 2957U @ 1.40GHz</a>	2	797	772	15	FCBGA1168	Laptop
<a href="#">AMD Athlon 5000 Dual-Core</a>	2	796	853	65	AM2,AM2+	Desktop
<a href="#">AMD Athlon Dual Core 5200B</a>	2	796	953	65	AM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	4	794	646	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Pentium E2220 @ 2.40GHz</a>	2	793	892	65	LGA775	Desktop
<a href="#">AMD Turion II P520 Dual-Core</a>	2	790	892	25	S1	Laptop
<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	2	790	793	25	PGA478	Laptop
<a href="#">AMD Athlon 7450 Dual-Core</a>	2	789	853	95	AM2+	Desktop
<a href="#">Intel Pentium 997 @ 1.60GHz</a>	2	789	729	17	BGA-1023	Unknown
<a href="#">Intel Xeon 3040 @ 1.86GHz</a>	2	789	474	65	LGA775	Server
<a href="#">MT8766B</a>	4	789	511	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8166B</a>	4	787	495	NA	Unknown	Mobile/Embedded
<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	2	786	870	35	PGA478	Laptop
<a href="#">AMD A4-3310MX APU</a>	2	785	841	45	FS1	Laptop
<a href="#">AMD A4-9120C</a>	2	785	795	6	FT4	Laptop
<a href="#">Intel Celeron B830 @ 1.80GHz</a>	2	785	838	35	rPGA988B	Laptop
<a href="#">AMD A6-4455M APU</a>	1	783	783	17	FP2	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M520</a>	2	783	908	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	2	781	890	65	AM2	Desktop
<a href="#">AMD Opteron 1216</a>	2	781	810	103	AM2	Server
<a href="#">Intel Celeron 1007U @ 1.50GHz</a>	2	779	746	17	FCBGA1023	Laptop
<a href="#">Intel Celeron B820 @ 1.70GHz</a>	2	776	740	35	PGA988B	Laptop
<a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>	4	776	500	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron B810 @ 1.60GHz</a>	2	775	754	35	PGA988B	Laptop
<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	2	773	851	25	PGA478	Laptop
<a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>	4	773	355	27.5	Unknown	Laptop
<a href="#">Intel Celeron 1017U @ 1.60GHz</a>	2	770	758	17	FCBGA1023	Laptop
<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	2	770	843	35	PGA478	Laptop
<a href="#">Athlon Dual Core 4850e</a>	2	769	861	45	AM2	Desktop
<a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>	2	769	871	35	PGA478	Laptop
<a href="#">Intel Xeon 5130 @ 2.00GHz</a>	2	769	766	65	LGA771	Server
<a href="#">SAMSUNG Exynos7580</a>	8	769	228	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II N350 Dual-Core</a>	2	767	945	35	Unknown	Unknown
<a href="#">Spreadtrum SC9853I-IA</a>	8	766	469	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 280</a>	2	765	430	95	940	Server
<a href="#">Intel Celeron 2955U @ 1.40GHz</a>	2	763	714	15	FCBGA1168	Laptop
<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	2	763	900	65	LGA775	Desktop
<a href="#">Intel Xeon 5120 @ 1.86GHz</a>	2	763	748	65	LGA771	Server
<a href="#">AMD Opteron 270</a>	2	761	411	95	940	Server
<a href="#">AMD Athlon Dual Core 5050e</a>	2	759	902	45	AM2	Desktop
<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	2	758	843	34	PBGA479, PPGA478	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>	2	756	876	65	AM2	Desktop
<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	2	756	860	35	PGA478	Laptop
<a href="#">Intel Atom Z3775 @ 1.46GHz</a>	4	755	539	4	UTFCBGA1380	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8939</a>	8	755	252	NA	Unknown	Mobile/Embedded
<a href="#">AMD GX-218GL SOC</a>	2	754	627	15	BGA769 (FT3b)	Laptop
<a href="#">Intel Core i5-470UM @ 1.33GHz</a>	2	752	404	18	BGA1288	Laptop
<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	2	752	859	35	PGA478	Laptop
<a href="#">Dual-Core AMD Opteron 1220 SE</a>	2	748	900	103	AM2	Server
<a href="#">Intel Celeron 1047UE @ 1.40GHz</a>	2	748	526	17	FCBGA1023	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	2	747	851	65	LGA775	Desktop
<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	2	747	898	35	PGA478	Laptop
<a href="#">AMD Opteron 180</a>	2	746	874	110	939	Server
<a href="#">Intel Atom Z3770 @ 1.46GHz</a>	4	746	543	4	UTFCBGA1380	Laptop
<a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a>	2	745	831	65	LGA775	Desktop
<a href="#">AMD GX-217GA SOC</a>	2	744	562	15	FT3 (769-BGA)	Laptop
<a href="#">Intel Pentium D 960 @ 3.60GHz</a>	2	743	775	130	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>	2	742	819	65	PLGA775	Desktop
<a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>	4	739	500	NA	Unknown	Unknown
<a href="#">AMD Turion 64 X2 Mobile TL-62</a>	2	738	758	35	S1	Laptop
<a href="#">AMD Athlon Dual Core 5600B</a>	2	737	1,003	65	AM2+	Desktop
<a href="#">Athlon 64 Dual Core 3800+</a>	2	736	653	35	Unknown	Unknown
<a href="#">AMD Athlon Dual Core 4850e</a>	2	735	879	45	AM2	Desktop
<a href="#">AMD Athlon 5200 Dual-Core</a>	2	734	882	75	AM2	Desktop
<a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>	2	734	863	35	BGA479	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a>	2	733	806	35	S1	Laptop
<a href="#">MediaTek MT6761V/WE</a>	4	733	455	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 2961Y @ 1.10GHz</a>	2	732	641	11.5	Unknown	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>	2	730	862	65	AM2	Desktop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a>	2	730	828	35	S1	Laptop
<a href="#">Intel Xeon 5150 @ 2.66GHz</a>	2	728	954	65	LGA771	Server
<a href="#">AMD Athlon Dual Core 4850B</a>	2	727	887	45	AM2+	Desktop
<a href="#">AMD Opteron 1216 HE</a>	2	727	847	65	AM2	Server
<a href="#">Intel Celeron 887 @ 1.50GHz</a>	2	727	694	17	BGA1023	Laptop
<a href="#">AMD E2-3000 APU</a>	2	726	547	15	FT3	Laptop
<a href="#">AMD Turion II Neo N54L Dual-Core</a>	2	724	828	25	BGA812	Laptop
<a href="#">AMD Athlon Dual Core 4450e</a>	2	721	831	45	AM2	Desktop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	2	720	751	35	S1	Laptop
<a href="#">MT6795</a>	8	717	500	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II P360 Dual-Core</a>	2	716	874	25	S1g4	Unknown
<a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>	2	716	765	34	PBGA479, PPGA478	Laptop
<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	2	712	877	65	LGA775	Desktop
<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	2	712	752	17	BGA956	Laptop
<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	2	712	796	35	PGA478	Laptop
<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	4	711	560	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	2	711	767	25	BGA479	Laptop
<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	2	709	912	110	939	Desktop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	2	708	770	35	S1	Laptop
<a href="#">Intel Core i3-380UM @ 1.33GHz</a>	2	708	545	18	BGA1288	Laptop
<a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>	2	705	797	NA	Socket P	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>	2	704	879	65	AM2	Desktop
<a href="#">Intel Atom E3840 @ 1.91GHz</a>	4	704	477	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo T5870 @ 2.00GHz</a>	2	704	754	35	PPGA478, Socket	Laptop
<a href="#">Intel Pentium E2210 @ 2.20GHz</a>	2	702	946	65	LGA775	Desktop
<a href="#">Rockchip RK3368</a>	8	702	344	NA	Unknown	Mobile/Embedded



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	2	700	675	35	PGA988A	Laptop
<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	2	699	797	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>	2	699	787	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	2	697	780	35	BGA479	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	2	696	796	65	AM2	Desktop
<a href="#">AMD Opteron 1214</a>	2	696	830	103	AM2	Server
<a href="#">AMD Opteron 185</a>	2	695	884	110	939	Server
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a>	2	695	820	35	S1	Laptop
<a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>	2	694	822	35	PGA478	Laptop
<a href="#">AC8257V/WAB</a>	8	693	495	NA	Unknown	Unknown
<a href="#">AMD Turion 64 X2 Mobile TL-64</a>	2	692	770	35	S1	Laptop
<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	2	691	729	35	S1	Laptop
<a href="#">Intel Celeron G470 @ 2.00GHz</a>	1	691	937	35	LGA1155	Desktop
<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	2	689	820	35	BGA1288	Laptop
<a href="#">AMD Athlon X2 Dual Core BE-2400</a>	2	688	693	18	FT1	Desktop
<a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>	2	687	835	35	PGA478	Laptop
<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	2	685	690	130	PLGA775	Desktop
<a href="#">AMD Turion II Neo K685 Dual-Core</a>	2	684	729	15	BGA812	Laptop
<a href="#">AMD A4-3300M APU</a>	2	682	761	65	FM1	Laptop
<a href="#">AMD Opteron 175</a>	2	682	773	110	939	Server
<a href="#">Qualcomm MSM8974PRO-AB</a>	4	682	371	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-3330MX APU</a>	2	681	909	45	FS1 uPGA	Laptop
<a href="#">Athlon Dual Core 4450e</a>	2	681	792	45	AM2	Desktop
<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	2	680	622	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>	2	680	768	35	Socket P	Laptop
<a href="#">AMD Athlon II Dual-Core M320</a>	2	679	827	35	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>	4	679	560	NA	Unknown	Unknown
<a href="#">AMD Athlon II Dual-Core M340</a>	2	676	774	35	Unknown	Unknown
<a href="#">AMD E2-3000M APU</a>	2	676	738	35	FS1	Laptop
<a href="#">AMD Athlon II X2 270u</a>	2	675	791	25	AM3	Desktop
<a href="#">Intel Celeron N3060 @ 1.60GHz</a>	2	673	630	6	Unknown	Laptop
<a href="#">Intel Celeron B815 @ 1.60GHz</a>	2	672	654	35	PGA988B	Laptop
<a href="#">Intel Celeron N2910 @ 1.60GHz</a>	4	672	444	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	2	672	745	65	LGA775	Desktop
<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	2	671	746	65	LGA775	Desktop
<a href="#">Athlon Dual Core 4050e</a>	2	670	744	45	AM2	Desktop
<a href="#">Intel Celeron B800 @ 1.50GHz</a>	2	669	664	35	PGA988B	Laptop
<a href="#">AMD Athlon II P340 Dual-Core</a>	2	668	829	25	S1g4	Unknown
<a href="#">Intel Core i3-330UM @ 1.20GHz</a>	2	666	457	18	BGA1288	Laptop
<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	4	666	296	27.5	Unknown	Desktop
<a href="#">AMD Athlon II N330 Dual-Core</a>	2	665	813	35	Unknown	Unknown
<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	2	665	732	34	BGA479	Laptop
<a href="#">AMD Athlon II X2 260u</a>	2	663	703	25	AM3	Desktop
<a href="#">Intel Celeron J3060 @ 1.60GHz</a>	2	662	626	6	BGA1170	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>	2	660	720	65	AM2	Desktop
<a href="#">AMD Turion Dual-Core RM-75</a>	2	659	444	35	S1	Laptop
<a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a>	2	656	773	65	LGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Mobile ZM-82</a>						
<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	2	651	780	89	AM2	Desktop
<a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>	2	650	748	35	PGA478	Laptop
<a href="#">AMD Turion Dual-Core RM-72</a>	2	649	725	35	S1	Laptop
<a href="#">Intel Celeron E1500 @ 2.20GHz</a>	2	649	785	65	LGA775	Desktop
<a href="#">AMD Opteron 170</a>	2	648	715	110	939	Server
<a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>	2	646	717	35	µFCPGA-478	Laptop
<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	2	645	572	4	FCBGA1170	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	2	644	745	35	S1	Laptop
<a href="#">AMD Athlon Dual Core 4450B</a>	2	643	756	45	AM2+	Desktop
<a href="#">Intel Celeron 877 @ 1.40GHz</a>	2	643	633	17	BGA1023	Laptop
<a href="#">AMD Athlon II P320 Dual-Core</a>	2	642	792	25	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 QL-66</a>	2	641	751	35	S1	Laptop
<a href="#">Intel Pentium 2129Y @ 1.10GHz</a>	2	638	569	10	FCBGA1023	Laptop
<a href="#">Rockchip (Device Tree)</a>	4	636	436	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	2	635	753	35	S1	Laptop
<a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>	2	635	423	34	PGA478	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	2	634	650	31	S1	Laptop
<a href="#">Intel Core2 Duo T5600 @ 1.83GHz</a>	2	634	715	34	PGA478	Laptop
<a href="#">Qualcomm MSM8974PRO-AA</a>	4	629	342	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 X2 Mobile TL-66</a>	2	627	816	35	S1	Laptop
<a href="#">Intel Atom C2358 @ 1.74GHz</a>	2	625	291	7	FCBGA1283	Laptop
<a href="#">Samsung EXYNOS5420</a>	4	625	406	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>	2	624	728	89	AM2	Desktop
<a href="#">Intel Pentium 957 @ 1.20GHz</a>	2	622	574	17	FCBGA1023	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	2	621	703	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 QL-64</a>	2	621	726	35	S1	Laptop
<a href="#">Intel Atom Z3745 @ 1.33GHz</a>	4	621	435	4	UTFCBGA1380	Laptop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>	2	620	681	31	Unknown	Unknown
<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	2	620	698	35	BGA479	Laptop
<a href="#">Intel Pentium T3200 @ 2.00GHz</a>	2	620	719	35	PPGA478	Laptop
<a href="#">Qualcomm MSM8974</a>	4	618	389	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	2	615	636	17	BGA956	Laptop
<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	4	614	459	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Pentium 967 @ 1.30GHz</a>	2	614	616	17	FCBGA1023	Laptop
<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	2	613	670	65	LGA775	Desktop
<a href="#">AMD Athlon II Dual-Core M300</a>	2	610	732	35	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 QL-65</a>	2	609	653	35	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-60</a>	2	607	692	31	S1	Laptop
<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	2	607	748	17	Unknown	Laptop
<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	2	607	704	35	PPGA478	Laptop
<a href="#">Intel Pentium 987 @ 1.50GHz</a>	2	605	587	17	FCBGA1023	Laptop
<a href="#">AMD Athlon II X2 250u</a>	2	604	632	25	AM3	Desktop
<a href="#">AMD Turion X2 Dual Core L510</a>	2	603	593	20	ASB1	Laptop
<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	2	603	746	35	PGA478	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	2	602	714	35	S1	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Atom Z3740 @ 1.33GHz</a>	4	600	408	4	UTFCBGA1380	Laptop
<a href="#">Intel Xeon 5110 @ 1.60GHz</a>	2	600	606	65	LGA771	Server
<a href="#">Qualcomm MSM8917</a>	4	599	379	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AC</a>	4	598	365	NA	Unknown	Mobile/Embedded
<a href="#">AMD E1-2500 APU</a>	2	596	459	15	FT3	Laptop
<a href="#">Intel Atom S1260 @ 2.00GHz</a>	2	596	224	8.5	FCBGA1283	Server
<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	2	595	659	10	FCBGA1170	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>	2	594	624	45	AM2	Desktop
<a href="#">AMD Opteron 1212</a>	2	593	729	103	AM2	Server
<a href="#">AMD Athlon X2 Dual Core BE-2350</a>	2	591	705	45	AM2	Desktop
<a href="#">AMD Turion Dual-Core RM-74</a>	2	588	595	35	S1	Laptop
<a href="#">AMD Turion II Neo N40L Dual-Core</a>	2	588	614	15	BGA812	Laptop
<a href="#">Intel Pentium U5600 @ 1.33GHz</a>	2	587	592	18	BGA1288	Laptop
<a href="#">Intel Atom Z3745D @ 1.33GHz</a>	4	585	437	4.4	Unknown	Laptop
<a href="#">Intel Atom C2338 @ 1.74GHz</a>	2	584	233	7	FCBGA1283	Laptop
<a href="#">Intel Celeron 847E @ 1.10GHz</a>	2	584	520	17	FCBGA1023	Laptop
<a href="#">AMD Athlon 64 X2 QL-67</a>	2	582	515	35	S1	Laptop
<a href="#">Intel Celeron N2840 @ 2.16GHz</a>	2	582	670	7	FCBGA1170	Laptop
<a href="#">Intel Xeon MV 3.20GHz</a>	2	582	378	90	mPGA604	Server
<a href="#">Intel Celeron N3050 @ 1.60GHz</a>	2	579	560	6	FCBGA1170	Laptop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	2	577	537	20	Unknown	Unknown
<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	2	577	668	31	S1	Laptop
<a href="#">Intel Celeron 1019Y @ 1.00GHz</a>	2	576	521	10	FCBGA1023	Desktop
<a href="#">MediaTek MT6761V/WBB</a>	4	576	398	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>	2	575	600	17	BGA479	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	2	573	674	45	AM2	Desktop
<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	2	573	657	10	FCBGA1170	Desktop
<a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>	2	572	655	10	BGA956	Laptop
<a href="#">AMD Athlon X2 Dual Core BE-2300</a>	2	570	644	45	AM2	Desktop
<a href="#">AMD GX-212JC SOC</a>	2	570	436	6	FT3b	Laptop
<a href="#">Intel Celeron 857 @ 1.20GHz</a>	2	569	476	17	BGA1023	Laptop
<a href="#">Intel Pentium T2410 @ 2.00GHz</a>	2	569	787	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 3800+</a>	2	566	745	89	939	Desktop
<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</a>	4	566	219	NA	Unknown	Mobile/Embedded
<a href="#">AMD E1-7010 APU</a>	2	565	489	10	BGA769 (FT3b)	Laptop
<a href="#">AMD Turion II Neo K625 Dual-Core</a>	2	565	596	15	S1	Laptop
<a href="#">AMD Athlon X2 Dual Core 6850e</a>	2	564	623	22	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2200</a>	2	563	649	65	Unknown	Unknown
<a href="#">Intel Celeron 867 @ 1.30GHz</a>	2	562	584	17	BGA1023	Laptop
<a href="#">Intel Celeron N2830 @ 2.16GHz</a>	2	562	645	7.5	FCBGA1170	Laptop
<a href="#">AMD Turion Dual-Core RM-70</a>	2	561	548	31	S1	Laptop
<a href="#">Intel Celeron U3600 @ 1.20GHz</a>	2	560	520	18	BGA1288	Laptop
<a href="#">AMD Athlon Dual Core 4050e</a>	2	559	715	45	AM2	Desktop
<a href="#">Qualcomm Technologies, Inc QM215</a>	4	558	347	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3735E @ 1.33GHz</a>	4	557	478	4.4	UTFCBGA1380	Laptop
<a href="#">AMD Sempron Dual Core 2300</a>	2	555	697	65	Unknown	Unknown
<a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>	2	550	635	17	BGA479	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel T1500 @ 1.86GHz</a>	2	548	661	NA	Unknown	Unknown
<a href="#">AMD E1-6015 APU</a>	2	547	452	NA	BGA769 (FT3b)	Laptop
<a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a>	2	546	675	65	LGA775, PLGA775	Desktop
<a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>	4	545	242	NA	Unknown	Unknown
<a href="#">Intel Pentium T2390 @ 1.86GHz</a>	2	544	645	35	PPGA478	Laptop
<a href="#">AMD E1-6010 APU</a>	2	543	428	10	FT3b	Laptop
<a href="#">Intel Atom Z3735D @ 1.33GHz</a>	4	540	465	4.4	Unknown	Laptop
<a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>	2	540	626	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>	2	539	664	35	Socket P	Laptop
<a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a>	2	537	658	65	LGA775	Desktop
<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	2	536	674	31	S1	Laptop
<a href="#">Intel Core2 Duo SU9400 @ 1.40GHz</a>	2	535	597	10	BGA956	Laptop
<a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>	2	535	569	35	PGA478	Laptop
<a href="#">Intel Atom Z3735G @ 1.33GHz</a>	4	534	424	4.4	Unknown	Laptop
<a href="#">AMD Sempron Dual Core 2100</a>	2	533	596	65	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	2	531	505	89	754	Desktop
<a href="#">AMD Opteron 165</a>	2	531	638	110	939	Server
<a href="#">AMD Sempron 2650 APU</a>	2	531	457	25	AM1,FSB1	Desktop
<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	2	531	585	35	BGA479	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	2	530	684	32	S1	Laptop
<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	2	527	552	12	Unknown	Laptop
<a href="#">AMD Sempron 130</a>	1	526	1,066	45	AM2+/AM3	Unknown
<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	4	526	392	4.4	UTFCBGA592	Laptop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>	2	525	613	35	Unknown	Unknown
<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	2	524	599	65	PLGA775	Desktop
<a href="#">AMD Athlon 64 X2 QL-62</a>	2	522	665	35	S1	Laptop
<a href="#">Amlogic</a>	4	520	361	NA	Unknown	Unknown
<a href="#">Intel Celeron T1600 @ 1.66GHz</a>	2	520	627	35	Unknown	Laptop
<a href="#">AMD Athlon 64 FX-57</a>	1	517	552	104	939	Desktop
<a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>	2	516	555	17	BGA479	Laptop
<a href="#">Intel T2050 @ 2.00GHz</a>	2	516	611	31	PPGA478	Unknown
<a href="#">Intel Atom E3827 @ 1.74GHz</a>	2	515	479	8	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>	2	512	590	34	PGA478	Laptop
<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	4	511	433	4.4	UTFCBGA592	Laptop
<a href="#">MediaTek MT6737T</a>	4	511	348	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	2	509	582	4.5	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>	2	509	540	10	BGA956	Laptop
<a href="#">Intel Pentium E2140 @ 1.60GHz</a>	2	508	594	65	LGA775, PLGA775	Desktop
<a href="#">Rockchip RK3288 (Flattened Device Tree)</a>	4	508	403	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	2	507	552	95	PLGA775	Desktop
<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	2	505	573	4	FCBGA1170	Laptop
<a href="#">MediaTek MT8168A</a>	4	504	367	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>	2	502	593	31	Unknown	Unknown
<a href="#">AMD Sempron 150</a>	1	498	1,079	45	AM3	Desktop
<a href="#">Intel Core Duo T2700 @ 2.33GHz</a>	2	498	652	31	BGA479	Laptop
<a href="#">Intel Pentium D 940 @ 3.20GHz</a>	2	498	574	130	PLGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">RM-70</a>						
<a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>	2	496	586	35	PGA478	Laptop
<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	2	494	543	10	BGA956	Laptop
<a href="#">Intel Celeron E1200 @ 1.60GHz</a>	2	492	628	65	LGA775	Desktop
<a href="#">MediaTek MT6735</a>	4	492	301	NA	Unknown	Mobile/Embedded
<a href="#">AMD E2-2000 APU</a>	2	488	550	18	BGA413,FT1	Laptop
<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	4	488	361	4.4	BGA1380	Laptop
<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	2	487	547	18	Unknown	Unknown
<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	2	486	538	4.5	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>	2	485	542	10	BGA956	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8917</a>	4	485	304	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 3100+</a>	1	484	600	89	754	Desktop
<a href="#">Intel Celeron G460 @ 1.80GHz</a>	1	483	704	35	LGA1155	Desktop
<a href="#">Intel Core2 Duo T5250 @ 1.50GHz</a>	2	483	542	35	PGA478	Laptop
<a href="#">Intel Atom D2700 @ 2.13GHz</a>	2	481	385	10	BGA559	Desktop
<a href="#">AMD Sempron 145</a>	1	480	978	45	AM3	Desktop
<a href="#">Intel Celeron G465 @ 1.90GHz</a>	1	480	739	35	LGA1155	Desktop
<a href="#">Intel Xeon 3.20GHz</a>	1	478	696	103	PPGA604	Server
<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	2	477	558	7.5	FCBGA1170	Laptop
<a href="#">AMD Athlon Neo X2 Dual Core L325</a>	2	476	527	18	Unknown	Unknown
<a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>	2	476	492	NA	BGA956	Laptop
<a href="#">Intel T1400 @ 1.73GHz</a>	2	475	671	NA	Unknown	Unknown
<a href="#">AMD E1-2200 APU</a>	2	474	368	9	FT3	Laptop
<a href="#">AMD Sempron 140</a>	1	473	1,043	45	AM3	Desktop
<a href="#">Intel Celeron U3400 @ 1.07GHz</a>	2	473	441	18	BGA1288	Laptop
<a href="#">Intel Pentium D 915 @ 2.80GHz</a>	2	472	567	95	PLGA775	Desktop
<a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>	2	471	392	35	S1	Laptop
<a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a>	2	469	515	130	PLGA775	Desktop
<a href="#">AMD Athlon 64 FX-59</a>	1	465	575	NA	939	Desktop
<a href="#">AMD Athlon 64 X2 QL-60</a>	2	465	557	35	S1	Laptop
<a href="#">AMD E-350D APU</a>	2	465	519	18	Unknown	Unknown
<a href="#">Intel Celeron N2810 @ 2.00GHz</a>	2	465	545	7.5	FCBGA1170	Laptop
<a href="#">Qualcomm APQ8084</a>	4	465	312	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	2	464	543	35	PPGA478	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core TK-53</a>	2	463	542	31	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core TK-55</a>	2	463	624	31	Unknown	Unknown
<a href="#">Intel Celeron 847 @ 1.10GHz</a>	2	460	481	17	BGA1023	Laptop
<a href="#">AMD E2-1800 APU</a>	2	459	544	18	FT1	Desktop
<a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>	2	459	576	35	PGA478	Laptop
<a href="#">AMD Opteron 154</a>	1	457	534	104	939	Server
<a href="#">QCT APQ8064 FLO</a>	4	457	277	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium T2370 @ 1.73GHz</a>	2	455	521	35	PPGA478	Laptop
<a href="#">AMD G-T56N</a>	2	454	530	18	FT1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-56</a>	2	453	579	31	S1	Laptop
<a href="#">AMD Opteron 254</a>	1	451	578	68	940	Server
<a href="#">Intel Core Duo T2600 @ 2.16GHz</a>	2	449	676	31	BGA479	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	2	447	547	4.3	FCBGA1170	Laptop
<a href="#">SAMSUNG JF</a>	4	446	303	NA	Unknown	Mobile/Embedded
<a href="#">Sony Mobile fusion3</a>	4	446	245	NA	Unknown	Unknown
<a href="#">AMD A4-1200 APU</a>	2	445	327	3.9	FT3	Laptop
<a href="#">QCT APQ8064 DEB</a>	4	445	272	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	4	444	305	NA	Unknown	Unknown
<a href="#">Intel Celeron 925 @ 2.30GHz</a>	1	444	846	35	Unknown	Laptop
<a href="#">AMD G-T56E</a>	2	442	522	18	FT1	Laptop
<a href="#">AMD A4-1250 APU</a>	2	440	332	8	FT3	Laptop
<a href="#">Intel Celeron N2820 @ 2.13GHz</a>	2	440	560	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	2	439	470	18	BGA1288	Laptop
<a href="#">Intel Atom D2701 @ 2.13GHz</a>	2	438	371	10	BGA559	Laptop
<a href="#">MediaTek MT6762V/CN</a>	4	437	347	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	2	436	491	12	Unknown	Laptop
<a href="#">Intel Atom D2560 @ 2.00GHz</a>	2	433	353	10	Unknown	Desktop
<a href="#">Intel Celeron 450 @ 2.20GHz</a>	1	433	532	35	LGA775	Desktop
<a href="#">AMD Turion Neo X2 Dual Core L625</a>	2	431	530	18	ASB1	Laptop
<a href="#">AMD Athlon LE-1640</a>	1	430	489	45	AM2	Desktop
<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	2	430	531	35	PPGA478	Laptop
<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	2	428	524	22	Unknown	Unknown
<a href="#">AMD Opteron 152</a>	1	428	487	104	939	Server
<a href="#">Intel Celeron G440 @ 1.60GHz</a>	1	426	739	35	LGA1155	Desktop
<a href="#">Intel Xeon 3.00GHz</a>	1	425	607	103	PPGA604	Server
<a href="#">Intel Atom D525 @ 1.80GHz</a>	2	423	315	13	BGA559	Desktop
<a href="#">MediaTek MT6737</a>	4	423	265	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	2	422	493	10	BGA956	Laptop
<a href="#">AMD Athlon LE-1620</a>	1	421	475	45	AM2	Desktop
<a href="#">AMD E-450 APU</a>	2	421	500	18	FT1	Laptop
<a href="#">MediaTek MT8163</a>	4	418	271	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8167B</a>	4	418	305	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon LE-1660</a>	1	416	428	45	AM2	Desktop
<a href="#">AMD G-T48E</a>	2	416	454	18	FT1	Laptop
<a href="#">AMD E-350</a>	2	413	493	18	FT1	Desktop, Laptop
<a href="#">AMD Athlon 1640B</a>	1	412	462	45	AM2	Desktop
<a href="#">AMD Athlon LE-1600</a>	1	412	430	45	AM2	Desktop
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	2	412	613	31	BGA479	Laptop
<a href="#">AMD E1-2100 APU</a>	2	409	328	9	FT3	Laptop
<a href="#">Intel Core2 Duo T5200 @ 1.60GHz</a>	2	409	559	34	Socket M	Laptop
<a href="#">AMD E1-1500 APU</a>	2	408	463	18	FT1	Laptop
<a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>	4	408	176	NA	Unknown	Unknown
<a href="#">Intel Atom N2800 @ 1.86GHz</a>	2	408	307	6.5	BGA559	Laptop
<a href="#">MediaTek MT6739WW</a>	4	407	268	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>	4	406	177	NA	Unknown	Unknown
<a href="#">Intel Atom D2550 @ 1.86GHz</a>	2	405	306	10	BGA559	Desktop
<a href="#">AMD Athlon 64 FX-55</a>	1	404	505	104	939	Desktop
<a href="#">Intel Core Duo L2500 @ 1.83GHz</a>	2	404	578	15	BGA479	Laptop
<a href="#">Intel Xeon 3.60GHz</a>	1	403	643	110	PPGA604	Server
<a href="#">AMD E-350 APU</a>	2	401	482	18	FT1 BGA	Desktop, Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Qualcomm Technologies, Inc MSM8916</a>	4	401	253	NA	Unknown	Mobile/Embedded
<a href="#">AMD Geode NX 2400+</a>	1	400	634	NA	Unknown	Unknown
<a href="#">AMD Sempron LE-1300</a>	1	400	389	45	AM2	Desktop
<a href="#">AMD Turion 64 Mobile ML-42</a>	1	400	455	35	754	Laptop
<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	2	400	221	NA	Unknown	Laptop
<a href="#">QCT APQ8064 MAKO</a>	4	399	254	NA	Unknown	Unknown
<a href="#">Intel Core Duo T2450 @ 2.00GHz</a>	2	395	592	31	PGA478	Laptop
<a href="#">AMD Athlon 64 3700+</a>	1	394	435	89	939	Desktop
<a href="#">AMD Opteron 150</a>	1	393	471	85.3	939	Server
<a href="#">Intel Xeon 3.80GHz</a>	1	393	594	110	PPGA604	Server
<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	2	393	213	NA	BGA400	Laptop
<a href="#">AMD Opteron 148</a>	1	392	443	85.3	939	Server
<a href="#">Intel Celeron 807 @ 1.50GHz</a>	1	392	608	17	BGA-1023	Laptop
<a href="#">Unisoc SC9832e</a>	4	391	246	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo L2300 @ 1.50GHz</a>	2	387	442	15	BGA479	Desktop
<a href="#">AMD Athlon X2 Dual Core L310</a>	2	385	434	13	S1	Laptop
<a href="#">Intel Atom D510 @ 1.66GHz</a>	2	385	286	13	BGA559	Desktop
<a href="#">Intel Atom E3825 @ 1.33GHz</a>	2	385	370	6	FCBGA1170	Desktop
<a href="#">Intel Pentium 4 3.73GHz</a>	1	385	572	115	Unknown	Desktop
<a href="#">MediaTek MT6737M</a>	4	385	200	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 Mobile ML-44</a>	1	384	469	35	754	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	2	384	497	31	S1	Laptop
<a href="#">Intel Celeron 900 @ 2.20GHz</a>	1	384	839	34.8	PGA478	Laptop
<a href="#">AMD E1-1200 APU</a>	2	383	433	18	FT1	Laptop
<a href="#">Intel Pentium T2130 @ 1.86GHz</a>	2	382	583	31	PGA478	Laptop
<a href="#">AMD Athlon 64 3300+</a>	1	375	477	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 3400+</a>	1	375	429	89	754	Unknown
<a href="#">Intel Atom Z2760 @ 1.80GHz</a>	2	375	196	NA	FC-MB4760	Laptop
<a href="#">Intel Xeon 3.40GHz</a>	1	375	519	103	PPGA604	Server
<a href="#">MT8735</a>	4	375	227	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	2	374	497	95	PLGA775	Desktop
<a href="#">AMD V140</a>	1	372	805	25	S1	Laptop
<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	1	372	712	65	PLGA775	Desktop
<a href="#">Intel Atom 330 @ 1.60GHz</a>	2	371	168	8	BGA437	Desktop
<a href="#">Intel Celeron 827E @ 1.40GHz</a>	1	371	674	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 440 @ 2.00GHz</a>	1	368	444	35	LGA775	Desktop
<a href="#">AMD Athlon 64 3500+</a>	1	366	432	45	AM2	Unknown
<a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>	2	366	427	10	BGA479	Laptop
<a href="#">Intel Celeron 550 @ 2.00GHz</a>	1	365	585	31	BGA479	Laptop
<a href="#">Intel Celeron 560 @ 2.13GHz</a>	1	365	498	31	PGA478	Laptop
<a href="#">AMD Sempron 3600+</a>	1	364	377	62	AM2	Desktop
<a href="#">Intel Core Duo T2350 @ 1.86GHz</a>	2	364	560	31	PGA478	Laptop
<a href="#">MT8765WB</a>	4	363	235	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 Mobile MK-38</a>	1	362	801	31	S1	Laptop
<a href="#">AMD V120</a>	1	362	810	25	S1	Laptop
<a href="#">ARM ARMv7 rev 4 (v7i) 4 Core 1200 MHz</a>	4	362	274	NA	Unknown	Unknown
<a href="#">Manta</a>	2	362	430	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">MSM8920</a>						
<a href="#">AMD Sempron 3800+</a>	1	360	422	62	AM2	Desktop
<a href="#">AMD Athlon II 160u</a>	1	358	717	20	Unknown	Desktop
<a href="#">AMD E-300 APU</a>	2	358	410	18	FT1	Laptop
<a href="#">AMD Sempron LE-1200</a>	1	358	412	45	AM2	Desktop
<a href="#">AMD Athlon II 170u</a>	1	357	728	20	AM2+,AM3	Desktop
<a href="#">AMD Athlon X2 Dual Core 3250e</a>	2	357	458	22	Unknown	Unknown
<a href="#">Mobile AMD Athlon 64 3700+</a>	1	356	485	81.5	Unknown	Laptop
<a href="#">Qualcomm Technologies, Inc QCM2150</a>	4	356	244	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron LE-1250</a>	1	354	371	45	AM2	Desktop
<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	2	349	511	31	BGA479	Laptop
<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	4	348	162	NA	Unknown	Unknown
<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	2	348	501	15	BGA479	Laptop
<a href="#">Intel Core Duo T2300 @ 1.66GHz</a>	2	348	518	31	BGA479	Laptop
<a href="#">Intel Pentium T2080 @ 1.73GHz</a>	2	348	530	31	PGA478	Laptop
<a href="#">AMD Opteron 146</a>	1	346	400	67	939	Server
<a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>	2	345	345	10	Unknown	Laptop
<a href="#">Intel Celeron 570 @ 2.26GHz</a>	1	344	431	31	PGA478	Laptop
<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	1	344	552	NA	Unknown	Laptop
<a href="#">Qualcomm MSM8928</a>	4	344	211	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II Neo K325 Dual-Core</a>	2	343	438	12	Unknown	Laptop
<a href="#">Intel 2.80GHz</a>	2	341	456	NA	Unknown	Unknown
<a href="#">Samsung Exynos 7570</a>	4	341	238	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon TF-36</a>	1	338	349	25	Unknown	Unknown
<a href="#">AMD Sempron M100</a>	1	338	690	NA	Unknown	Unknown
<a href="#">Intel Core Duo T2250 @ 1.73GHz</a>	2	338	522	31	PGA478	Laptop
<a href="#">MediaTek MT6739WA</a>	4	338	227	NA	Unknown	Mobile/Embedded
<a href="#">AMD V160</a>	1	337	838	25	S1	Laptop
<a href="#">AMD Turion 64 Mobile ML-40</a>	1	336	662	35	754	Laptop
<a href="#">Intel Atom N570 @ 1.66GHz</a>	2	335	282	8.5	BGA559	Laptop
<a href="#">Intel Celeron N2805 @ 1.46GHz</a>	2	335	394	4.3	FCBGA1170	Laptop
<a href="#">Mobile AMD Sempron 3800+</a>	1	335	735	NA	Unknown	Laptop
<a href="#">AMD Turion 64 Mobile MK-36</a>	1	334	735	31	S1	Laptop
<a href="#">AMD Athlon 2850e</a>	1	333	337	22	AM2	Desktop
<a href="#">Mobile AMD Athlon 64 3400+</a>	1	333	432	81.5	Unknown	Laptop
<a href="#">AMD Athlon 64 3200+</a>	1	332	387	62	AM2	Unknown
<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	4	331	237	NA	Unknown	Unknown
<a href="#">Intel Pentium T2060 @ 1.60GHz</a>	2	328	486	31	PGA478	Laptop
<a href="#">Mobile AMD Athlon 64 3200+</a>	1	326	400	81.5	Unknown	Laptop
<a href="#">Qualcomm Technologies, Inc APQ8016</a>	4	324	206	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom N2600 @ 1.60GHz</a>	2	323	292	3.5	BGA559	Laptop
<a href="#">AMD Athlon 64 4000+</a>	1	321	348	62	AM2	Unknown
<a href="#">Mobile AMD Sempron 3400+</a>	1	321	455	25	Socket S1 (S1g1)	Laptop
<a href="#">Intel Pentium 4 3.60GHz</a>	1	320	605	115	Unknown	Desktop
<a href="#">AMD Turion 64 Mobile ML-37</a>	1	318	405	35	754	Laptop
<a href="#">AMD Opteron 144</a>	1	316	376	67	939	Server
<a href="#">Intel Atom N550 @ 1.50GHz</a>	2	316	257	8.5	BGA559	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Sempron 3300+</a>	1	315	394	62	754	Desktop
<a href="#">AMD Sempron LE-1100</a>	1	315	509	45	AM2	Desktop
<a href="#">AMD Turion 64 Mobile MT-37</a>	1	315	379	25	754	Laptop
<a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>	2	315	281	NA	Unknown	Unknown
<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	1	313	388	35	LGA775	Desktop
<a href="#">Intel Core Duo T2050 @ 1.60GHz</a>	2	313	494	31	PGA478	Desktop
<a href="#">Intel Pentium 4 3.80GHz</a>	1	313	596	65	Unknown	Desktop
<a href="#">Mobile AMD Athlon 64 4000+</a>	1	313	338	62	Unknown	Laptop
<a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a>	4	312	213	NA	Unknown	Mobile/Embedded
<a href="#">AMD C-60 APU</a>	2	311	364	9	Unknown	Unknown
<a href="#">Intel Pentium 4 3.00GHz</a>	1	310	561	81.9	PGA478	Desktop
<a href="#">Qualcomm Technologies, Inc APQ8017</a>	4	309	255	NA	Unknown	Mobile/Embedded
<a href="#">AMD Z-01</a>	2	308	290	NA	Unknown	Unknown
<a href="#">Intel Celeron M 530 @ 1.73GHz</a>	1	307	553	30	PBGA479, PPGA478	Laptop
<a href="#">AMD Athlon 64 3000+</a>	1	303	506	89	Socket 754	Desktop
<a href="#">AMD Athlon II Neo K125</a>	1	302	613	12	S1	Laptop
<a href="#">Intel Pentium 4 3.40GHz</a>	1	302	670	89	PGA478	Desktop
<a href="#">Mobile AMD Sempron 3600+</a>	1	302	724	25	S1	Laptop
<a href="#">UNIVERSAL3475</a>	4	301	193	NA	Unknown	Mobile/Embedded
<a href="#">AMD C-70 APU</a>	2	300	354	9	Unknown	Unknown
<a href="#">AMD Athlon II Neo K145</a>	1	298	592	12	S1	Laptop
<a href="#">AMD Sempron 3100+</a>	1	298	383	62	754	Desktop
<a href="#">AMD Sempron M120</a>	1	298	685	25	S1	Laptop
<a href="#">Intel Celeron 540 @ 1.86GHz</a>	1	296	519	30	PGA478	Laptop
<a href="#">AMD Athlon 64 2800+</a>	1	295	375	89	754	Unknown
<a href="#">Intel Pentium 4 3.46GHz</a>	1	295	512	110.7	Unknown	Desktop
<a href="#">Mobile AMD Sempron 3300+</a>	1	294	391	NA	Unknown	Laptop
<a href="#">Qualcomm MSM8626</a>	4	294	185	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8926</a>	4	294	177	NA	Unknown	Mobile/Embedded
<a href="#">AMD C-60</a>	2	293	383	9	Unknown	Unknown
<a href="#">AMD Athlon 64 3800+</a>	1	292	461	45	AM2	Unknown
<a href="#">AMD Sempron 3400+</a>	1	292	346	62	AM2	Desktop
<a href="#">Intel Pentium M 2.10GHz</a>	1	292	353	21	H-PBGA479, PPGA4	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8216</a>	4	292	155	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 2800+</a>	1	291	439	89	754	Unknown
<a href="#">Mobile AMD Sempron 3500+</a>	1	290	654	NA	Unknown	Laptop
<a href="#">Qualcomm Technologies, Inc APQ8009</a>	4	289	184	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 3200+</a>	1	288	356	62	AM2	Desktop
<a href="#">Spreadtrum SC7731e</a>	4	288	185	NA	Unknown	Unknown
<a href="#">Intel Celeron 530 @ 1.73GHz</a>	1	287	342	27	PGA478	Laptop
<a href="#">Intel Pentium 4 3.20GHz</a>	1	287	532	82	PGA478	Desktop
<a href="#">AMD Athlon Neo MV-40</a>	1	286	279	15	Unknown	Unknown
<a href="#">AMD Turion 64 Mobile MT-32</a>	1	286	367	24	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-32</a>	1	285	321	35	754	Laptop
<a href="#">Intel Pentium M 1.86GHz</a>	1	284	383	27	H-PBGA479, PPGA4	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

CPU Benchmarks

<a href="#">AMD Athlon XP 3100+</a>	1	282	431	NA	Unknown	Unknown
<a href="#">MediaTek MT8735B</a>	4	282	180	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon XP 3200+</a>	1	281	430	62	AM2	Unknown
<a href="#">Intel Pentium M 1.80GHz</a>	1	280	389	21	H-PBGA479, PPGA4	Laptop
<a href="#">AMD Turion 64 Mobile MT-34</a>	1	279	328	24	754	Laptop
<a href="#">VIA Nano L2100@1800MHz</a>	1	279	182	25	BGA400	Laptop
<a href="#">Intel Celeron 420 @ 1.60GHz</a>	1	278	451	35	LGA775	Desktop
<a href="#">AMD Turion 64 Mobile ML-30</a>	1	277	314	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-34</a>	1	277	329	35	754	Laptop
<a href="#">Mobile AMD Sempron 3100+</a>	1	277	359	NA	Unknown	Laptop
<a href="#">AMD Athlon XP 2900+</a>	1	276	410	NA	Unknown	Unknown
<a href="#">Intel Atom D2500 @ 1.86GHz</a>	2	275	346	10	BGA559	Desktop
<a href="#">AMD Athlon 2650e</a>	1	274	304	NA	Unknown	Unknown
<a href="#">Intel Pentium M 2.13GHz</a>	1	271	354	27	H-PBGA479, PPGA4	Laptop
<a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>	4	270	208	NA	Unknown	Unknown
<a href="#">Intel Pentium M 2.00GHz</a>	1	270	363	21	H-PBGA479, PPGA4	Laptop
<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	1	270	259	8	BGA400	Laptop
<a href="#">Intel Celeron 430 @ 1.80GHz</a>	1	269	578	35	LGA775	Desktop
<a href="#">Mobile AMD Sempron 3000+</a>	1	269	350	NA	Unknown	Laptop
<a href="#">AMD Athlon TF-20</a>	1	268	269	15	Unknown	Unknown
<a href="#">AMD Sempron 3000+</a>	1	268	333	62	AM2	Desktop
<a href="#">AMD Sempron 210U</a>	1	267	299	15	Unknown	Unknown
<a href="#">Intel Celeron 3.20GHz</a>	1	267	599	NA	Unknown	Unknown
<a href="#">Intel Celeron M 723 @ 1.20GHz</a>	1	267	507	10	BGA956	Laptop
<a href="#">AMD C-50</a>	2	266	319	9	FT1	Laptop
<a href="#">Qualcomm MSM8226</a>	4	265	176	NA	Unknown	Mobile/Embedded
<a href="#">AMD G-T40E</a>	2	263	300	6.4	FT1	Laptop
<a href="#">Intel Celeron 3.33GHz</a>	1	263	528	NA	Unknown	Unknown
<a href="#">Intel Celeron 743 @ 1.30GHz</a>	1	263	528	10	BGA956	Laptop
<a href="#">VIA Eden C1050@1.06GHz</a>	1	263	283	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 3000+</a>	1	262	396	62	Socket A	Desktop
<a href="#">AMD Sempron SI-42</a>	1	262	641	25	S1	Laptop
<a href="#">AMD Z-60 APU</a>	2	262	318	4.5	FT1	Laptop
<a href="#">AMD Athlon XP 2800+</a>	1	260	408	89	754	Unknown
<a href="#">Intel Xeon 2.80GHz</a>	1	260	384	103	PPGA604	Server
<a href="#">AMD Sempron SI-40</a>	1	257	537	25	S1	Laptop
<a href="#">AMD Athlon XP 2700+</a>	1	256	398	NA	Unknown	Unknown
<a href="#">Intel Atom E3826 @ 1.46GHz</a>	2	256	404	7	FCBGA1170	Laptop
<a href="#">Mobile AMD Sempron 2600+</a>	1	256	316	NA	Unknown	Laptop
<a href="#">QCT APQ8064 AWIFI</a>	4	256	278	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	2	255	342	9	BGA479	Laptop
<a href="#">AMD Turion 64 Mobile ML-28</a>	1	254	314	25	754	Laptop
<a href="#">VIA Nano L2007@1600MHz</a>	1	254	242	25	BGA400	Laptop
<a href="#">AMD Sempron 2600+</a>	1	253	325	NA	Socket A	Desktop
<a href="#">Intel Core Solo T1400 @ 1.63GHz</a>	1	253	525	27	PGA478	Laptop
<a href="#">Intel Celeron M 1.70GHz</a>	1	252	370	NA	Unknown	Laptop
<a href="#">Intel Core Solo U3500 @ 1.40GHz</a>	1	252	546	5.5	BGA956	Laptop

Showing 1 to 329 of 329 entries

[Previous](#) **1** [Next](#)

<sup>1</sup> Price is obtained from our affiliates. \*\* after the price denotes the last seen price for products that are no longer available.

<sup>2</sup> CPU Value is calculated by taking CPU Mark / Price.

3 CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
---------------	-------	----------	-------------	---------	--------	----------

[Home](#) CPU Benchmarks ▼

<a href="#">MSM8909</a>						
<a href="#">AMD Sempron LE-1150</a>	1	251	477	45	AM2	Desktop
<a href="#">Intel Celeron D 356 @ 3.33GHz</a>	1	251	619	86	PLGA775	Desktop

[Intel Pentium 4 3.06GHz](#)

[AMD GX Software](#)

[AMD Turin BurnInTest](#)

[Mobile AMD Sempron 3200+ Performance Test](#)

[AMD Athlon 64 2600+ OS Forensics](#)

[AMD Athlon XP2400+ MemTest86](#)

[AMD Athlon XP 2600+ WirelessMon](#)

[Mobile AMD Athlon 2500+ Zoom Search Engine](#)

[Mobile AMD Athlon XP-M 2600+ Free Software](#)

[Intel Pentium M 1.50GHz](#)

[Intel Pentium M 1.70GHz](#)

[Intel Pentium SU2700 @ 1.30GHz](#)

[Mobile AMD Athlon XP-M 2800+ Video Card Benchmarks](#)

[Mobile AMD Athlon XP-M 3000+ Hard Drive Benchmarks](#)

[Intel Pentium M 1.70GHz RAM Benchmarks](#)

[Mobile A... RAM Benchmarks 300+](#)

[Mobile A... PC Systems Benchmarks](#)

[AMD Athlon XP 2400+ Android Benchmarks](#)

[Intel Celeron D 356GHz iOS/iPhone Benchmarks](#)

[AMD Sempron 2800+](#)

[ARM Cortex-A9 Core 900 MHz](#)

[Intel Core2 Solo U2100 @ 1.06GHz](#)

[Mobile AMD Athlon 4 2400+](#)

[AMD Sempron 3500+](#)

[Intel Celeron D 347 @ 3.06GHz](#)

[Mobile Intel Pentium 4 3.20GHz](#)

[AMD Athlon XP 2500+](#)

[Intel Celeron 2.93GHz](#)

[Intel Celeron M 450 @ 2.00GHz](#)

[Intel Pentium 4 2.80GHz](#)

[Intel Pentium M 1.60GHz](#)

[Rockchip RK3326](#)

[Intel Celeron M 520 @ 1.60GHz](#)

[Intel Pentium M 2.26GHz](#)

[Mobile AMD Athlon XP-M 2500+](#)

[MT6735M](#)

[Intel Pentium M 1.40GHz](#)

[Mobile AMD Athlon XP-M 2400+](#)

[Intel Atom N470 @ 1.83GHz](#)

[Intel Celeron M 1.60GHz](#)

[Intel Atom D425 @ 1.80GHz](#)

[Intel Celeron M 360 1.40GHz](#)

[Intel Core Duo U2500 @ 1.20GHz](#)

[Mobile Intel Pentium 4 3.06GHz](#)

[Intel Celeron M 1500MHz](#)

Hardware

[USB3.0 Loopback Plugs](#)

[USB2.0 Loopback Plugs](#)

[PCIe Test Cards](#)

[USB Power Delivery Tester](#)

[Serial and Parallel Loopback Plugs](#)

[USB Short Circuit Testers](#)

About Us

[Company](#)

[Contact Us](#)

[The Press Room](#)

International

Disclaimer

Refunds

Privacy

Social



<a href="#">Intel Pentium M 1.60GHz</a>	1	229	307	24.5	H-PBGA479, PPG	Laptop
<a href="#">Rockchip RK3326</a>	4	228	307	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron M 520 @ 1.60GHz</a>	1	227	508	27	PPGA478	Laptop
<a href="#">Intel Pentium M 2.26GHz</a>	1	227	508	27	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Athlon XP-M 2500+</a>	1	226	355	NA	Unknown	Laptop
<a href="#">MT6735M</a>	4	226	131	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium M 1.40GHz</a>	1	225	264	22	H-PBGA479, PPG	Laptop
<a href="#">Mobile AMD Athlon XP-M 2400+</a>	1	225	355	NA	Unknown	Laptop
<a href="#">Intel Atom N470 @ 1.83GHz</a>	1	224	308	6.5	BGA559	Laptop
<a href="#">Intel Celeron M 1.60GHz</a>	1	224	318	NA	Unknown	Laptop
<a href="#">Intel Atom D425 @ 1.80GHz</a>	1	222	320	10	BGA559	Desktop
<a href="#">Intel Celeron M 360 1.40GHz</a>	1	221	305	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Core Duo U2500 @ 1.20GHz</a>	2	220	362	9	BGA479	Laptop
<a href="#">Mobile Intel Pentium 4 3.06GHz</a>	1	220	423	81.8	PGA478	Desktop
<a href="#">Intel Celeron M 1500MHz</a>	1	217	297	NA	Unknown	Laptop

Copyright © 2021, assMark® Software



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Pentium 4 2.60GHz</a>	1	215	494	69	PGA478	Desktop
<a href="#">AMD Athlon XP 2200+</a>	1	214	335	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.73GHz</a>	1	214	479	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Celeron 723 @ 1.20GHz</a>	1	213	460	10	BGA956	Laptop
<a href="#">AMD Athlon XP 2100+</a>	1	210	327	NA	Unknown	Unknown
<a href="#">Intel Atom 230 @ 1.60GHz</a>	1	210	167	4	BGA437	Desktop
<a href="#">Intel Celeron 807UE @ 1.00GHz</a>	1	210	366	10	BGA-1023	Laptop
<a href="#">Intel Core Solo T1300 @ 1.66GHz</a>	1	210	518	27	PGA478	Laptop
<a href="#">Intel Celeron 220 @ 1.20GHz</a>	1	209	255	19	BGA479	Desktop
<a href="#">Intel Pentium M 1400MHz</a>	1	208	282	22	H-PBGA479, PPGA4	Laptop
<a href="#">AMD Sempron 2300+</a>	1	207	314	NA	Socket A	Desktop
<a href="#">AMD Sempron 2400+</a>	1	205	321	NA	Socket A	Desktop
<a href="#">Intel Celeron M 1.30GHz</a>	1	205	284	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 2.80GHz</a>	1	205	397	69.7	PGA478	Desktop
<a href="#">AMD Athlon XP 1900+</a>	1	203	312	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.20GHz</a>	1	199	262	NA	Unknown	Unknown
<a href="#">VIA Nano U2500@1200MHz</a>	1	199	184	7	BGA400	Laptop
<a href="#">AMD Athlon L110</a>	1	197	223	13	Unknown	Unknown
<a href="#">Intel Celeron M 1300MHz</a>	1	197	274	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1300MHz</a>	1	197	271	22	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1.30GHz</a>	1	196	250	22	H-PBGA479, PPG	Laptop
<a href="#">Mobile AMD Athlon XP-M 2000+</a>	1	196	301	NA	Unknown	Laptop
<a href="#">AMD Athlon XP 1800+</a>	1	195	301	66	Socket A	Desktop
<a href="#">AMD Athlon XP 2000+</a>	1	195	311	70	Socket A	Desktop
<a href="#">AMD Sempron 2500+</a>	1	195	353	NA	Socket A	Desktop
<a href="#">Intel Core Solo T1350 @ 1.86GHz</a>	1	194	413	31	Unknown	Laptop
<a href="#">Intel Pentium III 1400S @ 1400MHz</a>	1	194	278	32.2	Socket 370	Desktop
<a href="#">Intel Pentium III 1400 @ 1400MHz</a>	1	193	272	31.2	Socket 370	Desktop
<a href="#">Intel Pentium M 1600MHz</a>	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Athlon XP-M 1800+</a>	1	193	291	45	Socket A	Laptop
<a href="#">Mobile AMD Athlon MP-M 2400+</a>	1	192	314	NA	Unknown	Laptop
<a href="#">AMD Athlon 1500+</a>	1	191	275	NA	Unknown	Unknown
<a href="#">Rockchip RK3229</a>	4	191	115	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 2.80GHz</a>	1	190	425	68.4	PPGA478	Desktop
<a href="#">AMD E-240</a>	1	188	450	18	FT1	Laptop
<a href="#">Intel Atom N2100 @ 1.60GHz</a>	1	188	310	NA	BGA559	Laptop
<a href="#">Intel Pentium M 1500MHz</a>	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">AMD Sempron 2200+</a>	1	184	279	NA	Socket A	Desktop
<a href="#">AMD V105</a>	1	184	452	9	BGA812	Laptop
<a href="#">Intel Pentium M 1.10GHz</a>	1	184	218	NA	Unknown	Unknown
<a href="#">VIA Nano U3500@1000MHz</a>	1	184	286	5	BGA400	Laptop
<a href="#">AMD Athlon XP1600+</a>	1	183	272	NA	Unknown	Unknown
<a href="#">Intel Atom Z530 @ 1.60GHz</a>	1	183	161	2	BGA441	Laptop
<a href="#">Mobile Intel Celeron 1333MHz</a>	1	183	248	NA	Unknown	Laptop
<a href="#">Intel Celeron 2.26GHz</a>	1	182	382	NA	Unknown	Unknown
<a href="#">Mobile Intel Pentium 4 2.66GHz</a>	1	182	425	66.1	PGA478	Desktop
<a href="#">Intel Atom N280 @ 1.66GHz</a>	1	181	163	2.5	BGA437	Laptop
<a href="#">Intel Xeon 2.40GHz</a>	1	180	387	NA	Unknown	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">VIA Nano U2250@1300+MHz</a>	1	179	156	10	BGA400	Laptop
<a href="#">AMD C-30</a>	1	178	375	9	FT1	Laptop
<a href="#">AMD G-T52R</a>	1	177	381	18	FT1	Laptop
<a href="#">Intel Atom N450 @ 1.66GHz</a>	1	177	270	5.5	BGA559	Laptop
<a href="#">AMD Athlon XP 1700+</a>	1	176	272	64	Socket A (462)	Desktop
<a href="#">Intel Atom N270 @ 1.60GHz</a>	1	175	164	2.5	BGA437	Laptop
<a href="#">AMD Athlon XP 1600+</a>	1	174	265	NA	Unknown	Unknown
<a href="#">Intel Celeron 215 @ 1.33GHz</a>	1	174	440	27	BGA479	Laptop
<a href="#">Mobile AMD Athlon MP-M 1800+</a>	1	173	262	35	Unknown	Laptop
<a href="#">Intel Celeron 2.53GHz</a>	1	169	434	NA	Unknown	Unknown
<a href="#">Intel Celeron M 430 @ 1.73GHz</a>	1	169	466	27	PPGA478	Laptop
<a href="#">Mobile AMD Athlon XP-M 1600+</a>	1	169	274	NA	Unknown	Laptop
<a href="#">AMD Athlon XP 1500+</a>	1	167	251	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.13GHz</a>	1	166	361	NA	Unknown	Unknown
<a href="#">VIA Nano L2207@1600MHz</a>	1	165	191	17	BGA400	Laptop
<a href="#">Intel Celeron 2.50GHz</a>	1	164	431	NA	Unknown	Unknown
<a href="#">Intel Core Solo U1500 @ 1.33GHz</a>	1	164	375	5.5	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1133MHz</a>	1	164	218	NA	Unknown	Laptop
<a href="#">Intel XEON 2.20GHz</a>	1	164	351	NA	Unknown	Server
<a href="#">Mobile AMD Sempron 2100+</a>	1	164	203	8	S1	Laptop, Mobile/Embedded
<a href="#">Intel Atom D410 @ 1.66GHz</a>	1	162	254	10	BGA559	Desktop
<a href="#">Intel Atom N455 @ 1.66GHz</a>	1	162	258	6.5	BGA559	Laptop
<a href="#">Intel Pentium 4 2.53GHz</a>	1	162	442	61.5	PGA478	Desktop
<a href="#">Intel Pentium 4 2.50GHz</a>	1	160	385	61	PGA478	Desktop
<a href="#">Intel Pentium III Mobile 1066MHz</a>	1	160	210	NA	Unknown	Laptop
<a href="#">Intel Celeron 1200MHz</a>	1	159	212	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.70GHz</a>	1	159	386	NA	Unknown	Unknown
<a href="#">Intel Atom Z670 @ 1.50GHz</a>	1	158	95	3	BGA518	Laptop
<a href="#">Intel Pentium 4 2.20GHz</a>	1	157	379	57.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.66GHz</a>	1	157	431	66.1	PGA478	Desktop
<a href="#">Intel Atom Z520 @ 1.33GHz</a>	1	156	145	2	BGA441	Laptop
<a href="#">Intel Pentium III Mobile 1200MHz</a>	1	156	216	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1000MHz</a>	1	156	222	7	Unknown	Laptop
<a href="#">Intel Celeron M 440 @ 1.86GHz</a>	1	155	440	27	PBGA479, PPGA478	Laptop
<a href="#">Intel Pentium M 1200MHz</a>	1	155	166	12	Unknown	Laptop
<a href="#">AMD Athlon 64 2000+</a>	1	154	173	8	Unknown	Unknown
<a href="#">Intel Celeron 2.66GHz</a>	1	154	417	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 3.83GHz</a>	1	154	237	NA	Unknown	Desktop
<a href="#">Mobile Intel Celeron 2.40GHz</a>	1	154	376	NA	Unknown	Laptop
<a href="#">Intel Atom N435 @ 1.33GHz</a>	1	153	220	NA	Unknown	Unknown
<a href="#">Intel Xeon 2.00GHz</a>	1	152	259	NA	Unknown	Server
<a href="#">Intel Atom E3815 @ 1.46GHz</a>	1	151	215	5	FCBGA1170	Desktop
<a href="#">Intel Pentium 4 2.26GHz</a>	1	151	409	58	PGA478	Desktop
<a href="#">Intel Pentium 4 2.93GHz</a>	1	150	269	NA	Unknown	Desktop
<a href="#">VIA C7-D 1800MHz</a>	1	150	147	20	BGA400	Desktop
<a href="#">Intel Celeron M 1.00GHz</a>	1	149	197	NA	Unknown	Laptop
<a href="#">Intel Celeron 2.30GHz</a>	1	148	364	NA	Unknown	Unknown
<a href="#">Mobile Intel Celeron 2.20GHz</a>	1	147	355	NA	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">VIA C7-M 6300MHz</a>	1	145	121	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.40GHz</a>	1	143	397	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.60GHz</a>	1	143	353	NA	Unknown	Unknown
<a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>	1	143	388	NA	Unknown	Laptop
<a href="#">Intel Core Solo U1300 @ 1.06GHz</a>	1	141	349	6	PBGA479	Laptop
<a href="#">Intel Pentium M 900MHz</a>	1	141	200	7	Unknown	Laptop
<a href="#">Intel Celeron 1000MHz</a>	1	139	174	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.20GHz</a>	1	139	349	NA	Unknown	Unknown
<a href="#">Intel Celeron M 420 @ 1.60GHz</a>	1	139	391	27	PPGA478	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>	1	139	317	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>	1	138	345	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.90GHz</a>	1	136	282	NA	Unknown	Laptop
<a href="#">VIA Esther 1500MHz</a>	1	135	112	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 2.00GHz</a>	1	133	349	54.3	PGA478	Desktop
<a href="#">Mobile Intel Celeron 2.00GHz</a>	1	133	290	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 2.00GHz</a>	1	132	310	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 2.40GHz</a>	1	131	360	59.8	PGA478	Desktop
<a href="#">Intel Core Solo U1400 @ 1.20GHz</a>	1	130	365	5.5	PBGA479	Laptop
<a href="#">Mobile Intel Pentium III - M 933MHz</a>	1	130	177	20.1	BGA2, microPGA2	Laptop
<a href="#">Intel Celeron 2.00GHz</a>	1	125	338	52.8	PPGA478	Desktop
<a href="#">Intel Celeron M 443 @ 1.20GHz</a>	1	125	288	5.5	PBGA479	Laptop
<a href="#">Intel Celeron M 410 @ 1.46GHz</a>	1	123	301	27	PPGA478	Laptop
<a href="#">Intel Celeron M 900MHz</a>	1	123	155	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.80GHz</a>	1	121	280	66.1	PPGA478	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>	1	121	297	NA	Unknown	Laptop
<a href="#">AMD G-T40R</a>	1	120	327	5.5	FT1	Laptop
<a href="#">Intel Pentium III Mobile 800MHz</a>	1	119	155	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>	1	119	297	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.70GHz</a>	1	118	254	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.60GHz</a>	1	116	254	NA	Unknown	Laptop
<a href="#">VIA C7-M 1600MHz</a>	1	116	124	15	BGA400	Laptop
<a href="#">Intel Pentium 4 1.80GHz</a>	1	115	318	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 1800MHz</a>	1	114	317	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 Mobile 1.80GHz</a>	1	114	195	NA	Unknown	Laptop
<a href="#">Intel Celeron 1100MHz</a>	1	113	183	NA	Unknown	Unknown
<a href="#">AMD G-T44R</a>	1	112	329	9	FT1	Laptop
<a href="#">VIA C7-M 1200MHz</a>	1	112	93	NA	Unknown	Unknown
<a href="#">Intel Celeron B710 @ 1.60GHz</a>	1	106	101	35	rPGA988B	Laptop
<a href="#">Intel Pentium 4 1.90GHz</a>	1	104	292	69.2	PGA423	Desktop
<a href="#">Intel Celeron 1.70GHz</a>	1	101	190	NA	Unknown	Unknown
<a href="#">VIA Nehemiah</a>	1	101	75	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 1700MHz</a>	1	100	266	64	PGA423	Desktop
<a href="#">Intel Pentium III Mobile 866MHz</a>	1	99	132	NA	Unknown	Laptop
<a href="#">Intel Celeron 1.80GHz</a>	1	96	307	66.1	PPGA478	Desktop
<a href="#">VIA Esther 1000MHz</a>	1	95	82	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 2 Core 960 MHz</a>	2	93	140	NA	Unknown	Unknown
<a href="#">VIA Eden 1200MHz</a>	1	93	97	7	NanoBGA2	Laptop
<a href="#">Intel Pentium 4 1.50GHz</a>	1	86	228	57.8	PGA423	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Pentium 4 1.60GHz</a>	1	84	225	38	PGA478	Desktop
<a href="#">Intel Pentium 4 1400MHz</a>	1	83	180	54.7	PGA423	Desktop
<a href="#">Intel Pentium 4 1500MHz</a>	1	81	223	57.8	PGA423	Desktop
<a href="#">VIA Eden 1000MHz</a>	1	80	83	5	NanoBGA2	Laptop
<a href="#">Intel Pentium 4 1300MHz</a>	1	77	203	51.6	PGA423	Desktop